#### メタクリル酸 = 2,3 エポキシプロピルのマウスを用いた 吸入によるがん原性試験報告書

試験番号:0795

## **APPENDICES**

#### **APPENDICES**

APPENDIX 1-1	IDENTITY OF 2,3-EPOXYPROPYL METHACRYLATE IN THE 2-YEAR INHALATION STUDY
APPENDIX 1-2	STABILITY OF 2,3-EPOXYPROPYL METHACRYLATE IN THE 2-YEAR INHALATION STUDY
APPENDIX 2	ENVIRONMENTAL CONDITIONS OF INHALATION CHAMBER IN THE 2-YEAR INHALATION STUDY OF 2,3-EPOXYPROPYL METHACRYLATE
APPENDIX 3	METHODS, UNITS AND DECIMAL PLACE FOR HEMATOLOGY AND BIOCHEMISTRY IN THE 2-YEAR INHALATION STUDY OF 2.3-EPOXYPROPYL METHACRYLATE

### APPENDIX 1-1

# IDENTITY OF 2,3-EPOXYPROPYL METHACRYLATE IN THE 2-YEAR INHALATION STUDY

#### IDENTITY OF 2,3-EPOXYPROPYL METHACRYLATE IN THE 2-YEAR INHALATION STUDY

Test Substance

: 2,3-Epoxypropyl methacrylate (SIGMA-ALDRICH)

A. Lot No.

: MKBF2342V

#### 1. Spectral Data

#### Mass Spectrometry


Instrument


: Hitachi M-80B Mass Spectrometer

Ionization

: EI (Electron Ionization)

Ionization Voltage : 70eV





Result: The mass spectrum was consistent with literature spectrum.


(\*McLafferty FW, ed. 1994. Wiley Registry of Mass Spectral Data. 6th ed. New York, NY:John Wiley and Sons.)

#### Infrared Spectrometry


Instrument : Shimadzu FTIR-8200PC Infrared Spectrometer

Cell : KBr Liquid Cell

Resolution : 4 cm<sup>-1</sup>



Infrared Spectrum of Test Substance



Infrared Spectrum of Literature Data\*

Result: The infrared spectrum was consistent with literature spectrum. (\*Performed by Wako Pure Chemical Industries, Ltd.)

2. Conclusion: The test substance was identified as 2,3-epoxypropyl methacrylate by mass spectrum and infrared spectrum.

B. Lot No.

: MKBG6062V

#### 1. Spectral Data


#### Mass Spectrometry


Instrument : H

: Hitachi M-80B Mass Spectrometer

Ionization : EI (Electron Ionization)

Ionization Voltage : 70eV





Result: The mass spectrum was consistent with literature spectrum.


(\*McLafferty FW, ed. 1994. Wiley Registry of Mass Spectral Data. 6th ed. New York, NY:John Wiley and Sons.)

#### Infrared Spectrometry


Instrument : Shimadzu FTIR-8200PC Infrared Spectrometer

Cell : KBr Liquid Cell

Resolution : 4 cm<sup>-1</sup>



Infrared Spectrum of Test Substance



Infrared Spectrum of Literature Data\*

Result: The infrared spectrum was consistent with literature spectrum. (\*Performed by Wako Pure Chemical Industries, Ltd.)

2. Conclusion: The test substance was identified as 2,3-epoxypropyl methacrylate by mass spectrum and infrared spectrum.

C. Lot No.

: MKBH2577V

#### 1. Spectral Data

#### Mass Spectrometry

Instrument


: Hitachi M-80B Mass Spectrometer


Ionization

: EI (Electron Ionization)

Ionization Voltage

: 70eV





Result: The mass spectrum was consistent with literature spectrum.


(\*McLafferty FW, ed. 1994. Wiley Registry of Mass Spectral Data. 6th ed. New York, NY:John Wiley and Sons.)

#### Infrared Spectrometry


Instrument : Shimadzu FTIR-8200PC Infrared Spectrometer

Cell : KBr Liquid Cell

Resolution : 4 cm<sup>-1</sup>



Infrared Spectrum of Test Substance



Infrared Spectrum of Literature Data\*

Result: The infrared spectrum was consistent with literature spectrum. (\*Performed by Wako Pure Chemical Industries, Ltd.)

2. Conclusion: The test substance was identified as 2,3-epoxypropyl methacrylate by mass spectrum and infrared spectrum.

#### APPENDIX 1-2

# STABILITY OF 2,3-EPOXYPROPYL METHACRYLATE IN THE 2-YEAR INHALATION STUDY

#### STABILITY OF 2,3-EPOXYPROPYL METHACRYLATE IN THE 2-YEAR INHALATION STUDY

Test Substance

: 2,3-Epoxypropyl methacrylate (SIGMA-ALDRICH)

A. Lot No.

: MKBF2342V

1. Gas Chromatography

Instrument

: Agilent Technologies 5890A Gas Chromatograph

Column

: Methyl Silicone (0.53 mm  $\phi \times 60$  m)

Column Temperature: 180°C

Flow Rate

: 10 mL/min

Detector

: FID (Flame Ionization Detector)

Injection Volume

: 1 μL

Date (date analyzed)	Peak No.	Retention Time (min)	Area (%)
2012.01.27	1	3.786	100
2012.08.07	1	3.785	100

Result: Gas chromatography indicated one major peak (peak No. 1) analyzed on 2012.1.27 and one major peak (peak No. 1) analyzed on 2012.8.7. No new trace impurity peak in the test substance analyzed on 2012.8.7 was detected.

2. Conclusion: The test substance was stable for the period that the test substance had been used for the study.

B. Lot No.

: MKBG6062V

1. Gas Chromatography

Instrument

: Agilent Technologies 5890A Gas Chromatograph

Column

: Methyl Silicone (0.53 mm  $\phi$  × 60 m)

Column Temperature: 180°C

Flow Rate

: 10 mL/min

Detector

: FID (Flame Ionization Detector)

Injection Volume

 $: 1 \mu L$ 

Date (date analyzed)	Peak No.	Retention Time (min)	Area (%)
2012.08.03	1	3.785	100
2013.08.02	1	3.828	100

Result: Gas chromatography indicated one major peak (peak No. 1) analyzed on 2012.8.3 and one major peak (peak No. 1) analyzed on 2013.8.2. No new trace impurity peak in the test substance analyzed on 2013.8.2 was detected.

2. Conclusion: The test substance was stable for the period that the test substance had been used for the study.

C. Lot No.

: MKBH2577V

1. Gas Chromatography

Instrument

: Agilent Technologies 5890A Gas Chromatograph

Column

: Methyl Silicone (0.53 mm  $\phi$  × 60 m)

Column Temperature: 180° C

Flow Rate

: 10 mL/min

Detector

: FID (Flame Ionization Detector)

Injection Volume

: 1 μL

Date (date analyzed)	Peak No.	Retention Time (min)	Area (%)
2013.07.29	1	3.828	100
2014.03.06	1	3.815	100

Result: Gas chromatography indicated one major peak (peak No. 1) analyzed on 2013.7.29 and one major peak (peak No. 1) analyzed on 2014.3.6. No new trace impurity peak in the test substance analyzed on 2014.3.6 was detected.

2. Conclusion: The test substance was stable for the period that the test substance had been used for the study.

#### APPENDIX 2

# ENVIRONMENTAL CONDITIONS OF INHALATION CHAMBER IN THE 2-YEAR INHALATION STUDY OF 2,3-EPOXYPROPYL METHACRYLATE

# ENVIRONMENTAL CONDITIONS OF INHALATION CHAMBER IN THE 2-YEAR INHALATION STUDY OF 2,3-EPOXYPROPYL METHACRYLATE

Group Name	Temperature $(^{\circ}\mathbb{C})$ Mean $\pm$ S.D.	Humidity (%) Mean ± S.D.	Ventilation Rate $(L/min)$ $Mean \pm S.D.$	Air Change (time/h) Mean
Control	$23.1 \pm 0.1$	$53.2 \pm 1.6$	$738.1 \pm 5.2$	12.0
$0.6~\mathrm{ppm}$	$23.1 \pm 0.1$	$53.6 \pm 1.9$	$735.6 \pm 5.3$	11.9
$2.5~\mathrm{ppm}$	$23.1 \pm 0.1$	$52.6 \pm 2.1$	$735.0 \pm 5.4$	11.9
10 ppm	$23.1 \pm 0.1$	$52.4 \pm 2.9$	$741.4 \pm 9.3$	12.0

#### APPENDIX 3

METHODS, UNITS AND DECIMAL PLACE FOR
HEMATOLOGY AND BIOCHEMISTRY
IN THE 2-YEAR INHALATION STUDY OF
2,3-EPOXYPROPYL METHACRYLATE

## METHODS, UNITS AND DECIMAL PLACE FOR HEMATOLOGY AND BIOCHEMISTRY IN THE 2-YEAR INHALATION STUDY OF 2,3-EPOXYPROPYL METHACRYLATE

Item	Method	Unit	Decimal
			place
Hematology			
Red blood cell (RBC)	Light scattering method 1)	×10 <sup>6</sup> /μL	2
Hemoglobin(Hgb)	Cyanmethemoglobin method 1)	g/dL	1
Hematocrit(Hct)	Calculated as RBC×MCV/10 1)	%	1
Mean corpuscular volume(MCV)	Light scattering method 1)	fL	1
Mean corpuscular hemoglobin(MCH)	Calculated as Hgb/RBC×10 1)	pg	1
Mean corpuscular hemoglobin concentration	Calculated as Hgb/Hct×100 10	g/dL	1
(MCHC)			
Platelet	Light scattering method 1)	$ imes 10^3 / \mu$ L	0
Reticulocyte	Light scattering method 1)	%	1
White blood cell(WBC)	Light scattering method 1)	$ imes 10^3 / \mu$ L	2
Differential WBC	Light scattering method 1)	%	0
Biochemistry			
Total protein(TP)	Biuret method 2)	g/dL	1
Albumin (Alb)	BCG method 2)	g/dL	1
A/G ratio	Calculated as Alb/(TP-Alb) 2)		1
T-bilirubin	BOD method <sup>2)</sup>	mg/dL	2
Glucose	GlcK·G-6-PDH method 2)	mg/dL	0
T-cholesterol	CE · COD · POD method 2)	mg/dL	0
Triglyceride	MGLP·GK·GPO·POD method 2)	mg/dL	0
Phospholipid	PLD·ChOD·POD method 2)	mg/dL	0
Aspartate aminotransferase (AST)	JSCC method <sup>2)</sup>	U/L	0
Alanine aminotransferase (ALT)	JSCC method <sup>2)</sup>	U/L	0
Lactate dehydrogenase (LDH)	JSCC method <sup>2)</sup>	U/L	0
Alkaline phosphatase (ALP)	JSCC method <sup>2)</sup>	U/L	0
$\gamma$ -Glutamyl transpeptidase ( $\gamma$ -GTP)	JSCC method <sup>2)</sup>	U/L	1
Creatine kinase (CK)	JSCC method <sup>2)</sup>	U/L	0
Urea nitrogen	Urease · GLDH method 2)	mg/dL	1
Sodium	Ion selective electrode method 2)	mEq/L	0
Potassium	Ion selective electrode method 2)	mEq/L	1
Chloride	Ion selective electrode method 2)	mEq/L	0
Calcium	OCPC method <sup>2)</sup>	mg/dL	1
Inorganic phosphorus	PNP·XOD·POD method 2)	mg/dL	1

<sup>1)</sup> Automatic blood cell analyzer (ADVIA120 : Siemens Healthcare Diagnostics Inc.)

<sup>2)</sup> Automatic analyzer (Hitachi 7080 : Hitachi, Ltd.)