

4-(1,1,3,3-テトラメチルブチル)フェノールの p53KO マウスを用いた
強制経口投与による中期がん原性試験報告書

試験番号 : 0906 , 0907

TABLES

TABLES

(Test substance-treated group)

TABLE A 1	SURVIVAL ANIMAL NUMBERS: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 2	SURVIVAL ANIMAL NUMBERS: FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 3	CLINICAL OBSERVATION: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 4	CLINICAL OBSERVATION: FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 5	BODY WEIGHT CHANGES AND SURVIVAL ANIMAL NUMBERS : MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 6	BODY WEIGHT CHANGES AND SURVIVAL ANIMAL NUMBERS : FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 7	BODY WEIGHT CHANGES: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 8	BODY WEIGHT CHANGES: FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 9	FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL NUMBERS: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 10	FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL NUMBERS: FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 11	FOOD CONSUMPTION CHANGES: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 12	FOOD CONSUMPTION CHANGES: FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 13	URINALYSIS: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 14	URINALYSIS: FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 15	HEMATOLOGY: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 16	HEMATOLOGY: FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 17	BIOCHEMISTRY: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 18	BIOCHEMISTRY: FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 19	GROSS FINDINGS: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE A 20	GROSS FINDINGS: FEMALE (Control, 50, 100 and 200 mg/kg groups)

TABLES (CONTINUED)
(Test substance-treated group)

TABLE	A 21	ORGAN WEIGHT, ABSOLUTE: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 22	ORGAN WEIGHT, ABSOLUTE: FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 23	ORGAN WEIGHT, RELATIVE: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 24	ORGAN WEIGHT, RELATIVE: FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 25	HISTOPATHOLOGICAL FINDINGS: NEOPLASTIC LESIONS: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 26	HISTOPATHOLOGICAL FINDINGS: NEOPLASTIC LESIONS: FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 27	NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL ANALYSIS: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 28	NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL ANALYSIS: FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 29	NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF TUMORS - TIME RELATED: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 30	NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF TUMORS - TIME RELATED: FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 31	HISTOPATHOLOGICAL FINDINGS: METASTASIS OF TUMOR: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 32	HISTOPATHOLOGICAL FINDINGS: METASTASIS OF TUMOR: FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 33	HISTOPATHOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS : MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 34	HISTOPATHOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS : FEMALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 35	CAUSE OF DEATH: MALE (Control, 50, 100 and 200 mg/kg groups)
TABLE	A 36	CAUSE OF DEATH: FEMALE (Control, 50, 100 and 200 mg/kg groups)

TABLES

(Positive control group)

TABLE	B 1	SURVIVAL ANIMAL NUMBERS: MALE (Control and Positive control group)
TABLE	B 2	SURVIVAL ANIMAL NUMBERS: FEMALE (Control and Positive control group)
TABLE	B 3	CLINICAL OBSERVATION: MALE (Control and Positive control group)
TABLE	B 4	CLINICAL OBSERVATION: FEMALE (Control and Positive control group)
TABLE	B 5	BODY WEIGHT CHANGES AND SURVIVAL ANIMAL NUMBERS : MALE (Control and Positive control group)
TABLE	B 6	BODY WEIGHT CHANGES AND SURVIVAL ANIMAL NUMBERS : FEMALE (Control and Positive control group)
TABLE	B 7	BODY WEIGHT CHANGES: MALE (Control and Positive control group)
TABLE	B 8	BODY WEIGHT CHANGES: FEMALE (Control and Positive control group)
TABLE	B 9	FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL NUMBERS: MALE (Control and Positive control group)
TABLE	B 10	FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL NUMBERS: FEMALE (Control and Positive control group)
TABLE	B 11	FOOD CONSUMPTION CHANGES: MALE (Control and Positive control group)
TABLE	B 12	FOOD CONSUMPTION CHANGES: FEMALE (Control and Positive control group)
TABLE	B 13	URINALYSIS: MALE (Control and Positive control group)
TABLE	B 14	URINALYSIS: FEMALE (Control and Positive control group)
TABLE	B 15	HEMATOLOGY: MALE (Control and Positive control group)
TABLE	B 16	HEMATOLOGY: FEMALE (Control and Positive control group)
TABLE	B 17	BIOCHEMISTRY: MALE (Control and Positive control group)
TABLE	B 18	BIOCHEMISTRY: FEMALE (Control and Positive control group)
TABLE	B 19	GROSS FINDINGS: MALE (Control and Positive control group)
TABLE	B 20	GROSS FINDINGS: FEMALE (Control and Positive control group)

TABLES (CONTINUED)
(Positive control group)

TABLE	B 21	ORGAN WEIGHT, ABSOLUTE: MALE (Control and Positive control group)
TABLE	B 22	ORGAN WEIGHT, ABSOLUTE: FEMALE (Control and Positive control group)
TABLE	B 23	ORGAN WEIGHT, RELATIVE: MALE (Control and Positive control group)
TABLE	B 24	ORGAN WEIGHT, RELATIVE: FEMALE (Control and Positive control group)
TABLE	B 25	HISTOPATHOLOGICAL FINDINGS: NEOPLASTIC LESIONS: MALE (Control and Positive control group)
TABLE	B 26	HISTOPATHOLOGICAL FINDINGS: NEOPLASTIC LESIONS: FEMALE (Control and Positive control group)
TABLE	B 27	NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL ANALYSIS: MALE (Control and Positive control group)
TABLE	B 28	NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL ANALYSIS: FEMALE (Control and Positive control group)
TABLE	B 29	NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF TUMORS - TIME RELATED: MALE (Control and Positive control group)
TABLE	B 30	NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF TUMORS - TIME RELATED: FEMALE (Control and Positive control group)
TABLE	B 31	HISTOPATHOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS : MALE (Control and Positive control group)
TABLE	B 32	HISTOPATHOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS : FEMALE (Control and Positive control group)

TABLE A 1

SURVIVAL ANIMAL NUMBERS : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 26
 SEX : MALE

SURVIVAL ANIMAL NUMBERS

Group Name	Animals At start	Administration (Weeks)													
		0	1	2	3	4	5	6	7	8	9	10	11	12	13
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
50 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
100 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
200 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	24/25 96.0

Number of survival/ Number of effective animals
 Survival rate(%)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 26
 SEX : MALE

SURVIVAL ANIMAL NUMBERS

Group Name	Animals At start	Administration (Weeks)												
		14	15	16	17	18	19	20	21	22	23	24	25	26
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
50 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	24/25 96.0	24/25 96.0	24/25 96.0	24/25 96.0	24/25 96.0	24/25 96.0	24/25 96.0	24/25 96.0
100 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
200 mg/kg	25	24/25 96.0	24/25 96.0	23/25 92.0	22/25 88.0	22/25 88.0	22/25 88.0	21/25 84.0	21/25 84.0	21/25 84.0	21/25 84.0	20/25 80.0	20/25 80.0	20/25 80.0
		Number of survival/ Number of effective animals Survival rate(%)												

TABLE A 2

SURVIVAL ANIMAL NUMBERS : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 26
 SEX : FEMALE

SURVIVAL ANIMAL NUMBERS

Group Name	Animals At start	Administration (Weeks)													
		0	1	2	3	4	5	6	7	8	9	10	11	12	13
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
50 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
100 mg/kg	25	25/25 100.0	25/25 100.0	24/25 96.0	24/25 96.0	24/25 96.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0
200 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	24/25 96.0	24/25 96.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0
		Number of survival/ Number of effective animals Survival rate(%)													

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 26
 SEX : FEMALE

SURVIVAL ANIMAL NUMBERS

Group Name	Animals At start	Administration (Weeks)												
		14	15	16	17	18	19	20	21	22	23	24	25	26
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
50 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
100 mg/kg	25	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0
200 mg/kg	25	22/25 88.0	21/25 84.0	21/25 84.0	19/25 76.0	19/25 76.0	18/25 72.0	17/25 68.0	17/25 68.0	17/25 68.0	17/25 68.0	17/25 68.0	17/25 68.0	17/25 68.0
		Number of survival/ Number of effective animals Survival rate(%)												

TABLE A 3

CLINICAL OBSERVATION : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 1

Clinical sign	Group Name	Administration Week-day													
		1-1 1	1-1 2	1-2 1	1-2 2	1-3 1	1-3 2	1-4 1	1-4 2	1-5 1	1-5 2	1-6 1	1-6 2	1-7 1	1-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 2

Clinical sign	Group Name	Administration Week-day													
		2-1 1	2-1 2	2-2 1	2-2 2	2-3 1	2-3 2	2-4 1	2-4 2	2-5 1	2-5 2	2-6 1	2-6 2	2-7 1	2-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 3

Clinical sign	Group Name	Administration Week-day													
		3-1 1	3-1 2	3-2 1	3-2 2	3-3 1	3-3 2	3-4 1	3-4 2	3-5 1	3-5 2	3-6 1	3-6 2	3-7 1	3-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 4

Clinical sign	Group Name	Administration Week-day													
		4-1 1	4-1 2	4-2 1	4-2 2	4-3 1	4-3 2	4-4 1	4-4 2	4-5 1	4-5 2	4-6 1	4-6 2	4-7 1	4-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 5

Clinical sign	Group Name	Administration Week-day													
		5-1 1	5-1 2	5-2 1	5-2 2	5-3 1	5-3 2	5-4 1	5-4 2	5-5 1	5-5 2	5-6 1	5-6 2	5-7 1	5-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 6

Clinical sign	Group Name	Administration Week-day													
		6-1 1	6-1 2	6-2 1	6-2 2	6-3 1	6-3 2	6-4 1	6-4 2	6-5 1	6-5 2	6-6 1	6-6 2	6-7 1	6-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	1	1	1	1	1	1	1	1	1	1	1	1	3

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 7

Clinical sign	Group Name	Administration Week-day													
		7-1 1	7-1 2	7-2 1	7-2 2	7-3 1	7-3 2	7-4 1	7-4 2	7-5 1	7-5 2	7-6 1	7-6 2	7-7 1	7-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	3	3	2	1	1	1	1	1	3	3	1	1	1	1

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 8

Clinical sign	Group Name	Administration Week-day													
		8-1 1	8-1 2	8-2 1	8-2 2	8-3 1	8-3 2	8-4 1	8-4 2	8-5 1	8-5 2	8-6 1	8-6 2	8-7 1	8-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	2	2	2	2	2	2	2	2	2	2	2	2	2	2

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 9

Clinical sign	Group Name	Administration Week-day													
		9-1 1	9-1 2	9-2 1	9-2 2	9-3 1	9-3 2	9-4 1	9-4 2	9-5 1	9-5 2	9-6 1	9-6 2	9-7 1	9-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	2	2	2	1	0	0	0	0	1	1	1	1	1	1

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 10

Clinical sign	Group Name	Administration Week-day													
		10-1 1	10-1 2	10-2 1	10-2 2	10-3 1	10-3 2	10-4 1	10-4 2	10-5 1	10-5 2	10-6 1	10-6 2	10-7 1	10-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 11

Clinical sign	Group Name	Administration Week-day													
		11-1 1	11-1 2	11-2 1	11-2 2	11-3 1	11-3 2	11-4 1	11-4 2	11-5 1	11-5 2	11-6 1	11-6 2	11-7 1	11-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 12

Clinical sign	Group Name	Administration Week-day													
		12-1 1	12-1 2	12-2 1	12-2 2	12-3 1	12-3 2	12-4 1	12-4 2	12-5 1	12-5 2	12-6 1	12-6 2	12-7 1	12-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 13

Clinical sign	Group Name	Administration Week-day													
		13-1 1	13-1 2	13-2 1	13-2 2	13-3 1	13-3 2	13-4 1	13-4 2	13-5 1	13-5 2	13-6 1	13-6 2	13-7 1	13-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	1	1
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	1	1	1	1	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 14

Clinical sign	Group Name	Administration Week-day													
		14-1 1	14-1 2	14-2 1	14-2 2	14-3 1	14-3 2	14-4 1	14-4 2	14-5 1	14-5 2	14-6 1	14-6 2	14-7 1	14-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 15

Clinical sign	Group Name	Administration Week-day													
		15-1 1	15-1 2	15-2 1	15-2 2	15-3 1	15-3 2	15-4 1	15-4 2	15-5 1	15-5 2	15-6 1	15-6 2	15-7 1	15-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 16

Clinical sign	Group Name	Administration Week-day													
		16-1 1	16-1 2	16-2 1	16-2 2	16-3 1	16-3 2	16-4 1	16-4 2	16-5 1	16-5 2	16-6 1	16-6 2	16-7 1	16-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	2	2	2	2	2	2	2	2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 17

Clinical sign	Group Name	Administration Week-day													
		17-1 1	17-1 2	17-2 1	17-2 2	17-3 1	17-3 2	17-4 1	17-4 2	17-5 1	17-5 2	17-6 1	17-6 2	17-7 1	17-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	2	2	2	2	2	2	2	2	2	2	2	2	2	3
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	1	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 18

Clinical sign	Group Name	Administration Week-day													
		18-1 1	18-1 2	18-2 1	18-2 2	18-3 1	18-3 2	18-4 1	18-4 2	18-5 1	18-5 2	18-6 1	18-6 2	18-7 1	18-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	3	3	3	3	3	3	3	3	3	3	3	3	3	3
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 19

Clinical sign	Group Name	Administration Week-day													
		19-1 1	19-1 2	19-2 1	19-2 2	19-3 1	19-3 2	19-4 1	19-4 2	19-5 1	19-5 2	19-6 1	19-6 2	19-7 1	19-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	3	3	3	3	3	3	3	3	3	3	3	3	3	3
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	1	1
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	1	1	1	1	1	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	1	1	1	1	1	1

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 20

Clinical sign	Group Name	Administration Week-day													
		20-1		20-2		20-3		20-4		20-5		20-6		20-7	
		1	2	1	2	1	2	1	2	1	2	1	2	1	2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	3	3	3	3	3	3	3	3	3	3	3	3	3	3
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	1	1	1	1	1	1	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	1	1	1	1	1	1	1	1	1	1	1	1	1
EROSION	Control	0	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 21

Clinical sign	Group Name	Administration Week-day													
		21-1 1	21-1 2	21-2 1	21-2 2	21-3 1	21-3 2	21-4 1	21-4 2	21-5 1	21-5 2	21-6 1	21-6 2	21-7 1	21-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	3	3	3	3	3	3	3	3	3	3	3	3	3	3
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 22

Clinical sign	Group Name	Administration Week-day													
		22-1 1	22-1 2	22-2 1	22-2 2	22-3 1	22-3 2	22-4 1	22-4 2	22-5 1	22-5 2	22-6 1	22-6 2	22-7 1	22-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	3	3	3	3	3	3	3	3	3	3	3	3	3	3
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 23

Clinical sign	Group Name	Administration Week-day													
		23-1		23-2		23-3		23-4		23-5		23-6		23-7	
		1	2	1	2	1	2	1	2	1	2	1	2	1	2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	3	3	3	3	3	3	3	3	3	3	3	3	3	3
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 24

Clinical sign	Group Name	Administration Week-day													
		24-1		24-2		24-3		24-4		24-5		24-6		24-7	
		1	2	1	2	1	2	1	2	1	2	1	2	1	2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	4	4	4	4	4	4	4	4	4	4	4	4	4	4
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 25

Clinical sign	Group Name	Administration Week-day													
		25-1		25-2		25-3		25-4		25-5		25-6		25-7	
		1	2	1	2	1	2	1	2	1	2	1	2	1	2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	4	4	4	4	4	4	4	4	4	4	4	4	4	4
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 26

Clinical sign	Group Name	Administration Week-day													
		26-1 1	26-1 2	26-2 1	26-2 2	26-3 1	26-3 2	26-4 1	26-4 2	26-5 1	26-5 2	26-6 1	26-6 2	26-7 1	26-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	4	4	4	4	4	4	4	4	4	4	4	4	4	4
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF PENIS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 27

Clinical sign	Group Name	Administration Week-day	
		27-1 1	27-1 2
DEATH	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	1	1
MORIBUND SACRIFICE	Control	0	0
	50 mg/kg	1	1
	100 mg/kg	0	0
	200 mg/kg	4	4
LOCOMOTOR MOVEMENT DECR	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
HUNCHBACK POSITION	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
EROSION	Control	1	0
	50 mg/kg	1	1
	100 mg/kg	0	0
	200 mg/kg	0	0
CRUSTA	Control	1	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
PROLAPSE OF PENIS	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	1	1
	200 mg/kg	0	0
IRREGULAR BREATHING	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
OLIGO-STOOL	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 28

Clinical sign	Group Name	Administration Week-day													
		1-1 1	1-1 2	1-2 1	1-2 2	1-3 1	1-3 2	1-4 1	1-4 2	1-5 1	1-5 2	1-6 1	1-6 2	1-7 1	1-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 29

Clinical sign	Group Name	Administration Week-day													
		2-1 1	2-1 2	2-2 1	2-2 2	2-3 1	2-3 2	2-4 1	2-4 2	2-5 1	2-5 2	2-6 1	2-6 2	2-7 1	2-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 30

Clinical sign	Group Name	Administration Week-day													
		3-1 1	3-1 2	3-2 1	3-2 2	3-3 1	3-3 2	3-4 1	3-4 2	3-5 1	3-5 2	3-6 1	3-6 2	3-7 1	3-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 31

Clinical sign	Group Name	Administration Week-day													
		4-1 1	4-1 2	4-2 1	4-2 2	4-3 1	4-3 2	4-4 1	4-4 2	4-5 1	4-5 2	4-6 1	4-6 2	4-7 1	4-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 32

Clinical sign	Group Name	Administration Week-day													
		5-1 1	5-1 2	5-2 1	5-2 2	5-3 1	5-3 2	5-4 1	5-4 2	5-5 1	5-5 2	5-6 1	5-6 2	5-7 1	5-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 33

Clinical sign	Group Name	Administration Week-day													
		6-1 1	6-1 2	6-2 1	6-2 2	6-3 1	6-3 2	6-4 1	6-4 2	6-5 1	6-5 2	6-6 1	6-6 2	6-7 1	6-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	24	24	24	24	24	24	24	24	24	24	24	24	22

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 34

Clinical sign	Group Name	Administration Week-day													
		7-1 1	7-1 2	7-2 1	7-2 2	7-3 1	7-3 2	7-4 1	7-4 2	7-5 1	7-5 2	7-6 1	7-6 2	7-7 1	7-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	22	22	23	24	24	24	24	24	24	22	22	24	24	24

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 35

Clinical sign	Group Name	Administration Week-day													
		8-1 1	8-1 2	8-2 1	8-2 2	8-3 1	8-3 2	8-4 1	8-4 2	8-5 1	8-5 2	8-6 1	8-6 2	8-7 1	8-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 36

Clinical sign	Group Name	Administration Week-day													
		9-1 1	9-1 2	9-2 1	9-2 2	9-3 1	9-3 2	9-4 1	9-4 2	9-5 1	9-5 2	9-6 1	9-6 2	9-7 1	9-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	23	23	23	24	25	25	25	25	24	24	24	24	24	24

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 37

Clinical sign	Group Name	Administration Week-day													
		10-1 1	10-1 2	10-2 1	10-2 2	10-3 1	10-3 2	10-4 1	10-4 2	10-5 1	10-5 2	10-6 1	10-6 2	10-7 1	10-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	24	24	24	24	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 38

Clinical sign	Group Name	Administration Week-day													
		11-1 1	11-1 2	11-2 1	11-2 2	11-3 1	11-3 2	11-4 1	11-4 2	11-5 1	11-5 2	11-6 1	11-6 2	11-7 1	11-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	24	24	24	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 39

Clinical sign	Group Name	Administration Week-day													
		12-1 1	12-1 2	12-2 1	12-2 2	12-3 1	12-3 2	12-4 1	12-4 2	12-5 1	12-5 2	12-6 1	12-6 2	12-7 1	12-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 40

Clinical sign	Group Name	Administration Week-day													
		13-1 1	13-1 2	13-2 1	13-2 2	13-3 1	13-3 2	13-4 1	13-4 2	13-5 1	13-5 2	13-6 1	13-6 2	13-7 1	13-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	24	24	24	24	24	24

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 41

Clinical sign	Group Name	Administration Week-day													
		14-1 1	14-1 2	14-2 1	14-2 2	14-3 1	14-3 2	14-4 1	14-4 2	14-5 1	14-5 2	14-6 1	14-6 2	14-7 1	14-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24

(HAN190)

BAIS 6

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
ALL ANIMALS

SEX : MALE

PAGE : 42

Clinical sign	Group Name	Administration Week-day													
		15-1 1	15-1 2	15-2 1	15-2 2	15-3 1	15-3 2	15-4 1	15-4 2	15-5 1	15-5 2	15-6 1	15-6 2	15-7 1	15-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 43

Clinical sign	Group Name	Administration Week-day													
		16-1 1	16-1 2	16-2 1	16-2 2	16-3 1	16-3 2	16-4 1	16-4 2	16-5 1	16-5 2	16-6 1	16-6 2	16-7 1	16-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	24	24	24	24	24	24	23	23	23	23	23	23	23	23

(HAN190)

BAIS 6

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
ALL ANIMALS

SEX : MALE

PAGE : 44

Clinical sign	Group Name	Administration Week-day													
		17-1 1	17-1 2	17-2 1	17-2 2	17-3 1	17-3 2	17-4 1	17-4 2	17-5 1	17-5 2	17-6 1	17-6 2	17-7 1	17-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	22	22

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 45

Clinical sign	Group Name	Administration Week-day													
		18-1 1	18-1 2	18-2 1	18-2 2	18-3 1	18-3 2	18-4 1	18-4 2	18-5 1	18-5 2	18-6 1	18-6 2	18-7 1	18-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	22	22	22	22	22	22	22	22	22	22	22	22	22	22

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 46

Clinical sign	Group Name	Administration Week-day													
		19-1 1	19-1 2	19-2 1	19-2 2	19-3 1	19-3 2	19-4 1	19-4 2	19-5 1	19-5 2	19-6 1	19-6 2	19-7 1	19-7 2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	22	22	22	22	22	22	22	22	21	21	21	21	21	21

(HAN190)

BAIS 6

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
ALL ANIMALS

SEX : MALE

PAGE : 47

Clinical sign	Group Name	Administration Week-day													
		20-1 1	20-1 2	20-2 1	20-2 2	20-3 1	20-3 2	20-4 1	20-4 2	20-5 1	20-5 2	20-6 1	20-6 2	20-7 1	20-7 2
NON REMARKABLE	Control	25	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	21	20	20	20	20	20	20	20	20	20	20	20	20	20

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 48

Clinical sign	Group Name	Administration Week-day													
		21-1 1	21-1 2	21-2 1	21-2 2	21-3 1	21-3 2	21-4 1	21-4 2	21-5 1	21-5 2	21-6 1	21-6 2	21-7 1	21-7 2
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	
	200 mg/kg	20	20	20	20	20	20	20	20	20	20	20	20	20	

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 49

Clinical sign	Group Name	Administration Week-day													
		22-1 1	22-1 2	22-2 1	22-2 2	22-3 1	22-3 2	22-4 1	22-4 2	22-5 1	22-5 2	22-6 1	22-6 2	22-7 1	22-7 2
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	
	200 mg/kg	20	20	20	20	20	20	20	20	20	20	20	20	20	

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 50

Clinical sign	Group Name	Administration Week-day													
		23-1 1	23-1 2	23-2 1	23-2 2	23-3 1	23-3 2	23-4 1	23-4 2	23-5 1	23-5 2	23-6 1	23-6 2	23-7 1	23-7 2
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	
	200 mg/kg	20	20	20	20	20	20	20	20	20	20	20	20	20	

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 51

Clinical sign	Group Name	Administration Week-day													
		24-1 1	24-1 2	24-2 1	24-2 2	24-3 1	24-3 2	24-4 1	24-4 2	24-5 1	24-5 2	24-6 1	24-6 2	24-7 1	24-7 2
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	
	200 mg/kg	20	20	20	20	20	20	20	20	20	20	20	20	20	

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 52

Clinical sign	Group Name	Administration Week-day													
		25-1 1	25-1 2	25-2 1	25-2 2	25-3 1	25-3 2	25-4 1	25-4 2	25-5 1	25-5 2	25-6 1	25-6 2	25-7 1	25-7 2
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	20	20	20	20	20	20	20	20	20	20	20	20	20	20

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 53

Clinical sign	Group Name	Administration Week-day													
		26-1 1	26-1 2	26-2 1	26-2 2	26-3 1	26-3 2	26-4 1	26-4 2	26-5 1	26-5 2	26-6 1	26-6 2	26-7 1	26-7 2
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	23	23	23
	100 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	200 mg/kg	20	20	20	20	20	20	20	20	20	20	20	20	20	20

(HAN190)

BAIS 6

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
ALL ANIMALS

SEX : MALE

PAGE : 54

Clinical sign	Group Name	Administration Week-day	
		27-1	27-1
		1	2
NON REMARKABLE	Control	24	11
	50 mg/kg	23	9
	100 mg/kg	24	10
	200 mg/kg	20	8

(HAN190)

BAIS 6

TABLE A 4

CLINICAL OBSERVATION : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 1

Clinical sign	Group Name	Administration Week-day													
		1-1 1	1-1 2	1-2 1	1-2 2	1-3 1	1-3 2	1-4 1	1-4 2	1-5 1	1-5 2	1-6 1	1-6 2	1-7 1	1-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 2

Clinical sign	Group Name	Administration Week-day													
		2-1	2-1	2-2	2-2	2-3	2-3	2-4	2-4	2-5	2-5	2-6	2-6	2-7	2-7
		1	2	1	2	1	2	1	2	1	2	1	2	1	2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 3

Clinical sign	Group Name	Administration Week-day													
		3-1 1	3-1 2	3-2 1	3-2 2	3-3 1	3-3 2	3-4 1	3-4 2	3-5 1	3-5 2	3-6 1	3-6 2	3-7 1	3-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 4

Clinical sign	Group Name	Administration Week-day													
		4-1 1	4-1 2	4-2 1	4-2 2	4-3 1	4-3 2	4-4 1	4-4 2	4-5 1	4-5 2	4-6 1	4-6 2	4-7 1	4-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 5

Clinical sign	Group Name	Administration Week-day													
		5-1 1	5-1 2	5-2 1	5-2 2	5-3 1	5-3 2	5-4 1	5-4 2	5-5 1	5-5 2	5-6 1	5-6 2	5-7 1	5-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 6

Clinical sign	Group Name	Administration Week-day													
		6-1 1	6-1 2	6-2 1	6-2 2	6-3 1	6-3 2	6-4 1	6-4 2	6-5 1	6-5 2	6-6 1	6-6 2	6-7 1	6-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 7

Clinical sign	Group Name	Administration Week-day													
		7-1 1	7-1 2	7-2 1	7-2 2	7-3 1	7-3 2	7-4 1	7-4 2	7-5 1	7-5 2	7-6 1	7-6 2	7-7 1	7-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	1	1	1	1	1
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	1	1	1	1	1
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 8

Clinical sign	Group Name	Administration Week-day													
		8-1 1	8-1 2	8-2 1	8-2 2	8-3 1	8-3 2	8-4 1	8-4 2	8-5 1	8-5 2	8-6 1	8-6 2	8-7 1	8-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	2	2	2	2	2	2	2	2	2	2	2	2	2	2
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 9

Clinical sign	Group Name	Administration Week-day													
		9-1 1	9-1 2	9-2 1	9-2 2	9-3 1	9-3 2	9-4 1	9-4 2	9-5 1	9-5 2	9-6 1	9-6 2	9-7 1	9-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	2	2	2	2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	2	2	2	2	2	2	1	1	1	1	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	1	1	1
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	1	1	1

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 10

Clinical sign	Group Name	Administration Week-day													
		10-1 1	10-1 2	10-2 1	10-2 2	10-3 1	10-3 2	10-4 1	10-4 2	10-5 1	10-5 2	10-6 1	10-6 2	10-7 1	10-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	2	2	2	2	2	2	2	2	2	2	2	2	2	2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 11

Clinical sign	Group Name	Administration Week-day													
		11-1 1	11-1 2	11-2 1	11-2 2	11-3 1	11-3 2	11-4 1	11-4 2	11-5 1	11-5 2	11-6 1	11-6 2	11-7 1	11-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	2	2	2	2	2	2	2	2	2	2	2	2	2	2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 12

Clinical sign	Group Name	Administration Week-day													
		12-1 1	12-1 2	12-2 1	12-2 2	12-3 1	12-3 2	12-4 1	12-4 2	12-5 1	12-5 2	12-6 1	12-6 2	12-7 1	12-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	2	2	2	2	2	2	2	2	2	2	2	2	2	2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 13

Clinical sign	Group Name	Administration Week-day													
		13-1 1	13-1 2	13-2 1	13-2 2	13-3 1	13-3 2	13-4 1	13-4 2	13-5 1	13-5 2	13-6 1	13-6 2	13-7 1	13-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	2	2	2	2	2	2	2	2	2	2	2	2	2	2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 14

Clinical sign	Group Name	Administration Week-day													
		14-1 1	14-1 2	14-2 1	14-2 2	14-3 1	14-3 2	14-4 1	14-4 2	14-5 1	14-5 2	14-6 1	14-6 2	14-7 1	14-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	2	2	2	3	3	3	3	3	3	3	3	3	3	3
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	1	1
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	0	0	0	0	0	0	0	0	0	0	0
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 15

Clinical sign	Group Name	Administration Week-day													
		15-1 1	15-1 2	15-2 1	15-2 2	15-3 1	15-3 2	15-4 1	15-4 2	15-5 1	15-5 2	15-6 1	15-6 2	15-7 1	15-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	3	4	4	4	4	4	4	4	4	4	4	4	4	4
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 16

Clinical sign	Group Name	Administration Week-day													
		16-1 1	16-1 2	16-2 1	16-2 2	16-3 1	16-3 2	16-4 1	16-4 2	16-5 1	16-5 2	16-6 1	16-6 2	16-7 1	16-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	4	4	4	4	4	4	4	4	4	4	4	4	4	4
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 17

Clinical sign	Group Name	Administration Week-day													
		17-1 1	17-1 2	17-2 1	17-2 2	17-3 1	17-3 2	17-4 1	17-4 2	17-5 1	17-5 2	17-6 1	17-6 2	17-7 1	17-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	5	5	6	6	6	6	6	6	6	6	6	6	6	6
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 18

Clinical sign	Group Name	Administration Week-day													
		18-1 1	18-1 2	18-2 1	18-2 2	18-3 1	18-3 2	18-4 1	18-4 2	18-5 1	18-5 2	18-6 1	18-6 2	18-7 1	18-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	6	6	6	6	6	6	6	6	6	6	6	6	6	6
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 19

Clinical sign	Group Name	Administration Week-day													
		19-1 1	19-1 2	19-2 1	19-2 2	19-3 1	19-3 2	19-4 1	19-4 2	19-5 1	19-5 2	19-6 1	19-6 2	19-7 1	19-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	6	6	6	6	6	6	6	6	6	6	6	7	7	7
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 20

Clinical sign	Group Name	Administration Week-day													
		20-1 1	20-1 2	20-2 1	20-2 2	20-3 1	20-3 2	20-4 1	20-4 2	20-5 1	20-5 2	20-6 1	20-6 2	20-7 1	20-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	7	7	7	7	7	7	7	7	7	8	8	8	8	8
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	1	1	1	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 21

Clinical sign	Group Name	Administration Week-day													
		21-1 1	21-1 2	21-2 1	21-2 2	21-3 1	21-3 2	21-4 1	21-4 2	21-5 1	21-5 2	21-6 1	21-6 2	21-7 1	21-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	8	8	8	8	8	8	8	8	8	8	8	8	8	8
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 22

Clinical sign	Group Name	Administration Week-day													
		22-1 1	22-1 2	22-2 1	22-2 2	22-3 1	22-3 2	22-4 1	22-4 2	22-5 1	22-5 2	22-6 1	22-6 2	22-7 1	22-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	8	8	8	8	8	8	8	8	8	8	8	8	8	8
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 23

Clinical sign	Group Name	Administration Week-day													
		23-1 1	23-1 2	23-2 1	23-2 2	23-3 1	23-3 2	23-4 1	23-4 2	23-5 1	23-5 2	23-6 1	23-6 2	23-7 1	23-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	8	8	8	8	8	8	8	8	8	8	8	8	8	8
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 24

Clinical sign	Group Name	Administration Week-day													
		24-1 1	24-1 2	24-2 1	24-2 2	24-3 1	24-3 2	24-4 1	24-4 2	24-5 1	24-5 2	24-6 1	24-6 2	24-7 1	24-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	8	8	8	8	8	8	8	8	8	8	8	8	8	8
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 25

Clinical sign	Group Name	Administration Week-day													
		25-1 1	25-1 2	25-2 1	25-2 2	25-3 1	25-3 2	25-4 1	25-4 2	25-5 1	25-5 2	25-6 1	25-6 2	25-7 1	25-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	8	8	8	8	8	8	8	8	8	8	8	8	8	8
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 26

Clinical sign	Group Name	Administration Week-day													
		26-1 1	26-1 2	26-2 1	26-2 2	26-3 1	26-3 2	26-4 1	26-4 2	26-5 1	26-5 2	26-6 1	26-6 2	26-7 1	26-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	8	8	8	8	8	8	8	8	8	8	8	8	8	8
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WASTING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALOCCLUSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.NECK	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M.HINDLIMB	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 27

Clinical sign	Group Name	Administration Week-day	
		27-1 1	27-1 2
DEATH	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	1	1
	200 mg/kg	0	0
MORIBUND SACRIFICE	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	1	1
	200 mg/kg	8	8
LOCOMOTOR MOVEMENT DECR	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
HUNCHBACK POSITION	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
WASTING	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
MALOCCLUSION	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
EXTERNAL MASS	Control	0	0
	50 mg/kg	1	1
	100 mg/kg	0	0
	200 mg/kg	0	0
M.NECK	Control	0	0
	50 mg/kg	1	1
	100 mg/kg	0	0
	200 mg/kg	0	0
M.HINDLIMB	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 28

Clinical sign	Group Name	Administration Week-day													
		1-1 1	1-1 2	1-2 1	1-2 2	1-3 1	1-3 2	1-4 1	1-4 2	1-5 1	1-5 2	1-6 1	1-6 2	1-7 1	1-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 29

Clinical sign	Group Name	Administration Week-day													
		2-1 1	2-1 2	2-2 1	2-2 2	2-3 1	2-3 2	2-4 1	2-4 2	2-5 1	2-5 2	2-6 1	2-6 2	2-7 1	2-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	24	24	24	24	24	24	24	23
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 30

Clinical sign	Group Name	Administration Week-day													
		3-1 1	3-1 2	3-2 1	3-2 2	3-3 1	3-3 2	3-4 1	3-4 2	3-5 1	3-5 2	3-6 1	3-6 2	3-7 1	3-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 31

Clinical sign	Group Name	Administration Week-day													
		4-1 1	4-1 2	4-2 1	4-2 2	4-3 1	4-3 2	4-4 1	4-4 2	4-5 1	4-5 2	4-6 1	4-6 2	4-7 1	4-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	22	23	23	23	23	23
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 32

Clinical sign	Group Name	Administration Week-day													
		5-1 1	5-1 2	5-2 1	5-2 2	5-3 1	5-3 2	5-4 1	5-4 2	5-5 1	5-5 2	5-6 1	5-6 2	5-7 1	5-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	1	1	4	4	4	4
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	25	25	25	25	25	25	25	25	24	24	21	21	21	21

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 33

Clinical sign	Group Name	Administration Week-day													
		6-1 1	6-1 2	6-2 1	6-2 2	6-3 1	6-3 2	6-4 1	6-4 2	6-5 1	6-5 2	6-6 1	6-6 2	6-7 1	6-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	4	4	4	4	4	4	4	4	4	4	4	4	4	4
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	21	21	21	21	21	21	21	21	21	21	21	21	21	21

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 34

Clinical sign	Group Name	Administration Week-day													
		7-1 1	7-1 2	7-2 1	7-2 2	7-3 1	7-3 2	7-4 1	7-4 2	7-5 1	7-5 2	7-6 1	7-6 2	7-7 1	7-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	4	4	3	3	3	3	3	3	3	2	2	2	2	2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	21	21	22	22	22	22	22	22	22	22	22	22	22	22

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 35

Clinical sign	Group Name	Administration Week-day													
		8-1 1	8-1 2	8-2 1	8-2 2	8-3 1	8-3 2	8-4 1	8-4 2	8-5 1	8-5 2	8-6 1	8-6 2	8-7 1	8-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	1	1	1
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	2	2	2	2	2	2	2	2	2	2	2	2	2	2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	22	22	22	22	22	22	22	22	22	22	22	21	21	21

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 36

Clinical sign	Group Name	Administration Week-day													
		9-1 1	9-1 2	9-2 1	9-2 2	9-3 1	9-3 2	9-4 1	9-4 2	9-5 1	9-5 2	9-6 1	9-6 2	9-7 1	9-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	2	2	2	2	2	2	2	2	2	2	1	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	21	21	21	21	21	21	21	21	21	21	21	22	22	22

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 37

Clinical sign	Group Name	Administration Week-day													
		10-1 1	10-1 2	10-2 1	10-2 2	10-3 1	10-3 2	10-4 1	10-4 2	10-5 1	10-5 2	10-6 1	10-6 2	10-7 1	10-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	2	2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	22	22	22	22	22	22	22	22	22	22	22	22	20	20

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 38

Clinical sign	Group Name	Administration Week-day													
		11-1 1	11-1 2	11-2 1	11-2 2	11-3 1	11-3 2	11-4 1	11-4 2	11-5 1	11-5 2	11-6 1	11-6 2	11-7 1	11-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	3	3	3	3	3	3	1	1	1	1	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	19	19	19	19	19	19	21	21	21	21	22	22	22	22

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 39

Clinical sign	Group Name	Administration Week-day													
		12-1 1	12-1 2	12-2 1	12-2 2	12-3 1	12-3 2	12-4 1	12-4 2	12-5 1	12-5 2	12-6 1	12-6 2	12-7 1	12-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	1	1	1	1
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	22	22	22	22	22	22	22	22	22	22	21	21	21	21

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 40

Clinical sign	Group Name	Administration Week-day													
		13-1 1	13-1 2	13-2 1	13-2 2	13-3 1	13-3 2	13-4 1	13-4 2	13-5 1	13-5 2	13-6 1	13-6 2	13-7 1	13-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	21	21	21	21	21	21	21	21	22	22	22	22	22	22

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 41

Clinical sign	Group Name	Administration Week-day													
		14-1 1	14-1 2	14-2 1	14-2 2	14-3 1	14-3 2	14-4 1	14-4 2	14-5 1	14-5 2	14-6 1	14-6 2	14-7 1	14-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	1	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	22	22	22	22	22	22	22	22	22	22	22	22	21	21

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 42

Clinical sign	Group Name	Administration Week-day													
		15-1 1	15-1 2	15-2 1	15-2 2	15-3 1	15-3 2	15-4 1	15-4 2	15-5 1	15-5 2	15-6 1	15-6 2	15-7 1	15-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	21	21	21	21	21	21	21	21	21	21	21	21	21	21

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 43

Clinical sign	Group Name	Administration Week-day													
		16-1 1	16-1 2	16-2 1	16-2 2	16-3 1	16-3 2	16-4 1	16-4 2	16-5 1	16-5 2	16-6 1	16-6 2	16-7 1	16-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	1	1
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	21	21	21	21	21	21	21	21	21	21	21	21	20	20

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 44

Clinical sign	Group Name	Administration Week-day													
		17-1 1	17-1 2	17-2 1	17-2 2	17-3 1	17-3 2	17-4 1	17-4 2	17-5 1	17-5 2	17-6 1	17-6 2	17-7 1	17-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	20	20	19	19	19	19	19	19	19	19	19	19	19	19

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 45

Clinical sign	Group Name	Administration Week-day													
		18-1 1	18-1 2	18-2 1	18-2 2	18-3 1	18-3 2	18-4 1	18-4 2	18-5 1	18-5 2	18-6 1	18-6 2	18-7 1	18-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	19	19	19	19	19	19	19	19	19	19	19	19	19	19

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 46

Clinical sign	Group Name	Administration Week-day													
		19-1 1	19-1 2	19-2 1	19-2 2	19-3 1	19-3 2	19-4 1	19-4 2	19-5 1	19-5 2	19-6 1	19-6 2	19-7 1	19-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	1	1	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	1	1	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	0	0	0	0	0	0	1	1	1	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	18	18	18	19	19	19	19	19	19	17	17	17	18	18

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 47

Clinical sign	Group Name	Administration Week-day													
		20-1 1	20-1 2	20-2 1	20-2 2	20-3 1	20-3 2	20-4 1	20-4 2	20-5 1	20-5 2	20-6 1	20-6 2	20-7 1	20-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	18	18	18	18	18	18	18	17	17	17	17	17	17	17

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 48

Clinical sign	Group Name	Administration Week-day													
		21-1 1	21-1 2	21-2 1	21-2 2	21-3 1	21-3 2	21-4 1	21-4 2	21-5 1	21-5 2	21-6 1	21-6 2	21-7 1	21-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	17	17	17	17	17	17	17	17	17	17	17	17	17	17

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 49

Clinical sign	Group Name	Administration Week-day													
		22-1 1	22-1 2	22-2 1	22-2 2	22-3 1	22-3 2	22-4 1	22-4 2	22-5 1	22-5 2	22-6 1	22-6 2	22-7 1	22-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	24	24	24
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	17	17	17	17	17	17	17	17	17	17	17	17	17	17

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 50

Clinical sign	Group Name	Administration Week-day													
		23-1 1	23-1 2	23-2 1	23-2 2	23-3 1	23-3 2	23-4 1	23-4 2	23-5 1	23-5 2	23-6 1	23-6 2	23-7 1	23-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	17	17	17	17	17	17	17	17	17	17	17	17	17	17

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 51

Clinical sign	Group Name	Administration Week-day													
		24-1 1	24-1 2	24-2 1	24-2 2	24-3 1	24-3 2	24-4 1	24-4 2	24-5 1	24-5 2	24-6 1	24-6 2	24-7 1	24-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	17	17	17	17	17	17	17	17	17	17	17	17	17	17

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 52

Clinical sign	Group Name	Administration Week-day													
		25-1		25-2		25-3		25-4		25-5		25-6		25-7	
		1	2	1	2	1	2	1	2	1	2	1	2	1	2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	17	17	17	17	17	17	17	17	17	17	17	17	17	17

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 53

Clinical sign	Group Name	Administration Week-day													
		26-1 1	26-1 2	26-2 1	26-2 2	26-3 1	26-3 2	26-4 1	26-4 2	26-5 1	26-5 2	26-6 1	26-6 2	26-7 1	26-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	1	1	2	2	2	2	2	2	2	2	2	2	2	2
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	22	22	22	22	22	22	22	22	22	22	22	22
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	200 mg/kg	17	17	17	17	17	17	17	17	17	17	17	17	17	17

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 54

Clinical sign	Group Name	Administration Week-day	
		27-1 1	27-1 2
ANEMIA	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
EROSION	Control	2	1
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
CRUSTA	Control	1	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
SWELLING	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
HEMORRHAGE	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
IRREGULAR BREATHING	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
OLIGO-STOOL	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
NON REMARKABLE	Control	22	10
	50 mg/kg	24	10
	100 mg/kg	23	11
	200 mg/kg	17	11

TABLE A 5

BODY WEIGHT CHANGES AND SURVIVAL ANIMAL

NUMBERS : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906

MEAN BODY WEIGHTS AND SURVIVAL

ANIMAL : B6.129S2-Trp53tm1Tyj/J

UNIT : g

SEX : MALE

Week-Day on Study	Control		50 mg/kg			100 mg/kg			200 mg/kg		
	Av. Wt. <25>	No. of Surviv. <25>	Av. Wt.	% of cont. <25>	No. of Surviv.	Av. Wt.	% of cont. <25>	No. of Surviv.	Av. Wt.	% of cont. <25>	No. of Surviv.
0-0	25.8 (25)	25/25	25.8 (25)	100	25/25	25.8 (25)	100	25/25	25.9 (25)	100	25/25
1-1	26.0 (25)	25/25	25.9 (25)	100	25/25	25.9 (25)	100	25/25	25.7 (25)	99	25/25
2-1	25.9 (25)	25/25	25.9 (25)	100	25/25	26.1 (25)	101	25/25	26.3 (25)	102	25/25
3-1	26.4 (25)	25/25	26.2 (25)	99	25/25	26.7 (25)	101	25/25	26.9 (25)	102	25/25
4-1	26.7 (25)	25/25	26.9 (25)	101	25/25	26.9 (25)	101	25/25	26.7 (25)	100	25/25
5-1	27.1 (25)	25/25	26.8 (25)	99	25/25	26.8 (25)	99	25/25	25.8 (25)	95	25/25
6-1	27.8 (25)	25/25	27.8 (25)	100	25/25	27.9 (25)	100	25/25	26.5 (25)	95	25/25
7-1	28.0 (25)	25/25	27.7 (25)	99	25/25	27.7 (25)	99	25/25	25.7 (25)	92	25/25
8-1	28.4 (25)	25/25	28.2 (25)	99	25/25	28.7 (25)	101	25/25	26.1 (25)	92	25/25
9-1	28.6 (25)	25/25	27.8 (25)	97	25/25	28.4 (25)	99	25/25	25.3 (25)	88	25/25
10-1	29.2 (25)	25/25	28.9 (25)	99	25/25	29.4 (25)	101	25/25	26.9 (25)	92	25/25
11-1	29.3 (25)	25/25	28.6 (25)	98	25/25	28.8 (25)	98	25/25	25.8 (25)	88	25/25
12-1	29.6 (25)	25/25	29.5 (25)	100	25/25	29.7 (25)	100	25/25	26.7 (25)	90	25/25
13-1	29.4 (25)	25/25	29.1 (25)	99	25/25	28.9 (25)	98	25/25	25.5 (25)	87	25/25
14-1	29.8 (25)	25/25	29.9 (25)	100	25/25	29.7 (25)	100	25/25	27.3 (24)	92	24/25
15-1	30.2 (25)	25/25	29.9 (25)	99	25/25	29.9 (25)	99	25/25	27.2 (24)	90	24/25
16-1	30.1 (25)	25/25	29.8 (25)	99	25/25	29.4 (25)	98	25/25	26.0 (24)	86	24/25
17-1	30.6 (25)	25/25	29.8 (25)	97	25/25	29.3 (25)	96	25/25	26.2 (23)	86	23/25
18-1	30.4 (25)	25/25	30.2 (25)	99	25/25	29.8 (25)	98	25/25	26.8 (22)	88	22/25
19-1	30.6 (25)	25/25	30.4 (25)	99	25/25	29.8 (25)	97	25/25	27.1 (22)	89	22/25
20-1	30.7 (25)	25/25	30.3 (24)	99	24/25	30.1 (25)	98	25/25	27.5 (21)	90	21/25
21-1	31.1 (25)	25/25	30.7 (24)	99	24/25	30.3 (25)	97	25/25	28.0 (21)	90	21/25
22-1	31.2 (25)	25/25	30.8 (24)	99	24/25	30.3 (25)	97	25/25	28.5 (21)	91	21/25
23-1	31.3 (25)	25/25	30.5 (24)	97	24/25	29.8 (25)	95	25/25	27.4 (21)	88	21/25
24-1	31.5 (25)	25/25	31.2 (24)	99	24/25	30.4 (25)	97	25/25	29.0 (20)	92	20/25
25-1	31.7 (25)	25/25	31.1 (24)	98	24/25	30.1 (25)	95	25/25	28.1 (20)	89	20/25
26-1	32.0 (25)	25/25	31.3 (24)	98	24/25	30.5 (25)	95	25/25	28.7 (20)	90	20/25
26-7	32.3 (25)	25/25	31.6 (24)	98	24/25	30.8 (25)	95	25/25	29.4 (20)	91	20/25

< >: No. of effective animals, (): No. of measured animals Av. Wt. : g

TABLE A 6

BODY WEIGHT CHANGES AND SURVIVAL ANIMAL

NUMBERS : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907

MEAN BODY WEIGHTS AND SURVIVAL

ANIMAL : B6.129S2-Trp53tm1Tyj/J

UNIT : g

SEX : FEMALE

Week-Day on Study	Control		50 mg/kg			100 mg/kg			200 mg/kg		
	Av. Wt. <25>	No. of Surviv. <25>	Av. Wt.	% of cont. <25>	No. of Surviv.	Av. Wt.	% of cont. <25>	No. of Surviv.	Av. Wt.	% of cont. <25>	No. of Surviv.
0-0	20.8 (25)	25/25	20.8 (25)	100	25/25	20.8 (25)	100	25/25	20.8 (25)	100	25/25
1-1	21.0 (25)	25/25	20.7 (25)	99	25/25	20.4 (25)	97	25/25	20.6 (25)	98	25/25
2-1	21.5 (25)	25/25	21.5 (25)	100	25/25	21.4 (25)	100	25/25	22.0 (25)	102	25/25
3-1	21.9 (25)	25/25	22.0 (25)	100	25/25	22.0 (24)	100	24/25	22.8 (25)	104	25/25
4-1	22.2 (25)	25/25	22.1 (25)	100	25/25	22.3 (24)	100	24/25	22.4 (25)	101	25/25
5-1	22.6 (25)	25/25	22.3 (25)	99	25/25	22.1 (24)	98	24/25	21.9 (25)	97	25/25
6-1	23.4 (25)	25/25	22.9 (25)	98	25/25	23.0 (23)	98	23/25	21.9 (25)	94	25/25
7-1	23.6 (25)	25/25	23.2 (25)	98	25/25	23.3 (23)	99	23/25	21.3 (25)	90	25/25
8-1	24.0 (25)	25/25	23.7 (25)	99	25/25	24.2 (23)	101	23/25	22.0 (24)	92	24/25
9-1	24.1 (25)	25/25	24.0 (25)	100	25/25	23.9 (23)	99	23/25	21.7 (24)	90	24/25
10-1	24.2 (25)	25/25	24.5 (25)	101	25/25	24.5 (23)	101	23/25	23.2 (23)	96	23/25
11-1	24.2 (25)	25/25	24.3 (25)	100	25/25	24.8 (23)	102	23/25	23.2 (23)	96	23/25
12-1	24.6 (25)	25/25	24.3 (25)	99	25/25	24.6 (23)	100	23/25	22.7 (23)	92	23/25
13-1	24.7 (25)	25/25	24.2 (25)	98	25/25	24.1 (23)	98	23/25	22.1 (23)	89	23/25
14-1	24.5 (25)	25/25	24.2 (25)	99	25/25	24.4 (23)	100	23/25	22.4 (23)	91	23/25
15-1	24.7 (25)	25/25	24.2 (25)	98	25/25	24.5 (23)	99	23/25	22.3 (21)	90	21/25
16-1	25.1 (25)	25/25	24.7 (25)	98	25/25	24.5 (23)	98	23/25	22.6 (21)	90	21/25
17-1	25.2 (25)	25/25	24.7 (25)	98	25/25	24.8 (23)	98	23/25	22.4 (20)	89	20/25
18-1	25.6 (25)	25/25	25.3 (25)	99	25/25	25.4 (23)	99	23/25	23.8 (19)	93	19/25
19-1	25.2 (25)	25/25	25.2 (25)	100	25/25	24.9 (23)	99	23/25	23.2 (19)	92	19/25
20-1	25.7 (25)	25/25	25.6 (25)	100	25/25	25.5 (23)	99	23/25	24.2 (18)	94	18/25
21-1	25.7 (25)	25/25	25.1 (25)	98	25/25	24.9 (23)	97	23/25	23.5 (17)	91	17/25
22-1	26.1 (25)	25/25	25.5 (25)	98	25/25	25.4 (23)	97	23/25	24.3 (17)	93	17/25
23-1	25.8 (25)	25/25	25.4 (25)	98	25/25	24.8 (23)	96	23/25	23.5 (17)	91	17/25
24-1	25.9 (25)	25/25	25.9 (25)	100	25/25	25.7 (23)	99	23/25	25.0 (17)	97	17/25
25-1	26.1 (25)	25/25	25.8 (25)	99	25/25	25.5 (23)	98	23/25	24.9 (17)	95	17/25
26-1	26.3 (25)	25/25	26.1 (25)	99	25/25	25.8 (23)	98	23/25	25.2 (17)	96	17/25
26-7	26.2 (25)	25/25	26.2 (25)	100	25/25	25.3 (23)	97	23/25	25.5 (17)	97	17/25

< >: No. of effective animals, (): No. of measured animals Av. Wt. : g

TABLE A 7

BODY WEIGHT CHANGES : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day							
	0-0	1-1	2-1	3-1	4-1	5-1	6-1	
Control	25.8± 1.6	26.0± 1.7	25.9± 1.8	26.4± 1.7	26.7± 1.6	27.1± 1.7	27.8± 1.6	
50 mg/kg	25.8± 1.7	25.9± 1.8	25.9± 1.5	26.2± 1.5	26.9± 1.4	26.8± 1.5	27.8± 1.5	
100 mg/kg	25.8± 1.6	25.9± 1.5	26.1± 1.4	26.7± 1.5	26.9± 1.4	26.8± 1.3	27.9± 1.5	
200 mg/kg	25.9± 1.6	25.7± 1.5	26.3± 1.6	26.9± 1.9	26.7± 2.0	25.8± 2.0*	26.5± 2.5	

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration		week-day		9-1	10-1	11-1	12-1	13-1
	7-1	8-1	7-1	8-1					
Control	28.0 ± 1.7	28.4 ± 1.7	28.6 ± 1.6	29.2 ± 1.7	29.3 ± 1.8	29.6 ± 2.1	29.4 ± 2.1		
50 mg/kg	27.7 ± 1.6	28.2 ± 1.7	27.8 ± 1.7	28.9 ± 1.6	28.6 ± 1.8	29.5 ± 1.7	29.1 ± 1.9		
100 mg/kg	27.7 ± 1.3	28.7 ± 1.6	28.4 ± 1.6	29.4 ± 1.2	28.8 ± 1.4	29.7 ± 1.4	28.9 ± 1.4		
200 mg/kg	25.7 ± 2.7**	26.1 ± 3.2*	25.3 ± 3.2**	26.9 ± 3.2*	25.8 ± 3.5**	26.7 ± 3.4**	25.5 ± 3.3**		

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day		14-1	15-1	16-1	17-1	18-1	19-1	20-1
	14-1	15-1							
Control	29.8 ± 1.9	30.2 ± 2.4	30.1 ± 2.2	30.6 ± 2.3	30.4 ± 2.1	30.6 ± 2.2	30.7 ± 2.2		
50 mg/kg	29.9 ± 1.9	29.9 ± 1.9	29.8 ± 1.9	29.8 ± 2.0	30.2 ± 2.1	30.4 ± 2.0	30.3 ± 1.7		
100 mg/kg	29.7 ± 1.4	29.9 ± 1.5	29.4 ± 1.5	29.3 ± 1.5	29.8 ± 1.5	29.8 ± 1.5	30.1 ± 1.7		
200 mg/kg	27.3 ± 3.1**	27.2 ± 3.3**	26.0 ± 3.6**	26.2 ± 3.3**	26.8 ± 3.4**	27.1 ± 3.4**	27.5 ± 3.0**		

Significant difference ; * : P 0.05 ** : P 0.01 Test of Dunnett

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day							
	21-1	22-1	23-1	24-1	25-1	26-1	26-7	
Control	31.1 ± 2.4	31.2 ± 2.4	31.3 ± 2.6	31.5 ± 2.6	31.7 ± 2.6	32.0 ± 2.7	32.3 ± 2.8	
50 mg/kg	30.7 ± 1.9	30.8 ± 1.9	30.5 ± 1.8	31.2 ± 1.9	31.1 ± 2.0	31.3 ± 2.1	31.6 ± 2.1	
100 mg/kg	30.3 ± 1.7	30.3 ± 1.8	29.8 ± 1.8	30.4 ± 1.7	30.1 ± 1.9*	30.5 ± 1.9	30.8 ± 1.8	
200 mg/kg	28.0 ± 3.1**	28.5 ± 3.1**	27.4 ± 3.1**	29.0 ± 2.4**	28.1 ± 1.9**	28.7 ± 2.3**	29.4 ± 2.5**	

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

TABLE A 8

BODY WEIGHT CHANGES : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day							
	0-0	1-1	2-1	3-1	4-1	5-1	6-1	
Control	20.8± 1.6	21.0± 1.7	21.5± 1.8	21.9± 1.5	22.2± 1.5	22.6± 1.4	23.4± 1.4	
50 mg/kg	20.8± 1.6	20.7± 1.5	21.5± 1.5	22.0± 1.7	22.1± 1.4	22.3± 1.6	22.9± 1.9	
100 mg/kg	20.8± 1.5	20.4± 1.5	21.4± 1.6	22.0± 1.6	22.3± 1.7	22.1± 2.0	23.0± 1.6	
200 mg/kg	20.8± 1.6	20.6± 1.5	22.0± 1.7	22.8± 2.0	22.4± 1.6	21.9± 2.1	21.9± 2.8	

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day		7-1	8-1	9-1	10-1	11-1	12-1	13-1
	7-1	8-1							
Control	23.6 ± 1.6	24.0 ± 1.6	24.1 ± 1.4	24.2 ± 1.7	24.2 ± 1.6	24.6 ± 1.6	24.7 ± 1.7		
50 mg/kg	23.2 ± 1.7	23.7 ± 1.8	24.0 ± 1.6	24.5 ± 1.9	24.3 ± 1.9	24.3 ± 1.5	24.2 ± 1.3		
100 mg/kg	23.3 ± 1.7	24.2 ± 1.7	23.9 ± 1.7	24.5 ± 1.8	24.8 ± 1.9	24.6 ± 1.9	24.1 ± 1.7		
200 mg/kg	21.3 ± 3.1*	22.0 ± 3.3	21.7 ± 2.3**	23.2 ± 2.5	23.2 ± 3.1	22.7 ± 2.5**	22.1 ± 2.8**		

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day							
	14-1	15-1	16-1	17-1	18-1	19-1	20-1	
Control	24.5 ± 1.7	24.7 ± 1.6	25.1 ± 1.9	25.2 ± 1.7	25.6 ± 1.9	25.2 ± 1.8	25.7 ± 1.9	
50 mg/kg	24.2 ± 1.4	24.2 ± 1.5	24.7 ± 1.8	24.7 ± 1.7	25.3 ± 1.8	25.2 ± 1.6	25.6 ± 1.6	
100 mg/kg	24.4 ± 1.7	24.5 ± 1.7	24.5 ± 1.7	24.8 ± 1.8	25.4 ± 1.7	24.9 ± 1.5	25.5 ± 1.7	
200 mg/kg	22.4 ± 2.9*	22.3 ± 2.6**	22.6 ± 2.8**	22.4 ± 2.6**	23.8 ± 2.2**	23.2 ± 2.7*	24.2 ± 2.5	

Significant difference ; * : P 0.05 ** : P 0.01 Test of Dunnett

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day							
	21-1	22-1	23-1	24-1	25-1	26-1	26-7	
Control	25.7 ± 1.6	26.1 ± 1.7	25.8 ± 2.0	25.9 ± 1.9	26.1 ± 2.3	26.3 ± 1.9	26.2 ± 1.9	
50 mg/kg	25.1 ± 1.8	25.5 ± 2.0	25.4 ± 1.7	25.9 ± 1.8	25.8 ± 1.8	26.1 ± 1.8	26.2 ± 1.8	
100 mg/kg	24.9 ± 1.7	25.4 ± 1.6	24.8 ± 1.8	25.7 ± 1.9	25.5 ± 1.7	25.8 ± 1.6	25.3 ± 1.7	
200 mg/kg	23.5 ± 1.8**	24.3 ± 2.0**	23.5 ± 1.8**	25.0 ± 2.0	24.9 ± 2.0	25.2 ± 2.2	25.5 ± 2.4	

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

TABLE A 9

FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL

NUMBERS : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906

MEAN FOOD CONSUMPTION AND SURVIVAL

ANIMAL : B6.129S2-Trp53tm1Tyj/J

UNIT : g

SEX : MALE

Week-Day on Study	Control		50 mg/kg			100 mg/kg			200 mg/kg		
	Av. FC. <25>	No. of Surviv.	Av. FC.	% of cont. <25>	No. of Surviv.	Av. FC.	% of cont. <25>	No. of Surviv.	Av. FC.	% of cont. <25>	No. of Surviv.
2-1	3.7 (25)	25/25	3.7 (25)	100	25/25	3.7 (25)	100	25/25	3.6 (25)	97	25/25
3-1	3.4 (25)	25/25	3.2 (25)	94	25/25	3.3 (25)	97	25/25	3.4 (25)	100	25/25
4-1	3.2 (25)	25/25	3.3 (25)	103	25/25	3.4 (25)	106	25/25	3.3 (25)	103	25/25
5-1	3.3 (25)	25/25	3.3 (25)	100	25/25	3.3 (25)	100	25/25	3.2 (25)	97	25/25
6-1	3.4 (25)	25/25	3.4 (25)	100	25/25	3.4 (25)	100	25/25	3.4 (25)	100	25/25
7-1	3.3 (25)	25/25	3.2 (25)	97	25/25	3.3 (25)	100	25/25	3.2 (25)	97	25/25
8-1	3.3 (25)	25/25	3.3 (25)	100	25/25	3.4 (25)	103	25/25	3.3 (25)	100	25/25
9-1	3.3 (25)	25/25	3.2 (25)	97	25/25	3.3 (25)	100	25/25	3.2 (25)	97	25/25
10-1	3.3 (25)	25/25	3.4 (25)	103	25/25	3.4 (25)	103	25/25	3.3 (25)	100	25/25
11-1	3.4 (25)	25/25	3.3 (25)	97	25/25	3.3 (25)	97	25/25	3.2 (25)	94	25/25
12-1	3.3 (25)	25/25	3.4 (25)	103	25/25	3.3 (25)	100	25/25	3.3 (25)	100	25/25
13-1	3.3 (25)	25/25	3.3 (25)	100	25/25	3.3 (25)	100	25/25	3.3 (25)	100	25/25
14-1	3.3 (25)	25/25	3.3 (25)	100	25/25	3.4 (25)	103	25/25	3.3 (24)	100	24/25
15-1	3.3 (25)	25/25	3.2 (25)	97	25/25	3.3 (25)	100	25/25	3.2 (24)	97	24/25
16-1	3.3 (25)	25/25	3.3 (25)	100	25/25	3.3 (25)	100	25/25	3.3 (24)	100	24/25
17-1	3.4 (25)	25/25	3.4 (25)	100	25/25	3.4 (25)	100	25/25	3.3 (23)	97	23/25
18-1	3.3 (25)	25/25	3.4 (25)	103	25/25	3.5 (25)	106	25/25	3.2 (22)	97	22/25
19-1	3.4 (25)	25/25	3.4 (25)	100	25/25	3.5 (25)	103	25/25	3.3 (22)	97	22/25
20-1	3.3 (25)	25/25	3.3 (24)	100	24/25	3.4 (25)	103	25/25	3.1 (21)	94	21/25
21-1	3.4 (25)	25/25	3.4 (24)	100	24/25	3.4 (25)	100	25/25	3.2 (21)	94	21/25
22-1	3.4 (25)	25/25	3.4 (24)	100	24/25	3.4 (25)	100	25/25	3.1 (21)	91	21/25
23-1	3.4 (25)	25/25	3.3 (24)	97	24/25	3.4 (25)	100	25/25	3.2 (21)	94	21/25
24-1	3.4 (25)	25/25	3.4 (24)	100	24/25	3.5 (25)	103	25/25	3.3 (20)	97	20/25
25-1	3.5 (25)	25/25	3.4 (24)	97	24/25	3.5 (25)	100	25/25	3.4 (20)	97	20/25
26-1	3.4 (25)	25/25	3.4 (24)	100	24/25	3.5 (25)	103	25/25	3.3 (20)	97	20/25
26-7	3.4 (25)	25/25	3.4 (24)	100	24/25	3.5 (25)	103	25/25	3.2 (20)	94	20/25

< >: No. of effective animals, (): No. of measured animals Av. FC. : g

TABLE A 10

FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL

NUMBERS : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907

MEAN FOOD CONSUMPTION AND SURVIVAL

ANIMAL : B6.129S2-Trp53tm1Tyj/J

UNIT : g

SEX : FEMALE

Week-Day on Study	Control		50 mg/kg			100 mg/kg			200 mg/kg		
	Av. FC. <25>	No. of Surviv. <25>	Av. FC.	% of cont. <25>	No. of Surviv.	Av. FC.	% of cont. <25>	No. of Surviv.	Av. FC.	% of cont. <25>	No. of Surviv.
2-1	3.4 (25)	25/25	3.4 (25)	100	25/25	3.3 (25)	97	25/25	3.4 (25)	100	25/25
3-1	2.7 (25)	25/25	2.8 (25)	104	25/25	3.0 (23)	111	24/25	3.3 (25)	122	25/25
4-1	2.8 (25)	25/25	2.9 (25)	104	25/25	3.1 (23)	111	24/25	3.2 (25)	114	25/25
5-1	2.9 (25)	25/25	2.8 (25)	97	25/25	2.8 (24)	97	24/25	3.2 (25)	110	25/25
6-1	3.0 (25)	25/25	2.9 (25)	97	25/25	3.1 (23)	103	23/25	3.1 (25)	103	25/25
7-1	2.9 (25)	25/25	3.0 (25)	103	25/25	3.1 (23)	107	23/25	3.0 (25)	103	25/25
8-1	3.1 (25)	25/25	2.9 (25)	94	25/25	3.1 (23)	100	23/25	2.9 (24)	94	24/25
9-1	3.1 (25)	25/25	3.1 (25)	100	25/25	3.1 (23)	100	23/25	3.0 (24)	97	24/25
10-1	3.0 (25)	25/25	3.1 (25)	103	25/25	3.1 (23)	103	23/25	3.1 (23)	103	23/25
11-1	2.9 (25)	25/25	2.9 (25)	100	25/25	3.1 (23)	107	23/25	2.9 (23)	100	23/25
12-1	3.0 (25)	25/25	2.9 (25)	97	25/25	3.1 (23)	103	23/25	3.2 (23)	107	23/25
13-1	3.0 (25)	25/25	2.9 (25)	97	25/25	3.0 (23)	100	23/25	3.1 (23)	103	23/25
14-1	2.9 (25)	25/25	2.9 (25)	100	25/25	3.0 (23)	103	23/25	3.1 (23)	107	23/25
15-1	3.0 (25)	25/25	2.9 (25)	97	25/25	3.0 (23)	100	23/25	3.0 (21)	100	21/25
16-1	3.0 (25)	25/25	3.0 (25)	100	25/25	3.0 (23)	100	23/25	3.1 (21)	103	21/25
17-1	3.1 (25)	25/25	3.0 (25)	97	25/25	3.1 (23)	100	23/25	3.0 (20)	97	20/25
18-1	3.2 (25)	25/25	3.2 (25)	100	25/25	3.2 (23)	100	23/25	3.3 (19)	103	19/25
19-1	3.0 (25)	25/25	3.1 (25)	103	25/25	3.1 (23)	103	23/25	3.2 (19)	107	19/25
20-1	3.1 (25)	25/25	3.0 (25)	97	25/25	3.1 (23)	100	23/25	3.1 (18)	100	18/25
21-1	3.2 (25)	25/25	3.0 (25)	94	25/25	3.1 (23)	97	23/25	3.1 (17)	97	17/25
22-1	3.3 (25)	25/25	3.0 (25)	91	25/25	3.1 (23)	94	23/25	3.2 (17)	97	17/25
23-1	3.1 (25)	25/25	3.0 (25)	97	25/25	2.9 (23)	94	23/25	3.1 (17)	100	17/25
24-1	3.2 (25)	25/25	3.0 (25)	94	25/25	3.0 (23)	94	23/25	3.3 (17)	103	17/25
25-1	3.2 (25)	25/25	3.0 (25)	94	25/25	3.0 (23)	94	23/25	3.3 (17)	103	17/25
26-1	3.2 (25)	25/25	3.1 (25)	97	25/25	3.1 (23)	97	23/25	3.4 (17)	106	17/25
26-7	3.1 (25)	25/25	3.0 (25)	97	25/25	3.0 (23)	97	23/25	3.3 (17)	106	17/25

< >: No. of effective animals, (): No. of measured animals Av. FC. : g

TABLE A 11

FOOD CONSUMPTION CHANGES : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)						
	2-1(7)	3-1(7)	4-1(7)	5-1(7)	6-1(7)	7-1(7)	8-1(7)
Control	3.7 ± 0.3	3.4 ± 0.3	3.2 ± 0.2	3.3 ± 0.3	3.4 ± 0.2	3.3 ± 0.3	3.3 ± 0.3
50 mg/kg	3.7 ± 0.3	3.2 ± 0.3	3.3 ± 0.2	3.3 ± 0.3	3.4 ± 0.3	3.2 ± 0.3	3.3 ± 0.3
100 mg/kg	3.7 ± 0.2	3.3 ± 0.3	3.4 ± 0.3	3.3 ± 0.3	3.4 ± 0.3	3.3 ± 0.4	3.4 ± 0.3
200 mg/kg	3.6 ± 0.3	3.4 ± 0.3	3.3 ± 0.4	3.2 ± 0.4	3.4 ± 0.6	3.2 ± 0.7	3.3 ± 0.5

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)						
	9-1(7)	10-1(7)	11-1(7)	12-1(7)	13-1(7)	14-1(7)	15-1(7)
Control	3.3± 0.2	3.3± 0.2	3.4± 0.3	3.3± 0.3	3.3± 0.3	3.3± 0.2	3.3± 0.3
50 mg/kg	3.2± 0.2	3.4± 0.2	3.3± 0.3	3.4± 0.3	3.3± 0.3	3.3± 0.3	3.2± 0.3
100 mg/kg	3.3± 0.4	3.4± 0.3	3.3± 0.4	3.3± 0.4	3.3± 0.4	3.4± 0.4	3.3± 0.4
200 mg/kg	3.2± 0.7	3.3± 0.4	3.2± 0.4	3.3± 0.4	3.3± 0.5	3.3± 0.4	3.2± 0.5

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)						
	16-1(7)	17-1(7)	18-1(7)	19-1(7)	20-1(7)	21-1(7)	22-1(7)
Control	3.3± 0.3	3.4± 0.3	3.3± 0.3	3.4± 0.3	3.3± 0.3	3.4± 0.3	3.4± 0.3
50 mg/kg	3.3± 0.3	3.4± 0.3	3.4± 0.3	3.4± 0.3	3.3± 0.2	3.4± 0.3	3.4± 0.3
100 mg/kg	3.3± 0.4	3.4± 0.4	3.5± 0.5	3.5± 0.5	3.4± 0.6	3.4± 0.6	3.4± 0.5
200 mg/kg	3.3± 0.6	3.3± 0.4	3.2± 0.4	3.3± 0.4	3.1± 0.5	3.2± 0.5	3.1± 0.5

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)				
	23-1(7)	24-1(7)	25-1(7)	26-1(7)	26-7(6)
Control	3.4 ± 0.3	3.4 ± 0.3	3.5 ± 0.3	3.4 ± 0.3	3.4 ± 0.3
50 mg/kg	3.3 ± 0.3	3.4 ± 0.3	3.4 ± 0.3	3.4 ± 0.3	3.4 ± 0.3
100 mg/kg	3.4 ± 0.5	3.5 ± 0.6	3.5 ± 0.5	3.5 ± 0.5	3.5 ± 0.7
200 mg/kg	3.2 ± 0.5	3.3 ± 0.4	3.4 ± 0.5	3.3 ± 0.4	3.2 ± 0.4

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

TABLE A 12

FOOD CONSUMPTION CHANGES : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)						
	2-1(7)	3-1(7)	4-1(7)	5-1(7)	6-1(7)	7-1(7)	8-1(7)
Control	3.4 ± 0.3	2.7 ± 0.3	2.8 ± 0.3	2.9 ± 0.2	3.0 ± 0.2	2.9 ± 0.3	3.1 ± 0.3
50 mg/kg	3.4 ± 0.3	2.8 ± 0.3	2.9 ± 0.3	2.8 ± 0.3	2.9 ± 0.3	3.0 ± 0.2	2.9 ± 0.3
100 mg/kg	3.3 ± 0.3	3.0 ± 0.4	3.1 ± 0.5*	2.8 ± 0.5	3.1 ± 0.4	3.1 ± 0.3	3.1 ± 0.3
200 mg/kg	3.4 ± 0.4	3.3 ± 0.4**	3.2 ± 0.4**	3.2 ± 0.8	3.1 ± 0.6	3.0 ± 0.7	2.9 ± 0.9*

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)						
	9-1(7)	10-1(7)	11-1(7)	12-1(7)	13-1(7)	14-1(7)	15-1(7)
Control	3.1± 0.3	3.0± 0.2	2.9± 0.2	3.0± 0.2	3.0± 0.3	2.9± 0.3	3.0± 0.2
50 mg/kg	3.1± 0.3	3.1± 0.3	2.9± 0.2	2.9± 0.2	2.9± 0.2	2.9± 0.2	2.9± 0.2
100 mg/kg	3.1± 0.3	3.1± 0.3	3.1± 0.4	3.1± 0.4	3.0± 0.3	3.0± 0.3	3.0± 0.3
200 mg/kg	3.0± 0.6	3.1± 0.4	2.9± 0.4	3.2± 0.6	3.1± 0.5	3.1± 0.6	3.0± 0.4

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)						
	16-1(7)	17-1(7)	18-1(7)	19-1(7)	20-1(7)	21-1(7)	22-1(7)
Control	3.0± 0.3	3.1± 0.3	3.2± 0.3	3.0± 0.3	3.1± 0.3	3.2± 0.3	3.3± 0.5
50 mg/kg	3.0± 0.3	3.0± 0.2	3.2± 0.2	3.1± 0.2	3.0± 0.3	3.0± 0.2	3.0± 0.3
100 mg/kg	3.0± 0.3	3.1± 0.3	3.2± 0.3	3.1± 0.3	3.1± 0.3	3.1± 0.2	3.1± 0.2
200 mg/kg	3.1± 0.4	3.0± 0.6	3.3± 0.6	3.2± 0.6	3.1± 0.4	3.1± 0.5	3.2± 0.5

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)				
	23-1(7)	24-1(7)	25-1(7)	26-1(7)	26-7(6)
Control	3.1 ± 0.6	3.2 ± 0.8	3.2 ± 0.5	3.2 ± 0.6	3.1 ± 0.5
50 mg/kg	3.0 ± 0.3	3.0 ± 0.2	3.0 ± 0.2	3.1 ± 0.2	3.0 ± 0.3
100 mg/kg	2.9 ± 0.3	3.0 ± 0.2	3.0 ± 0.2	3.1 ± 0.2	3.0 ± 0.3
200 mg/kg	3.1 ± 0.5	3.3 ± 0.6	3.3 ± 0.9	3.4 ± 0.6	3.3 ± 0.6

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

TABLE A 13

URINALYSIS : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : MALE REPORT TYPE : A1

URINALYSIS

Group Name	NO. of Animals	pH							CHI	Protein					CHI	Glucose					CHI	Ketone body					CHI	Occult blood				CHI			
		5.0	6.0	6.5	7.0	7.5	8.0	8.5		-	±	+	2+	3+		4+	-	±	+	2+		3+	4+	-	±	+		2+	3+	4+	-		±	+	2+
Control	25	0	2	2	3	2	8	8		0	2	19	4	0	0		25	0	0	0	0	0		0	13	10	2	0	0		25	0	0	0	0
50 mg/kg	24	0	0	2	5	3	9	5		0	15	9	0	0	0	**	24	0	0	0	0	0		2	19	3	0	0	0	*	24	0	0	0	0
100 mg/kg	24	0	0	1	1	2	8	12		3	20	1	0	0	0	**	24	0	0	0	0	0		16	8	0	0	0	0	**	24	0	0	0	0
200 mg/kg	20	0	2	10	5	3	0	0	**	19	1	0	0	0	0	**	20	0	0	0	0	0		20	0	0	0	0	0	**	20	0	0	0	0

Significant difference ; * : P 0.05 ** : P 0.01

Test of CHI SQUARE

STUDY NO. : 0906

URINALYSIS

ANIMAL : B6.129S2-Trp53tm1Tyj/J

MEASURE. TIME : 1

SEX : MALE

REPORT TYPE : A1

PAGE : 2

Group Name	NO. of Animals	Urobilinogen				CHI
		±	+	2+	3+ 4+	
Control	25	25	0	0	0	0
50 mg/kg	24	24	0	0	0	0
100 mg/kg	24	24	0	0	0	0
200 mg/kg	20	20	0	0	0	0

Significant difference ; * : P 0.05 ** : P 0.01

Test of CHI SQUARE

(HCL101)

BAIS 6

TABLE A 14

URINALYSIS : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : FEMALE REPORT TYPE : A1

URINALYSIS

Group Name	NO. of Animals	pH							CHI	Protein					CHI	Glucose					CHI	Ketone body					CHI	Occult blood				CHI			
		5.0	6.0	6.5	7.0	7.5	8.0	8.5		-	±	+	2+	3+		4+	-	±	+	2+		3+	4+	-	±	+		2+	3+	4+	-		±	+	2+
Control	23	0	7	4	4	4	4	0		0	7	13	3	0	0		23	0	0	0	0	0		1	15	7	0	0	0		22	0	0	0	1
50 mg/kg	23	0	2	3	2	10	4	2		1	20	2	0	0	0	**	23	0	0	0	0	0		2	20	1	0	0	0		23	0	0	0	0
100 mg/kg	23	0	0	4	1	1	5	12	**	5	17	1	0	0	0	**	23	0	0	0	0	0		16	7	0	0	0	0	**	23	0	0	0	0
200 mg/kg	17	0	0	7	10	0	0	0	**	17	0	0	0	0	0	**	17	0	0	0	0	0		17	0	0	0	0	0	**	17	0	0	0	0

Significant difference ; * : P 0.05 ** : P 0.01

Test of CHI SQUARE

STUDY NO. : 0907
ANIMAL : B6.129S2-Trp53tm1Tyj/J
MEASURE. TIME : 1
SEX : FEMALE REPORT TYPE : A1

URINALYSIS

Group Name	NO. of Animals	Urobilinogen				CHI
		±	+	2+	3+ 4+	
Control	23	23	0	0	0	0
50 mg/kg	23	23	0	0	0	0
100 mg/kg	23	23	0	0	0	0
200 mg/kg	17	17	0	0	0	0

Significant difference ; * : P 0.05 ** : P 0.01

Test of CHI SQUARE

TABLE A 15

HEMATOLOGY : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : MALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	RED BLOOD CELL 10 ⁶ / μl		HEMOGLOBIN g / dl		HEMATOCRIT %		MCV fl		MCH pg		MCHC g / dl		PLATELET 10 ³ / μl	
Control	25	10.45 ±	0.66	14.7 ±	1.0	45.3 ±	3.0	43.3 ±	0.8	14.1 ±	0.3	32.5 ±	0.5	1549 ±	186
50 mg/kg	22	10.28 ±	0.40	14.8 ±	0.4	45.3 ±	1.3	44.1 ±	1.0*	14.4 ±	0.4*	32.6 ±	0.4	1518 ±	231
100 mg/kg	25	9.84 ±	0.82**	13.9 ±	1.1**	42.6 ±	3.4**	43.3 ±	1.6	14.1 ±	0.5	32.6 ±	0.5	1546 ±	331
200 mg/kg	19	8.07 ±	0.60**	11.3 ±	0.8**	34.2 ±	2.5**	42.4 ±	0.8**	14.0 ±	0.4	32.9 ±	0.5**	1658 ±	316

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
MEASURE. TIME : 1
SEX : MALE

HEMATOLOGY (SUMMARY)
ALL ANIMALS (27W)

REPORT TYPE : A1

PAGE : 2

Group Name	NO. of Animals	RETICULOCYTE %	
Control	25	4.1 ±	0.5
50 mg/kg	22	4.0 ±	0.4
100 mg/kg	25	4.8 ±	1.7
200 mg/kg	19	4.0 ±	0.4

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

(HCL070)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : MALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	WBC		Differential		WBC (%)		MONO		EOSINO		BASO	
		$10^3 / \mu l$		NEUTRO		LYMPHO							
Control	25	1.68 ±	1.02	13.3 ±	4.9	83.7 ±	4.9	2.4 ±	1.1	0.6 ±	0.6	0.0 ±	0.0
50 mg/kg	22	1.92 ±	1.23	10.0 ±	3.3	87.4 ±	3.2*	2.0 ±	0.8	0.5 ±	0.6	0.0 ±	0.0
100 mg/kg	25	2.24 ±	1.46	13.5 ±	5.5	84.3 ±	5.7	1.9 ±	0.9	0.2 ±	0.3	0.0 ±	0.0
200 mg/kg	19	2.25 ±	1.57	10.7 ±	5.6	87.5 ±	5.7*	1.7 ±	0.8	0.1 ±	0.2**	0.0 ±	0.0

Significant difference ; * : P 0.05 ** : P 0.01 Test of Dunnett

TABLE A 16

HEMATOLOGY : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : FEMALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	RED BLOOD CELL 10 ⁶ / μl		HEMOGLOBIN g / dl		HEMATOCRIT %		MCV fl		MCH pg		MCHC g / dl		PLATELET 10 ³ / μl	
Control	25	10.08 ±	0.69	14.7 ±	0.9	44.3 ±	2.3	44.0 ±	1.2	14.6 ±	0.5	33.1 ±	0.7	1210 ±	237
50 mg/kg	24	10.27 ±	0.64	14.8 ±	0.6	45.0 ±	2.0	43.8 ±	1.1	14.5 ±	0.5	33.0 ±	0.7	1231 ±	284
100 mg/kg	23	10.24 ±	0.63	14.5 ±	0.6	44.2 ±	2.0	43.2 ±	1.4	14.2 ±	0.5*	32.8 ±	0.4	1350 ±	260
200 mg/kg	16	8.24 ±	0.59**	11.6 ±	0.7**	35.0 ±	2.1**	42.5 ±	0.9**	14.0 ±	0.4**	33.0 ±	0.4	1244 ±	134

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0907
ANIMAL : B6.129S2-Trp53tm1Tyj/J
MEASURE. TIME : 1
SEX : FEMALE

HEMATOLOGY (SUMMARY)
ALL ANIMALS (27W)

REPORT TYPE : A1

PAGE : 2

Group Name	NO. of Animals	RETICULOCYTE %	
Control	25	4.4 ±	1.9
50 mg/kg	24	4.1 ±	1.1
100 mg/kg	23	4.1 ±	0.5
200 mg/kg	16	3.9 ±	0.8

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

(HCL070)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : FEMALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	WBC		Differential		WBC (%)		MONO		EOSINO		BASO	
		$10^3 / \mu l$		NEUTRO		LYMPHO							
Control	25	2.43±	1.81	14.5±	6.4	81.9±	7.3	2.8±	3.3	0.9±	1.6	0.0±	0.1
50 mg/kg	24	1.69±	1.75	13.0±	6.8	84.1±	8.6	2.6±	2.6	0.3±	0.4	0.0±	0.1
100 mg/kg	23	2.18±	2.08	13.9±	7.0	83.4±	7.0	2.4±	1.0	0.3±	0.4	0.0±	0.0
200 mg/kg	16	2.67±	2.04	12.2±	5.3	85.7±	5.4	2.0±	0.6	0.1±	0.2**	0.0±	0.0

Significant difference ; * : P 0.05 ** : P 0.01 Test of Dunnett

TABLE A 17

BIOCHEMISTRY : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : MALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	TOTAL PROTEIN g / dl		ALBUMIN g / dl		A/G RATIO		T-BILIRUBIN mg / dl		GLUCOSE mg / dl		T-CHOLESTEROL mg / dl		TRIGLYCERIDE mg / dl	
Control	23	5.2±	0.3	2.9±	0.2	1.3±	0.1	0.07±	0.03	236±	40	83±	20	31±	12
50 mg/kg	22	5.2±	0.2	2.9±	0.1	1.2±	0.1	0.06±	0.02	231±	38	101±	21**	44±	15**
100 mg/kg	25	5.2±	0.3	2.8±	0.2	1.2±	0.1*	0.06±	0.02	207±	49*	102±	23**	45±	14**
200 mg/kg	19	5.4±	0.2*	2.9±	0.1	1.2±	0.1*	0.03±	0.01**	181±	32**	146±	14**	47±	14**

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : MALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	PHOSPHOLIPID mg / dl		AST U / L		ALT U / L		LDH U / L		ALP U / L		G-GTP U / L		CK U / L	
Control	23	166 ±	39	52 ±	19	15 ±	2	194 ±	32	252 ±	39	0.1 ±	0.1	70 ±	28
50 mg/kg	22	201 ±	38**	53 ±	26	15 ±	5	186 ±	35	383 ±	44**	0.2 ±	0.3	76 ±	23
100 mg/kg	25	204 ±	43**	55 ±	20	14 ±	4**	198 ±	40	408 ±	72**	0.4 ±	0.5**	93 ±	101
200 mg/kg	19	269 ±	24**	40 ±	9*	16 ±	8	153 ±	26**	1012 ±	347**	0.4 ±	0.3**	94 ±	53

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : MALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	UREA NITROGEN mg / dl		SODIUM mEq / l		POTASSIUM mEq / l		CHLORIDE mEq / l		CALCIUM mg / dl		INORGANIC PHOSPHORUS mg / dl	
Control	23	28.7 ±	4.0	152 ±	2	4.1 ±	0.2	117 ±	3	9.1 ±	0.3	6.1 ±	1.1
50 mg/kg	22	26.5 ±	4.7	152 ±	2	4.2 ±	0.3	118 ±	2	9.2 ±	0.3	5.9 ±	1.0
100 mg/kg	25	35.1 ±	8.4**	153 ±	2	3.9 ±	0.3*	117 ±	4	9.3 ±	0.4**	6.1 ±	1.1
200 mg/kg	19	100.4 ±	9.6**	154 ±	2	3.7 ±	0.2**	113 ±	2**	11.4 ±	0.5**	9.3 ±	1.4**

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

TABLE A 18

BIOCHEMISTRY : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : FEMALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	TOTAL PROTEIN g / dl		ALBUMIN g / dl		A/G RATIO		T-BILIRUBIN mg / dl		GLUCOSE mg / dl		T-CHOLESTEROL mg / dl		TRIGLYCERIDE mg / dl	
Control	25	5.1 ±	0.8	2.9 ±	0.2	1.4 ±	0.2	0.08 ±	0.03	167 ±	29	58 ±	13	21 ±	11
50 mg/kg	24	5.1 ±	0.4	3.0 ±	0.2	1.5 ±	0.1	0.07 ±	0.03	173 ±	29	78 ±	17**	28 ±	10*
100 mg/kg	23	5.2 ±	0.2**	3.0 ±	0.2	1.4 ±	0.1*	0.04 ±	0.01**	182 ±	19	91 ±	11**	29 ±	10*
200 mg/kg	17	5.3 ±	0.2**	3.0 ±	0.1	1.3 ±	0.1**	0.02 ±	0.01**	157 ±	21	131 ±	15**	31 ±	8**

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : FEMALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	PHOSPHOLIPID mg / dl		AST U / L		ALT U / L		LDH U / L		ALP U / L		G-GTP U / L		CK U / L	
Control	25	123 ±	28	69 ±	35	17 ±	9	211 ±	54	394 ±	88	0.6 ±	0.7	81 ±	36
50 mg/kg	24	157 ±	30**	55 ±	22	12 ±	3	185 ±	42	465 ±	130*	0.7 ±	0.9	104 ±	127
100 mg/kg	23	182 ±	24**	49 ±	14*	14 ±	8	186 ±	46	531 ±	118**	1.5 ±	0.9**	132 ±	153
200 mg/kg	17	247 ±	27**	44 ±	8**	15 ±	10	170 ±	33*	1326 ±	257**	1.0 ±	0.6	186 ±	178*

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : FEMALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	UREA NITROGEN mg / dl		SODIUM mEq / l		POTASSIUM mEq / l		CHLORIDE mEq / l		CALCIUM mg / dl		INORGANIC PHOSPHORUS mg / dl	
Control	25	24.4 ±	4.5	152 ±	2	4.0 ±	0.4	116 ±	5	8.7 ±	0.3	6.3 ±	1.2
50 mg/kg	24	22.3 ±	5.5	153 ±	2	3.9 ±	0.4	117 ±	3	8.8 ±	0.3	6.3 ±	1.4
100 mg/kg	23	32.2 ±	4.2**	153 ±	2	3.7 ±	0.4	115 ±	5	9.2 ±	0.4**	6.4 ±	1.0
200 mg/kg	17	90.0 ±	12.2**	154 ±	2**	3.6 ±	0.4*	111 ±	5**	10.9 ±	0.8**	10.0 ±	1.8**

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

TABLE A 19

GROSS FINDINGS : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : MALE

GROSS FINDINGS (SUMMARY)
ALL ANIMALS (0- 27W)

Organ	Findings	Group Name NO. of Animals	Control 25 (%)	50 mg/kg 25 (%)	100 mg/kg 25 (%)	200 mg/kg 25 (%)
skin/app	ulcer		1 (4)	0 (0)	0 (0)	0 (0)
	erosion		0 (0)	1 (4)	0 (0)	0 (0)
thymus	enlarged		0 (0)	1 (4)	0 (0)	0 (0)
	atrophic		0 (0)	0 (0)	0 (0)	4 (16)
spleen	black zone		2 (8)	0 (0)	0 (0)	0 (0)
heart	dilated		0 (0)	0 (0)	1 (4)	0 (0)
kidney	small		0 (0)	0 (0)	3 (12)	11 (44)
	pale		0 (0)	0 (0)	20 (80)	20 (80)
	white zone		2 (8)	1 (4)	0 (0)	0 (0)
	nodule		2 (8)	0 (0)	0 (0)	0 (0)
	deformed		0 (0)	0 (0)	16 (64)	9 (36)
	granular		0 (0)	0 (0)	0 (0)	4 (16)
	hydronephrosis		0 (0)	1 (4)	0 (0)	0 (0)
urin bladd	white zone		0 (0)	0 (0)	1 (4)	0 (0)
testis	small		0 (0)	0 (0)	0 (0)	1 (4)

TABLE A 20

GROSS FINDINGS : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : FEMALE

GROSS FINDINGS (SUMMARY)
ALL ANIMALS (0- 27W)

Organ	Findings	Group Name NO. of Animals	Control 25 (%)	50 mg/kg 25 (%)	100 mg/kg 25 (%)	200 mg/kg 25 (%)
skin/app	erosion		2 (8)	0 (0)	0 (0)	1 (4)
	scab		1 (4)	0 (0)	0 (0)	0 (0)
subcutis	mass		0 (0)	1 (4)	0 (0)	1 (4)
lung	white zone		1 (4)	0 (0)	0 (0)	0 (0)
lymph node	enlarged		1 (4)	0 (0)	0 (0)	0 (0)
thymus	atrophic		0 (0)	0 (0)	0 (0)	4 (16)
spleen	enlarged		1 (4)	0 (0)	0 (0)	1 (4)
liver	cyst		0 (0)	0 (0)	1 (4)	0 (0)
	small		0 (0)	0 (0)	9 (36)	17 (68)
kidney	pale		0 (0)	0 (0)	8 (32)	17 (68)
	cyst		1 (4)	0 (0)	0 (0)	0 (0)
ovary	deformed		0 (0)	0 (0)	5 (20)	0 (0)
	granular		0 (0)	0 (0)	0 (0)	7 (28)
	hydronephrosis		1 (4)	0 (0)	0 (0)	0 (0)
ovary	cyst		0 (0)	1 (4)	0 (0)	0 (0)
uterus	dilated		1 (4)	0 (0)	0 (0)	0 (0)
vagina	nodule		0 (0)	0 (0)	1 (4)	0 (0)
brain	hydrocephalus		1 (4)	0 (0)	0 (0)	0 (0)
bone	thick		0 (0)	0 (0)	0 (0)	1 (4)

TABLE A 21

ORGAN WEIGHT, ABSOLUTE : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE
 UNIT: g

ORGAN WEIGHT: ABSOLUTE (SUMMARY)
 SURVIVAL ANIMALS (27W)

Group Name	NO. of Animals	Body Weight	THYMUS	ADRENALS	TESTES	HEART	LUNGS
Control	25	28.9 ± 2.6	0.037 ± 0.006	0.015 ± 0.003	0.216 ± 0.014	0.141 ± 0.017	0.147 ± 0.014
50 mg/kg	24	28.3 ± 2.0	0.035 ± 0.005	0.015 ± 0.002	0.224 ± 0.014	0.143 ± 0.018	0.150 ± 0.017
100 mg/kg	25	27.2 ± 1.5*	0.034 ± 0.005	0.015 ± 0.003	0.215 ± 0.022	0.140 ± 0.020	0.153 ± 0.016
200 mg/kg	20	25.4 ± 2.0**	0.032 ± 0.006**	0.015 ± 0.002	0.208 ± 0.035	0.132 ± 0.014	0.145 ± 0.012

Significant difference ; * : P 0.05 ** : P 0.01 Test of Dunnett

(HCL040)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE
 UNIT: g

ORGAN WEIGHT: ABSOLUTE (SUMMARY)
 SURVIVAL ANIMALS (27W)

Group Name	NO. of Animals	KIDNEYS		SPLEEN		LIVER		BRAIN	
Control	25	0.401 ±	0.048	0.064 ±	0.013	1.100 ±	0.145	0.459 ±	0.015
50 mg/kg	24	0.401 ±	0.060	0.072 ±	0.018	1.158 ±	0.130	0.463 ±	0.017
100 mg/kg	25	0.399 ±	0.063	0.082 ±	0.021**	1.142 ±	0.166	0.472 ±	0.020*
200 mg/kg	20	0.269 ±	0.032**	0.080 ±	0.013**	1.382 ±	0.158**	0.454 ±	0.017

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

(HCL040)

BAIS 6

TABLE A 22

ORGAN WEIGHT, ABSOLUTE : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE
 UNIT: g

ORGAN WEIGHT: ABSOLUTE (SUMMARY)
 SURVIVAL ANIMALS (27W)

Group Name	NO. of Animals	Body Weight	THYMUS	ADRENALS	OVARIES	HEART	LUNGS
Control	25	23.6 ± 1.6	0.045 ± 0.013	0.017 ± 0.003	0.019 ± 0.003	0.127 ± 0.015	0.154 ± 0.055
50 mg/kg	25	23.5 ± 1.4	0.040 ± 0.006	0.016 ± 0.003	0.020 ± 0.006	0.120 ± 0.015	0.134 ± 0.014
100 mg/kg	23	22.7 ± 1.4	0.039 ± 0.008	0.016 ± 0.002	0.020 ± 0.004	0.114 ± 0.013*	0.139 ± 0.015
200 mg/kg	17	21.7 ± 1.8**	0.034 ± 0.008**	0.015 ± 0.002	0.017 ± 0.003	0.118 ± 0.017	0.131 ± 0.015

Significant difference ; * : P 0.05 ** : P 0.01 Test of Dunnett

(HCL040)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE
 UNIT: g

ORGAN WEIGHT: ABSOLUTE (SUMMARY)
 SURVIVAL ANIMALS (27W)

Group Name	NO. of Animals	KIDNEYS		SPLEEN		LIVER		BRAIN	
Control	25	0.359 ±	0.057	0.092 ±	0.059	0.848 ±	0.074	0.481 ±	0.034
50 mg/kg	25	0.319 ±	0.039*	0.080 ±	0.016	0.940 ±	0.117**	0.468 ±	0.018
100 mg/kg	23	0.309 ±	0.038**	0.089 ±	0.015	0.976 ±	0.114**	0.471 ±	0.018
200 mg/kg	17	0.235 ±	0.027**	0.091 ±	0.018	1.179 ±	0.105**	0.453 ±	0.025**

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

(HCL040)

BAIS 6

TABLE A 23

ORGAN WEIGHT, RELATIVE : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE
 UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)
 SURVIVAL ANIMALS (27W)

Group Name	NO. of Animals	Body Weight (g)	THYMUS	ADRENALS	TESTES	HEART	LUNGS
Control	25	28.9 ± 2.6	0.128 ± 0.018	0.053 ± 0.009	0.752 ± 0.067	0.488 ± 0.045	0.512 ± 0.046
50 mg/kg	24	28.3 ± 2.0	0.125 ± 0.017	0.052 ± 0.008	0.795 ± 0.078	0.504 ± 0.049	0.532 ± 0.050
100 mg/kg	25	27.2 ± 1.5*	0.126 ± 0.018	0.054 ± 0.012	0.790 ± 0.081	0.514 ± 0.067	0.561 ± 0.054**
200 mg/kg	20	25.4 ± 2.0**	0.125 ± 0.022	0.060 ± 0.011*	0.824 ± 0.134**	0.524 ± 0.077	0.573 ± 0.056**

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : MALE
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)
SURVIVAL ANIMALS (27W)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS	SPLEEN	LIVER	BRAIN
Control	25	1.390 ± 0.139	0.222 ± 0.037	3.817 ± 0.462	1.597 ± 0.122
50 mg/kg	24	1.416 ± 0.170	0.252 ± 0.053*	4.113 ± 0.506	1.645 ± 0.089
100 mg/kg	25	1.466 ± 0.212	0.302 ± 0.072**	4.193 ± 0.523*	1.738 ± 0.105**
200 mg/kg	20	1.066 ± 0.149**	0.317 ± 0.054**	5.436 ± 0.323**	1.801 ± 0.170**

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

(HCL042)

BAIS 6

TABLE A 24

ORGAN WEIGHT, RELATIVE : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : FEMALE
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)
SURVIVAL ANIMALS (27W)

PAGE : 1

Group Name	NO. of Animals	Body Weight (g)	THYMUS	ADRENALS	OVARIES	HEART	LUNGS
Control	25	23.6 ± 1.6	0.192 ± 0.060	0.071 ± 0.011	0.083 ± 0.015	0.539 ± 0.054	0.659 ± 0.262
50 mg/kg	25	23.5 ± 1.4	0.170 ± 0.026	0.070 ± 0.011	0.084 ± 0.023	0.509 ± 0.054	0.569 ± 0.046*
100 mg/kg	23	22.7 ± 1.4	0.171 ± 0.036	0.070 ± 0.009	0.089 ± 0.016	0.505 ± 0.044	0.611 ± 0.051
200 mg/kg	17	21.7 ± 1.8**	0.158 ± 0.033	0.071 ± 0.009	0.079 ± 0.011	0.540 ± 0.053	0.603 ± 0.052

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

(HCL042)

BAIS 6

STUDY NO. : 0907
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : FEMALE
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)
SURVIVAL ANIMALS (27W)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS	SPLEEN	LIVER	BRAIN
Control	25	1.521 ± 0.221	0.397 ± 0.283	3.615 ± 0.430	2.045 ± 0.129
50 mg/kg	25	1.356 ± 0.153**	0.337 ± 0.053	3.998 ± 0.451**	1.995 ± 0.097
100 mg/kg	23	1.364 ± 0.154*	0.390 ± 0.058*	4.304 ± 0.414**	2.081 ± 0.108
200 mg/kg	17	1.079 ± 0.089**	0.419 ± 0.067**	5.435 ± 0.354**	2.090 ± 0.121

Significant difference ; * : P 0.05 ** : P 0.01

Test of Dunnett

(HCL042)

BAIS 6

TABLE A 25

HISTOPATHOLOGICAL FINDINGS :

NEOPLASTIC LESIONS : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS : NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Group Name No. of animals on Study	Control	50 mg/kg	100 mg/kg	200 mg/kg
			25	25	25	25
{Hematopoietic system}						
thymus	malignant lymphoma		<25> 0 (0%)	<25> 1 (4%)	<25> 0 (0%)	<25> 0 (0%)
{Endocrine system}						
adrenal	cortical adenoma		<25> 0 (0%)	<25> 0 (0%)	<25> 0 (0%)	<25> 1 (4%)

< a > a : Number of animals examined at the site
 b (c) b : Number of animals with neoplasm c : b / a * 100

(HPT085)

BAIS6

TABLE A 26

HISTOPATHOLOGICAL FINDINGS :

NEOPLASTIC LESIONS : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS : NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Group Name No. of animals on Study	Control 25	50 mg/kg 25	100 mg/kg 25	200 mg/kg 25
{Integumentary system/appandage}						
subcutis	chondroma		<25> 0 (0%)	<25> 0 (0%)	<25> 0 (0%)	<25> 1 (4%)
	sarcoma:NOS		0 (0%)	1 (4%)	0 (0%)	0 (0%)
{Hematopoietic system}						
lymph node	malignant lymphoma		<25> 1 (4%)	<25> 0 (0%)	<25> 0 (0%)	<25> 0 (0%)
{Musculoskeletal system}						
bone	osteosarcoma		<25> 0 (0%)	<25> 0 (0%)	<25> 0 (0%)	<25> 1 (4%)

< a > a : Number of animals examined at the site
 b (c) b : Number of animals with neoplasm c : b / a * 100

TABLE A 27

NEOPLASTIC LESIONS-INCIDENCE
AND STATISTICAL ANALYSIS : MALE
(Control, 50, 100 and 200 mg/kg groups)

STUDY No. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 SEX : MALE

NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL ANALYSIS

Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
SITE : thymus TUMOR : malignant lymphoma				
Tumor rate				
Overall rates(a)	0/25(0.0)	1/25(4.0)	0/25(0.0)	0/25(0.0)
Adjusted rates(b)	0.00	0.00	0.00	0.00
Terminal rates(c)	0/25(0.0)	0/24(0.0)	0/25(0.0)	0/20(0.0)
Statistical analysis				
Peto test				
Standard method(d)	P = 0.5743			
Prevalence method(d)	P = -----			
Combined analysis(d)	P = 0.5743			
Cochran-Armitage test(e)	P = 0.6103			
Fisher Exact test(e)		P = 0.5000	P = N.C.	P = N.C.
SITE : adrenal gland TUMOR : cortical adenoma				
Tumor rate				
Overall rates(a)	0/25(0.0)	0/25(0.0)	0/25(0.0)	1/25(4.0)
Adjusted rates(b)	0.00	0.00	0.00	5.00
Terminal rates(c)	0/25(0.0)	0/24(0.0)	0/25(0.0)	1/20(5.0)
Statistical analysis				
Peto test				
Standard method(d)	P = -----			
Prevalence method(d)	P = 0.0846 ?			
Combined analysis(d)	P = -----			
Cochran-Armitage test(e)	P = 0.1263			
Fisher Exact test(e)		P = N.C.	P = N.C.	P = 0.5000

(HPT360)

BAIS6

(a): Number of tumor-bearing animals/number of animals examined at the site.
 (b): Kaplan-Meier estimated tumor incidence at the end of the study after adjusting for intercurrent mortality.
 (c): Observed tumor incidence at terminal kill.
 (d): Beneath the control incidence are the P-values associated with the trend test.
 Standard method : Death analysis
 Prevalence method : Incidental tumor test
 Combined analysis : Death analysis + Incidental tumor test
 (e): The Cochran-Armitage and Fisher exact test compare directly the overall incidence rates.
 ? : The conditional probabilities of the largest and smallest possible outcomes can not be estimated or this P-value is beyond the estimated P-value.
 ----- : There is no data which should be statistical analysis.
 Significant difference ; * : P 0.05 ** : P 0.01
 N.C.:Statistical value cannot be calculated and was not significant.

TABLE A 28

NEOPLASTIC LESIONS-INCIDENCE
AND STATISTICAL ANALYSIS : FEMALE
(Control, 50, 100 and 200 mg/kg groups)

STUDY No. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 SEX : FEMALE

NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL ANALYSIS

Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
SITE : subcutis TUMOR : chondroma				
Tumor rate				
Overall rates(a)	0/25(0.0)	0/25(0.0)	0/25(0.0)	1/25(4.0)
Adjusted rates(b)	0.00	0.00	0.00	4.35
Terminal rates(c)	0/25(0.0)	0/25(0.0)	0/23(0.0)	0/17(0.0)
Statistical analysis				
Peto test				
Standard method(d)	P = -----			
Prevalence method(d)	P = 0.1015			
Combined analysis(d)	P = -----			
Cochran-Armitage test(e)	P = 0.1263			
Fisher Exact test(e)		P = N.C.	P = N.C.	P = 0.5000
SITE : subcutis TUMOR : sarcoma:NOS				
Tumor rate				
Overall rates(a)	0/25(0.0)	1/25(4.0)	0/25(0.0)	0/25(0.0)
Adjusted rates(b)	0.00	4.00	0.00	0.00
Terminal rates(c)	0/25(0.0)	1/25(4.0)	0/23(0.0)	0/17(0.0)
Statistical analysis				
Peto test				
Standard method(d)	P = -----			
Prevalence method(d)	P = 0.5437			
Combined analysis(d)	P = -----			
Cochran-Armitage test(e)	P = 0.6103			
Fisher Exact test(e)		P = 0.5000	P = N.C.	P = N.C.
SITE : subcutis TUMOR : chondroma,sarcoma:NOS				
Tumor rate				
Overall rates(a)	0/25(0.0)	1/25(4.0)	0/25(0.0)	1/25(4.0)
Adjusted rates(b)	0.00	4.00	0.00	4.35
Terminal rates(c)	0/25(0.0)	1/25(4.0)	0/23(0.0)	0/17(0.0)
Statistical analysis				
Peto test				
Standard method(d)	P = -----			
Prevalence method(d)	P = 0.2316			
Combined analysis(d)	P = -----			
Cochran-Armitage test(e)	P = 0.4688			
Fisher Exact test(e)		P = 0.5000	P = N.C.	P = 0.5000

STUDY No. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 SEX : FEMALE

NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL ANALYSIS

Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
SITE : lymph node TUMOR : malignant lymphoma				
Tumor rate				
Overall rates(a)	1/25(4.0)	0/25(0.0)	0/25(0.0)	0/25(0.0)
Adjusted rates(b)	4.00	0.00	0.00	0.00
Terminal rates(c)	1/25(4.0)	0/25(0.0)	0/23(0.0)	0/17(0.0)
Statistical analysis				
Peto test				
Standard method(d)	P = -----			
Prevalence method(d)	P = 0.9002 ?			
Combined analysis(d)	P = -----			
Cochran-Armitage test(e)	P = 0.2344			
Fisher Exact test(e)		P = 0.5000	P = 0.5000	P = 0.5000
SITE : bone TUMOR : osteosarcoma				
Tumor rate				
Overall rates(a)	0/25(0.0)	0/25(0.0)	0/25(0.0)	1/25(4.0)
Adjusted rates(b)	0.00	0.00	0.00	0.00
Terminal rates(c)	0/25(0.0)	0/25(0.0)	0/23(0.0)	0/17(0.0)
Statistical analysis				
Peto test				
Standard method(d)	P = 0.0967			
Prevalence method(d)	P = -----			
Combined analysis(d)	P = 0.0967			
Cochran-Armitage test(e)	P = 0.1263			
Fisher Exact test(e)		P = N.C.	P = N.C.	P = 0.5000

(HPT360)

BAIS6

(a): Number of tumor-bearing animals/number of animals examined at the site.
 (b): Kaplan-Meier estimated tumor incidence at the end of the study after adjusting for intercurrent mortality.
 (c): Observed tumor incidence at terminal kill.
 (d): Beneath the control incidence are the P-values associated with the trend test.
 Standard method : Death analysis
 Prevalence method : Incidental tumor test
 Combined analysis : Death analysis + Incidental tumor test
 (e): The Cochran-Armitage and Fisher exact test compare directly the overall incidence rates.
 ? : The conditional probabilities of the largest and smallest possible outcomes can not be estimated or this P-value is beyond the estimated P-value.
 ----- : There is no data which should be statistical analysis.
 Significant difference ; * : P 0.05 ** : P 0.01
 N.C.:Statistical value cannot be calculated and was not significant.

TABLE A 29

NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF
TUMORS - TIME RELATED: MALE
(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : MALE

NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF TUMORS - TIME RELATED

Time-related Weeks	Items	Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
1 - 26	NO. OF EXAMINED ANIMALS		0	1	0	5
	NO. OF ANIMALS WITH TUMORS		0	1	0	0
	NO. OF ANIMALS WITH SINGLE TUMORS		0	1	0	0
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0	0	0
	NO. OF BENIGN TUMORS		0	0	0	0
	NO. OF MALIGNANT TUMORS		0	1	0	0
	NO. OF TOTAL TUMORS		0	1	0	0
27 - 27	NO. OF EXAMINED ANIMALS		25	24	25	20
	NO. OF ANIMALS WITH TUMORS		0	0	0	1
	NO. OF ANIMALS WITH SINGLE TUMORS		0	0	0	1
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0	0	0
	NO. OF BENIGN TUMORS		0	0	0	1
	NO. OF MALIGNANT TUMORS		0	0	0	0
	NO. OF TOTAL TUMORS		0	0	0	1
1 - 27	NO. OF EXAMINED ANIMALS		25	25	25	25
	NO. OF ANIMALS WITH TUMORS		0	1	0	1
	NO. OF ANIMALS WITH SINGLE TUMORS		0	1	0	1
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0	0	0
	NO. OF BENIGN TUMORS		0	0	0	1
	NO. OF MALIGNANT TUMORS		0	1	0	0
	NO. OF TOTAL TUMORS		0	1	0	1

TABLE A 30

NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF
TUMORS - TIME RELATED: FEMALE
(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : FEMALE

NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF TUMORS - TIME RELATED

Time-related Weeks	Items	Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
1 - 26	NO. OF EXAMINED ANIMALS		0	0	2	8
	NO. OF ANIMALS WITH TUMORS		0	0	0	2
	NO. OF ANIMALS WITH SINGLE TUMORS		0	0	0	2
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0	0	0
	NO. OF BENIGN TUMORS		0	0	0	1
	NO. OF MALIGNANT TUMORS		0	0	0	1
	NO. OF TOTAL TUMORS		0	0	0	2
27 - 27	NO. OF EXAMINED ANIMALS		25	25	23	17
	NO. OF ANIMALS WITH TUMORS		1	1	0	0
	NO. OF ANIMALS WITH SINGLE TUMORS		1	1	0	0
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0	0	0
	NO. OF BENIGN TUMORS		0	0	0	0
	NO. OF MALIGNANT TUMORS		1	1	0	0
	NO. OF TOTAL TUMORS		1	1	0	0
1 - 27	NO. OF EXAMINED ANIMALS		25	25	25	25
	NO. OF ANIMALS WITH TUMORS		1	1	0	2
	NO. OF ANIMALS WITH SINGLE TUMORS		1	1	0	2
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0	0	0
	NO. OF BENIGN TUMORS		0	0	0	1
	NO. OF MALIGNANT TUMORS		1	1	0	1
	NO. OF TOTAL TUMORS		1	1	0	2

TABLE A 31

HISTOPATHOLOGICAL FINDINGS :

METASTASIS OF TUMOR: MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : MALE

HISTOPATHOLOGICAL FINDINGS : METASTASIS OF TUMOR (SUMMARY)
ALL ANIMALS (0- 27W)

Organ	Findings	Group Name No. of Animals on Study	Control 25	50 mg/kg 25	100 mg/kg 25	200 mg/kg 25
{Circulatory system}						
heart	leukemic cell infiltration		<25> 0	<25> 1	<25> 0	<25> 0
{Body cavities}						
pleura	leukemic cell infiltration		<25> 0	<25> 1	<25> 0	<25> 0

< a > a : Number of animals examined at the site
b b : Number of animals with lesion

TABLE A 32

HISTOPATHOLOGICAL FINDINGS :

METASTASIS OF TUMOR: FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS : METASTASIS OF TUMOR (SUMMARY)
ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name No. of Animals on Study	Control 25	50 mg/kg 25	100 mg/kg 25	200 mg/kg 25
{Respiratory system}						
lung	leukemic cell infiltration		<25> 1	<25> 0	<25> 0	<25> 0
{Hematopoietic system}						
spleen	leukemic cell infiltration		<25> 1	<25> 0	<25> 0	<25> 0

< a > a : Number of animals examined at the site
b b : Number of animals with lesion

(JPT150)

BAIS6

TABLE A 33

HISTOPATHOLOGICAL FINDINGS:

NON-NEOPLASTIC LESIONS: MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study Grade				50 mg/kg 25				100 mg/kg 25				200 mg/kg 25			
		1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Integumentary system/appandage}																	
skin/app	ulcer	<25>				<25>				<25>				<25>			
		0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	
{Respiratory system}																	
nasal cavit	eosinophilic change:olfactory epithelium	<25>				<25>				<25>				<25>			
		1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	2 (8)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	
	eosinophilic change:respiratory epithelium	1 (4)	1 (4)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	4 (16)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	
	inflammation:foreign body	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	
	respiratory metaplasia:gland	1 (4)	0 (0)	0 (0)	0 (0)	3 (12)	0 (0)	0 (0)	0 (0)	3 (12)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	
nasopharynx	eosinophilic change	<25>				<25>				<25>				<25>			
		1 (4)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study Grade				50 mg/kg 25				100 mg/kg 25				200 mg/kg 25			
		1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Respiratory system}																	
Lung	hemorrhage	<25> 1 0 0 0 (4) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)			
{Hematopoietic system}																	
Lymph node	lymphoid hyperplasia	<25> 0 0 0 0 (0) (0) (0) (0)				<25> 1 0 0 0 (4) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)			
thymus	atrophy	<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 1 4 0 (0) (4) (16) (0)			
spleen	atrophy	<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 4 0 0 (0) (16) (0) (0)			
	deposit of melanin	2 0 0 0 (8) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)			
	extramedullary hematopoiesis	0 0 0 0 (0) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				2 0 0 0 (8) (0) (0) (0)				2 0 0 0 (8) (0) (0) (0)			

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study Grade				50 mg/kg 25				100 mg/kg 25				200 mg/kg 25			
		1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Circulatory system}																	
heart	dilatation	<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 1 0 0 0 (4) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)			
{Digestive system}																	
stomach	ulcer:forestomach	<25> 0 0 0 0 (0) (0) (0) (0)				<25> 1 0 0 0 (4) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)			
	hemorrhage:glandular stomach	1 0 0 0 (4) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)			
liver	inflammatory cell nest	<25> 5 0 0 0 (20) (0) (0) (0)				<25> 1 0 0 0 (4) (0) (0) (0)				<25> 3 0 0 0 (12) (0) (0) (0)				<25> 2 0 0 0 (8) (0) (0) (0)			
	bile ductular proliferation	0 0 0 0 (0) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				2 0 0 0 (8) (0) (0) (0)			
	degeneration/necrosis:midzonal	0 0 0 0 (0) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				1 0 0 0 (4) (0) (0) (0)			

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study Grade				50 mg/kg 25				100 mg/kg 25				200 mg/kg 25			
		1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Digestive system}																	
liver	vacuolic change:peripheral	<25>				<25>				<25>				<25>			
		0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)
gall bladd	eosinophilic change	<25>				<25>				<25>				<25>			
		0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
pancreas	inflammatory infiltration	<25>				<25>				<25>				<25>			
		1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
{Urinary system}																	
kidney	malformation	<25>				<25>				<25>				<25>			
		1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
		3 (12)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
kidney	lymphocytic infiltration	<25>				<25>				<25>				<25>			
		3 (12)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study Grade				50 mg/kg 25				100 mg/kg 25				200 mg/kg 25				
		1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	
{Urinary system}																		
kidney		<25>				<25>				<25>				<25>				
	hydronephrosis	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	
	dilated pelvis	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	4 (16)	0 (0)	0 (0)	0 (0)	
	chronic nephritis	0 (0)	0 (0)	0 (0)	0 (0)	19 (76)	0 (0)	0 (0)	0 (0)	0 (0)	17 (68)	8 (32)	0 (0)	0 (0)	0 (0)	3 (12)	22 (88)	0 (0)
{Endocrine system}																		
pituitary		<25>				<25>				<25>				<25>				
	Rathke pouch	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	4 (16)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	cystic degeneration:anterior lobe	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
parathyroid		<25>				<25>				<25>				<25>				
	ectopic thymic tissue	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control				50 mg/kg				100 mg/kg				200 mg/kg			
		No. of Animals on Study				No. of Animals on Study				No. of Animals on Study				No. of Animals on Study			
		1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
{Endocrine system}																	
adrenal	spindle-cell hyperplasia	<25>				<25>				<25>				<25>			
		5	0	0	0	10	0	0	0	11	0	0	0	7	0	0	0
		(20)	(0)	(0)	(0)	(40)	(0)	(0)	(0)	(44)	(0)	(0)	(0)	(28)	(0)	(0)	(0)
{Reproductive system}																	
testis	atrophy	<25>				<25>				<25>				<25>			
		0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
		(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(8)	(0)	(0)
{Nervous system}																	
brain	ectopic tissue	<25>				<25>				<25>				<25>			
		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		(4)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)
{Musculoskeletal system}																	
bone	necrosis:focal	<25>				<25>				<25>				<25>			
		1	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0
		(4)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(12)	(0)	(0)	(0)	(0)	(0)	(0)	(0)

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control				50 mg/kg				100 mg/kg				200 mg/kg					
		No. of Animals on Study				No. of Animals on Study				No. of Animals on Study				No. of Animals on Study					
		1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+		
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)		
{Musculoskeletal system}																			
bone	osteodystrophy	<25>				<25>				<25>				<25>					
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	13	0	0	0
		(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(52)	(0)	(0)	(0)
Grade	1+ : Slight	2+ : Moderate	3+ : Marked	4+ : Severe															
< a >	a : Number of animals examined at the site																		
b	b : Number of animals with lesion																		
(c)	c : b / a * 100																		
Significant difference ;	* : P	0.05	** : P	0.01	Test of Chi Square														

TABLE A 34

HISTOPATHOLOGICAL FINDINGS:
NON-NEOPLASTIC LESIONS: FEMALE
(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study Grade				50 mg/kg 25				100 mg/kg 25				200 mg/kg 25			
		1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Integumentary system/appandage}																	
skin/app	ulcer	<25>				<25>				<25>				<25>			
		0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	
	erosion	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	
	scab	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	
{Respiratory system}																	
nasal cavit	eosinophilic change:olfactory epithelium	<25>				<25>				<25>				<25>			
		4 (16)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	2 (8)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	
	eosinophilic change:respiratory epithelium	7 (28)	4 (16)	1 (4)	0 (0)	9 (36)	1 (4)	0 (0)	0 (0)	8 (32)	0 (0)	0 (0)	0 (0)	5 (20)	0 (0)	0 (0)	
	inflammation:respiratory epithelium	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	2 (8)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	
	respiratory metaplasia:olfactory epithelium	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study Grade				50 mg/kg 25				100 mg/kg 25				200 mg/kg 25			
		1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Respiratory system}																	
nasal cavit	respiratory metaplasia:gland	<25>				<25>				<25>				<25>			
		0 (0)	0 (0)	0 (0)	0 (0)	3 (12)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)
	hyperplasia:olfactory epithelium	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	2 (8)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
nasopharynx	eosinophilic change	<25>				<25>				<25>				<25>			
		5 (20)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)
trachea	eosinophilic change:respiratory epithelium	<25>				<25>				<25>				<25>			
		1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
{Hematopoietic system}																	
lymph node	lymphoid hyperplasia	<25>				<25>				<25>				<25>			
		2 (8)	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	2 (8)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
thymus	atrophy	<25>				<25>				<25>				<24>			
		0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	2 (8)	0 (0)	0 (0)	0 (0)	0 (0)	2 (8)	2 (8)

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study Grade				50 mg/kg 25				100 mg/kg 25				200 mg/kg 25			
		1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Hematopoietic system}																	
thymus	lymphoid hyperplasia	<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 1 0 0 (0) (4) (0) (0)				<24> 0 0 0 0 (0) (0) (0) (0)			
spleen	atrophy	<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 2 0 0 (0) (8) (0) (0)				<25> 0 2 0 0 (0) (8) (0) (0)			
	extramedullary hematopoiesis	1 0 0 0 (4) (0) (0) (0)				1 0 0 0 (4) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				1 2 0 0 (4) (8) (0) (0)			
{Digestive system}																	
salivary gl	atrophy	<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 1 0 0 (0) (4) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)			
stomach	inflammation:forestomach	<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 1 0 0 0 (4) (0) (0) (0)			
	eosinophilic change:glandular stomach	1 0 0 0 (4) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)			

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study Grade				50 mg/kg 25				100 mg/kg 25				200 mg/kg 25			
		1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Digestive system}																	
liver																	
	atrophy	<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 1 0 0 (0) (4) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)			
	necrosis:focal	0 0 0 0 (0) (0) (0) (0)				1 0 0 0 (4) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)			
	necrosis:single cell	0 0 0 0 (0) (0) (0) (0)				1 0 0 0 (4) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				1 0 0 0 (4) (0) (0) (0)			
	cyst	0 0 0 0 (0) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				1 0 0 0 (4) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)			
	inflammatory cell nest	11 1 0 0 (44) (4) (0) (0)				7 2 0 0 (28) (8) (0) (0)				6 0 0 0 (24) (0) (0) (0)				2 2 0 0* (8) (8) (0) (0)			
	degeneration/necrosis:midzonal	0 0 0 0 (0) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)				1 0 0 0 (4) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)			
pancreas																	
	lymphocytic infiltration	<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 1 0 0 0 (4) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)			
{Urinary system}																	
kidney																	
	malformation	<25> 2 0 0 0 (8) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)				<25> 0 0 0 0 (0) (0) (0) (0)			

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study Grade				50 mg/kg 25				100 mg/kg 25				200 mg/kg 25				
		1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	
{Urinary system}																		
kidney																		
	hyaline cast	<25>				<25>				<25>				<25>				
		9 (36)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	
	lymphocytic infiltration	2 (8)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	
	regeneration:proximal tubule	2 (8)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	
	vacuolic change:proximal tubule	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	
	necrosis:proximal tube strai	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	
	dilated pelvis	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	3 (12)	0 (0)	0 (0)	0 (0)	
	chronic nephritis	0 (0)	0 (0)	0 (0)	0 (0)	19 (76)	0 (0)	0 (0)	0 (0)	0 (0)	19 (76)	4 (16)	1 (4)	0 (0)	0 (0)	9 (36)	16 (64)	0 (0)
{Endocrine system}																		
thyroid																		
	degeneration:focal	<25>				<25>				<25>				<25>				
		0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0907
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study Grade				50 mg/kg 25				100 mg/kg 25				200 mg/kg 25			
		1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Endocrine system}																	
parathyroid	ectopic thymic tissue	<25>				<25>				<25>				<25>			
		0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)
adrenal	spindle-cell hyperplasia	<25>				<25>				<25>				<25>			
		22 (88)	0 (0)	0 (0)	0 (0)	23 (92)	0 (0)	0 (0)	0 (0)	20 (80)	0 (0)	0 (0)	0 (0)	21 (84)	0 (0)	0 (0)	0 (0)
{Reproductive system}																	
ovary	cyst	<25>				<25>				<25>				<25>			
		0 (0)	0 (0)	0 (0)	0 (0)	3 (12)	0 (0)	0 (0)	0 (0)	3 (12)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)
uterus	dilatation	<25>				<25>				<25>				<25>			
		0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	cystic endometrial hyperplasia	1 (4)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
vagina	dilatation	<25>				<25>				<25>				<25>			
		0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
< a > a : Number of animals examined at the site
b : Number of animals with lesion
(c) c : b / a * 100
Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0907
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
ALL ANIMALS (0- 27W)

Organ	Findings	Control				50 mg/kg				100 mg/kg				200 mg/kg			
		No. of Animals on Study				No. of Animals on Study				No. of Animals on Study				No. of Animals on Study			
		1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
{Nervous system}																	
brain	hemorrhage	<25>				<25>				<25>				<25>			
		0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
		(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(4)	(0)	(0)	(0)
	hydrocephalus	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		(0)	(4)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)
{Musculoskeletal system}																	
muscle	inflammatory infiltration	<25>				<25>				<25>				<25>			
		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		(4)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)
bone	necrosis: focal	<25>				<25>				<25>				<25>			
		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		(4)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)
	osteodystrophy	0	0	0	0	7	0	0	0 *	7	0	0	0 *	18	3	0	0 **
		(0)	(0)	(0)	(0)	(28)	(0)	(0)	(0)	(28)	(0)	(0)	(0)	(72)	(12)	(0)	(0)

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
< a > a : Number of animals examined at the site
b b : Number of animals with lesion
(c) c : b / a * 100
Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

TABLE A 35

CAUSE OF DEATH: MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
SEX : MALE

COUSE OF DEATH (SUMMARY)
(0- 27W)

PAGE : 1

Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
Number of Dead and Moribund Animal	0	1	0	5
renal lesion	0	0	0	5
tumor d: leukemia	0	1	0	0

(BI0120)

BAIS6

TABLE A 36

CAUSE OF DEATH: FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0907
ANIMAL : B6.129S2-Trp53tm1Tyj/J
SEX : FEMALE

COUSE OF DEATH (SUMMARY)
(0- 27W)

PAGE : 1

Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
Number of Dead and Moribund Animal	0	0	2	8
no microscop confirm	0	0	1	0
renal lesion	0	0	1	7
tumor d:bone	0	0	0	1

(BI0120)

BA1S6

TABLE B 1

SURVIVAL ANIMAL NUMBERS : MALE

(Control and Positive control group)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 26
 SEX : MALE

SURVIVAL ANIMAL NUMBERS

Group Name	Animals At start	Administration (Weeks)													
		0	1	2	3	4	5	6	7	8	9	10	11	12	13
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
Posi.Control	15	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0
		Number of survival/ Number of effective animals Survival rate(%)													

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 26
 SEX : MALE

SURVIVAL ANIMAL NUMBERS

Group Name	Animals At start	Administration (Weeks)												
		14	15	16	17	18	19	20	21	22	23	24	25	26
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
Posi.Control	15	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0
		Number of survival/ Number of effective animals Survival rate(%)												

(HAN360)

BA1S6

TABLE B 2

SURVIVAL ANIMAL NUMBERS : FEMALE

(Control and Positive control group)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 26
 SEX : FEMALE

SURVIVAL ANIMAL NUMBERS

Group Name	Animals At start	Administration (Weeks)													
		0	1	2	3	4	5	6	7	8	9	10	11	12	13
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
Posi.Control	15	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0
		Number of survival/ Number of effective animals Survival rate(%)													

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 26
 SEX : FEMALE

SURVIVAL ANIMAL NUMBERS

Group Name	Animals At start	Administration (Weeks)												
		14	15	16	17	18	19	20	21	22	23	24	25	26
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
Posi.Control	15	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0
		Number of survival/ Number of effective animals Survival rate(%)												

(HAN360)

BA1S6

TABLE B 3

CLINICAL OBSERVATION : MALE

(Control and Positive control group)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 1

Clinical sign	Group Name	Administration Week-day													
		1-1 1	1-1 2	1-2 1	1-2 2	1-3 1	1-3 2	1-4 1	1-4 2	1-5 1	1-5 2	1-6 1	1-6 2	1-7 1	1-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 2

Clinical sign	Group Name	Administration Week-day													
		2-1 1	2-1 2	2-2 1	2-2 2	2-3 1	2-3 2	2-4 1	2-4 2	2-5 1	2-5 2	2-6 1	2-6 2	2-7 1	2-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 3

Clinical sign	Group Name	Administration Week-day													
		3-1 1	3-1 2	3-2 1	3-2 2	3-3 1	3-3 2	3-4 1	3-4 2	3-5 1	3-5 2	3-6 1	3-6 2	3-7 1	3-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 4

Clinical sign	Group Name	Administration Week-day													
		4-1 1	4-1 2	4-2 1	4-2 2	4-3 1	4-3 2	4-4 1	4-4 2	4-5 1	4-5 2	4-6 1	4-6 2	4-7 1	4-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 5

Clinical sign	Group Name	Administration Week-day													
		5-1 1	5-1 2	5-2 1	5-2 2	5-3 1	5-3 2	5-4 1	5-4 2	5-5 1	5-5 2	5-6 1	5-6 2	5-7 1	5-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 6

Clinical sign	Group Name	Administration Week-day													
		6-1 1	6-1 2	6-2 1	6-2 2	6-3 1	6-3 2	6-4 1	6-4 2	6-5 1	6-5 2	6-6 1	6-6 2	6-7 1	6-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 7

Clinical sign	Group Name	Administration Week-day													
		7-1 1	7-1 2	7-2 1	7-2 2	7-3 1	7-3 2	7-4 1	7-4 2	7-5 1	7-5 2	7-6 1	7-6 2	7-7 1	7-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 8

Clinical sign	Group Name	Administration Week-day													
		8-1 1	8-1 2	8-2 1	8-2 2	8-3 1	8-3 2	8-4 1	8-4 2	8-5 1	8-5 2	8-6 1	8-6 2	8-7 1	8-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 9

Clinical sign	Group Name	Administration Week-day													
		9-1 1	9-1 2	9-2 1	9-2 2	9-3 1	9-3 2	9-4 1	9-4 2	9-5 1	9-5 2	9-6 1	9-6 2	9-7 1	9-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 10

Clinical sign	Group Name	Administration Week-day													
		10-1 1	10-1 2	10-2 1	10-2 2	10-3 1	10-3 2	10-4 1	10-4 2	10-5 1	10-5 2	10-6 1	10-6 2	10-7 1	10-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 11

Clinical sign	Group Name	Administration Week-day													
		11-1 1	11-1 2	11-2 1	11-2 2	11-3 1	11-3 2	11-4 1	11-4 2	11-5 1	11-5 2	11-6 1	11-6 2	11-7 1	11-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 12

Clinical sign	Group Name	Administration Week-day													
		12-1 1	12-1 2	12-2 1	12-2 2	12-3 1	12-3 2	12-4 1	12-4 2	12-5 1	12-5 2	12-6 1	12-6 2	12-7 1	12-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 13

Clinical sign	Group Name	Administration Week-day													
		13-1 1	13-1 2	13-2 1	13-2 2	13-3 1	13-3 2	13-4 1	13-4 2	13-5 1	13-5 2	13-6 1	13-6 2	13-7 1	13-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 14

Clinical sign	Group Name	Administration Week-day													
		14-1 1	14-1 2	14-2 1	14-2 2	14-3 1	14-3 2	14-4 1	14-4 2	14-5 1	14-5 2	14-6 1	14-6 2	14-7 1	14-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 15

Clinical sign	Group Name	Administration Week-day													
		15-1 1	15-1 2	15-2 1	15-2 2	15-3 1	15-3 2	15-4 1	15-4 2	15-5 1	15-5 2	15-6 1	15-6 2	15-7 1	15-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 16

Clinical sign	Group Name	Administration Week-day													
		16-1 1	16-1 2	16-2 1	16-2 2	16-3 1	16-3 2	16-4 1	16-4 2	16-5 1	16-5 2	16-6 1	16-6 2	16-7 1	16-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 17

Clinical sign	Group Name	Administration Week-day													
		17-1 1	17-1 2	17-2 1	17-2 2	17-3 1	17-3 2	17-4 1	17-4 2	17-5 1	17-5 2	17-6 1	17-6 2	17-7 1	17-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 18

Clinical sign	Group Name	Administration Week-day													
		18-1 1	18-1 2	18-2 1	18-2 2	18-3 1	18-3 2	18-4 1	18-4 2	18-5 1	18-5 2	18-6 1	18-6 2	18-7 1	18-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 19

Clinical sign	Group Name	Administration Week-day													
		19-1 1	19-1 2	19-2 1	19-2 2	19-3 1	19-3 2	19-4 1	19-4 2	19-5 1	19-5 2	19-6 1	19-6 2	19-7 1	19-7 2
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 20

Clinical sign	Group Name	Administration Week-day													
		20-1 1	20-1 2	20-2 1	20-2 2	20-3 1	20-3 2	20-4 1	20-4 2	20-5 1	20-5 2	20-6 1	20-6 2	20-7 1	20-7 2
EROSION	Control	0	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 21

Clinical sign	Group Name	Administration Week-day													
		21-1 1	21-1 2	21-2 1	21-2 2	21-3 1	21-3 2	21-4 1	21-4 2	21-5 1	21-5 2	21-6 1	21-6 2	21-7 1	21-7 2
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 22

Clinical sign	Group Name	Administration Week-day													
		22-1 1	22-1 2	22-2 1	22-2 2	22-3 1	22-3 2	22-4 1	22-4 2	22-5 1	22-5 2	22-6 1	22-6 2	22-7 1	22-7 2
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	1	1	1	1	1
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi.Control	15	15	15	15	15	15	15	15	15	14	14	14	14	14

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 23

Clinical sign	Group Name	Administration Week-day													
		23-1 1	23-1 2	23-2 1	23-2 2	23-3 1	23-3 2	23-4 1	23-4 2	23-5 1	23-5 2	23-6 1	23-6 2	23-7 1	23-7 2
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi.Control	14	14	14	14	14	14	14	14	14	14	14	14	14	14

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 24

Clinical sign	Group Name	Administration Week-day													
		24-1 1	24-1 2	24-2 1	24-2 2	24-3 1	24-3 2	24-4 1	24-4 2	24-5 1	24-5 2	24-6 1	24-6 2	24-7 1	24-7 2
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi.Control	14	14	14	14	14	14	14	14	14	14	14	14	14	14

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 25

Clinical sign	Group Name	Administration Week-day													
		25-1 1	25-1 2	25-2 1	25-2 2	25-3 1	25-3 2	25-4 1	25-4 2	25-5 1	25-5 2	25-6 1	25-6 2	25-7 1	25-7 2
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi.Control	14	14	14	14	14	14	14	14	14	14	14	14	14	14

(HAN190)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : MALE

PAGE : 26

Clinical sign	Group Name	Administration Week-day													
		26-1 1	26-1 2	26-2 1	26-2 2	26-3 1	26-3 2	26-4 1	26-4 2	26-5 1	26-5 2	26-6 1	26-6 2	26-7 1	26-7 2
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	1	1	1
	Posi.Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi.Control	14	14	14	14	14	14	14	14	14	14	14	14	14	14

(HAN190)

BAIS 6

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
ALL ANIMALS

SEX : MALE

PAGE : 27

Clinical sign	Group Name	Administration Week-day	
		27-1 1	27-1 2
EROSION	Control	1	0
	Posi.Control	0	0
CRUSTA	Control	1	0
	Posi.Control	1	1
NON REMARKABLE	Control	24	11
	Posi.Control	14	14

(HAN190)

BAIS 6

TABLE B 4

CLINICAL OBSERVATION : FEMALE

(Control and Positive control group)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 1

Clinical sign	Group Name	Administration Week-day													
		1-1 1	1-1 2	1-2 1	1-2 2	1-3 1	1-3 2	1-4 1	1-4 2	1-5 1	1-5 2	1-6 1	1-6 2	1-7 1	1-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 2

Clinical sign	Group Name	Administration Week-day													
		2-1 1	2-1 2	2-2 1	2-2 2	2-3 1	2-3 2	2-4 1	2-4 2	2-5 1	2-5 2	2-6 1	2-6 2	2-7 1	2-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 3

Clinical sign	Group Name	Administration Week-day													
		3-1 1	3-1 2	3-2 1	3-2 2	3-3 1	3-3 2	3-4 1	3-4 2	3-5 1	3-5 2	3-6 1	3-6 2	3-7 1	3-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 4

Clinical sign	Group Name	Administration Week-day													
		4-1 1	4-1 2	4-2 1	4-2 2	4-3 1	4-3 2	4-4 1	4-4 2	4-5 1	4-5 2	4-6 1	4-6 2	4-7 1	4-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 5

Clinical sign	Group Name	Administration Week-day													
		5-1 1	5-1 2	5-2 1	5-2 2	5-3 1	5-3 2	5-4 1	5-4 2	5-5 1	5-5 2	5-6 1	5-6 2	5-7 1	5-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 6

Clinical sign	Group Name	Administration Week-day													
		6-1 1	6-1 2	6-2 1	6-2 2	6-3 1	6-3 2	6-4 1	6-4 2	6-5 1	6-5 2	6-6 1	6-6 2	6-7 1	6-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 7

Clinical sign	Group Name	Administration Week-day													
		7-1 1	7-1 2	7-2 1	7-2 2	7-3 1	7-3 2	7-4 1	7-4 2	7-5 1	7-5 2	7-6 1	7-6 2	7-7 1	7-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 8

Clinical sign	Group Name	Administration Week-day													
		8-1 1	8-1 2	8-2 1	8-2 2	8-3 1	8-3 2	8-4 1	8-4 2	8-5 1	8-5 2	8-6 1	8-6 2	8-7 1	8-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 9

Clinical sign	Group Name	Administration Week-day													
		9-1 1	9-1 2	9-2 1	9-2 2	9-3 1	9-3 2	9-4 1	9-4 2	9-5 1	9-5 2	9-6 1	9-6 2	9-7 1	9-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 10

Clinical sign	Group Name	Administration Week-day													
		10-1 1	10-1 2	10-2 1	10-2 2	10-3 1	10-3 2	10-4 1	10-4 2	10-5 1	10-5 2	10-6 1	10-6 2	10-7 1	10-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 11

Clinical sign	Group Name	Administration Week-day													
		11-1 1	11-1 2	11-2 1	11-2 2	11-3 1	11-3 2	11-4 1	11-4 2	11-5 1	11-5 2	11-6 1	11-6 2	11-7 1	11-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 12

Clinical sign	Group Name	Administration Week-day													
		12-1 1	12-1 2	12-2 1	12-2 2	12-3 1	12-3 2	12-4 1	12-4 2	12-5 1	12-5 2	12-6 1	12-6 2	12-7 1	12-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 13

Clinical sign	Group Name	Administration Week-day													
		13-1 1	13-1 2	13-2 1	13-2 2	13-3 1	13-3 2	13-4 1	13-4 2	13-5 1	13-5 2	13-6 1	13-6 2	13-7 1	13-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 14

Clinical sign	Group Name	Administration Week-day													
		14-1 1	14-1 2	14-2 1	14-2 2	14-3 1	14-3 2	14-4 1	14-4 2	14-5 1	14-5 2	14-6 1	14-6 2	14-7 1	14-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	1	1	1	1	1	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	1	1	1	1	1	1	1	1	1	1	1
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	1	1	1	1	1	1	1	1	1	1	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	14	14	14	14	14	14	14	14	14	14	14	14

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 15

Clinical sign	Group Name	Administration Week-day													
		15-1 1	15-1 2	15-2 1	15-2 2	15-3 1	15-3 2	15-4 1	15-4 2	15-5 1	15-5 2	15-6 1	15-6 2	15-7 1	15-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 16

Clinical sign	Group Name	Administration Week-day													
		16-1 1	16-1 2	16-2 1	16-2 2	16-3 1	16-3 2	16-4 1	16-4 2	16-5 1	16-5 2	16-6 1	16-6 2	16-7 1	16-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 17

Clinical sign	Group Name	Administration Week-day													
		17-1 1	17-1 2	17-2 1	17-2 2	17-3 1	17-3 2	17-4 1	17-4 2	17-5 1	17-5 2	17-6 1	17-6 2	17-7 1	17-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 18

Clinical sign	Group Name	Administration Week-day													
		18-1 1	18-1 2	18-2 1	18-2 2	18-3 1	18-3 2	18-4 1	18-4 2	18-5 1	18-5 2	18-6 1	18-6 2	18-7 1	18-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 19

Clinical sign	Group Name	Administration Week-day													
		19-1 1	19-1 2	19-2 1	19-2 2	19-3 1	19-3 2	19-4 1	19-4 2	19-5 1	19-5 2	19-6 1	19-6 2	19-7 1	19-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 20

Clinical sign	Group Name	Administration Week-day													
		20-1 1	20-1 2	20-2 1	20-2 2	20-3 1	20-3 2	20-4 1	20-4 2	20-5 1	20-5 2	20-6 1	20-6 2	20-7 1	20-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 21

Clinical sign	Group Name	Administration Week-day													
		21-1 1	21-1 2	21-2 1	21-2 2	21-3 1	21-3 2	21-4 1	21-4 2	21-5 1	21-5 2	21-6 1	21-6 2	21-7 1	21-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 22

Clinical sign	Group Name	Administration Week-day													
		22-1	22-1	22-2	22-2	22-3	22-3	22-4	22-4	22-5	22-5	22-6	22-6	22-7	22-7
		1	2	1	2	1	2	1	2	1	2	1	2	1	2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	0	0	0	0	0	0	0	0	0	1	1	1	1	1
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	24	24	24	24	24
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 23

Clinical sign	Group Name	Administration Week-day													
		23-1	23-1	23-2	23-2	23-3	23-3	23-4	23-4	23-5	23-5	23-6	23-6	23-7	23-7
		1	2	1	2	1	2	1	2	1	2	1	2	1	2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 24

Clinical sign	Group Name	Administration Week-day													
		24-1 1	24-1 2	24-2 1	24-2 2	24-3 1	24-3 2	24-4 1	24-4 2	24-5 1	24-5 2	24-6 1	24-6 2	24-7 1	24-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 25

Clinical sign	Group Name	Administration Week-day													
		25-1 1	25-1 2	25-2 1	25-2 2	25-3 1	25-3 2	25-4 1	25-4 2	25-5 1	25-5 2	25-6 1	25-6 2	25-7 1	25-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
 ALL ANIMALS

SEX : FEMALE

PAGE : 26

Clinical sign	Group Name	Administration Week-day													
		26-1 1	26-1 2	26-2 1	26-2 2	26-3 1	26-3 2	26-4 1	26-4 2	26-5 1	26-5 2	26-6 1	26-6 2	26-7 1	26-7 2
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EROSION	Control	1	1	2	2	2	2	2	2	2	2	2	2	2	2
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRUSTA	Control	0	0	1	1	1	1	1	1	1	1	1	1	1	1
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
IRREGULAR BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi.Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	22	22	22	22	22	22	22	22	22	22	22	22
	Posi.Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 6

STUDY NO. : 0907
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)
ALL ANIMALS

SEX : FEMALE

PAGE : 27

Clinical sign	Group Name	Administration Week-day	
		27-1 1	27-1 2
LOCOMOTOR MOVEMENT DECR	Control	0	0
	Posi.Control	0	0
EROSION	Control	2	1
	Posi.Control	0	0
CRUSTA	Control	1	0
	Posi.Control	0	0
IRREGULAR BREATHING	Control	0	0
	Posi.Control	0	0
OLIGO-STOOL	Control	0	0
	Posi.Control	0	0
NON REMARKABLE	Control	22	10
	Posi.Control	15	15

(HAN190)

BAIS 6

TABLE B 5

BODY WEIGHT CHANGES AND SURVIVAL ANIMAL

NUMBERS : MALE

(Control and Positive control group)

STUDY NO. : 0906

MEAN BODY WEIGHTS AND SURVIVAL

ANIMAL : B6.129S2-Trp53tm1Tyj/J

UNIT : g

SEX : MALE

Week-Day on Study	Control		Posi. Control		
	Av. Wt. <25>	No. of Surviv.	Av. Wt.	% of cont. <15>	No. of Surviv.
0-0	25.8 (25)	25/25	25.9 (15)	100	15/15
1-1	26.0 (25)	25/25	25.8 (15)	99	15/15
2-1	25.9 (25)	25/25	25.6 (15)	99	15/15
3-1	26.4 (25)	25/25	26.0 (15)	98	15/15
4-1	26.7 (25)	25/25	26.0 (15)	97	15/15
5-1	27.1 (25)	25/25	25.7 (15)	95	15/15
6-1	27.8 (25)	25/25	26.0 (15)	94	15/15
7-1	28.0 (25)	25/25	26.1 (15)	93	15/15
8-1	28.4 (25)	25/25	26.3 (15)	93	15/15
9-1	28.6 (25)	25/25	26.1 (15)	91	15/15
10-1	29.2 (25)	25/25	26.7 (15)	91	15/15
11-1	29.3 (25)	25/25	26.4 (15)	90	15/15
12-1	29.6 (25)	25/25	27.0 (15)	91	15/15
13-1	29.4 (25)	25/25	26.4 (15)	90	15/15
14-1	29.8 (25)	25/25	27.2 (15)	91	15/15
15-1	30.2 (25)	25/25	27.0 (15)	89	15/15
16-1	30.1 (25)	25/25	26.6 (15)	88	15/15
17-1	30.6 (25)	25/25	26.5 (15)	87	15/15
18-1	30.4 (25)	25/25	26.5 (15)	87	15/15
19-1	30.6 (25)	25/25	27.2 (15)	89	15/15
20-1	30.7 (25)	25/25	26.9 (15)	88	15/15
21-1	31.1 (25)	25/25	27.1 (15)	87	15/15
22-1	31.2 (25)	25/25	26.9 (15)	86	15/15
23-1	31.3 (25)	25/25	26.7 (15)	85	15/15
24-1	31.5 (25)	25/25	27.1 (15)	86	15/15
25-1	31.7 (25)	25/25	26.9 (15)	85	15/15
26-1	32.0 (25)	25/25	27.2 (15)	85	15/15
26-7	32.3 (25)	25/25	27.3 (15)	85	15/15

< >: No. of effective animals, (): No. of measured animals Av. Wt. : g

TABLE B 6

BODY WEIGHT CHANGES AND SURVIVAL ANIMAL

NUMBERS : FEMALE

(Control and Positive control group)

STUDY NO. : 0907

MEAN BODY WEIGHTS AND SURVIVAL

ANIMAL : B6.129S2-Trp53tm1Tyj/J

UNIT : g

SEX : FEMALE

Week-Day on Study	Control		Posi. Control		
	Av. Wt. <25>	No. of Surviv.	Av. Wt.	% of cont. <15>	No. of Surviv.
0-0	20.8 (25)	25/25	20.8 (15)	100	15/15
1-1	21.0 (25)	25/25	20.7 (15)	99	15/15
2-1	21.5 (25)	25/25	21.4 (15)	100	15/15
3-1	21.9 (25)	25/25	21.7 (15)	99	15/15
4-1	22.2 (25)	25/25	21.6 (15)	97	15/15
5-1	22.6 (25)	25/25	21.8 (15)	96	15/15
6-1	23.4 (25)	25/25	22.1 (15)	94	15/15
7-1	23.6 (25)	25/25	21.9 (15)	93	15/15
8-1	24.0 (25)	25/25	22.2 (15)	93	15/15
9-1	24.1 (25)	25/25	22.2 (15)	92	15/15
10-1	24.2 (25)	25/25	22.4 (15)	93	15/15
11-1	24.2 (25)	25/25	22.5 (15)	93	15/15
12-1	24.6 (25)	25/25	22.7 (15)	92	15/15
13-1	24.7 (25)	25/25	23.1 (15)	94	15/15
14-1	24.5 (25)	25/25	23.2 (15)	95	15/15
15-1	24.7 (25)	25/25	22.9 (15)	93	15/15
16-1	25.1 (25)	25/25	23.2 (15)	92	15/15
17-1	25.2 (25)	25/25	23.1 (15)	92	15/15
18-1	25.6 (25)	25/25	23.5 (15)	92	15/15
19-1	25.2 (25)	25/25	23.3 (15)	92	15/15
20-1	25.7 (25)	25/25	23.3 (15)	91	15/15
21-1	25.7 (25)	25/25	23.2 (15)	90	15/15
22-1	26.1 (25)	25/25	23.2 (15)	89	15/15
23-1	25.8 (25)	25/25	23.2 (15)	90	15/15
24-1	25.9 (25)	25/25	23.5 (15)	91	15/15
25-1	26.1 (25)	25/25	23.5 (15)	90	15/15
26-1	26.3 (25)	25/25	23.6 (15)	90	15/15
26-7	26.2 (25)	25/25	23.1 (15)	88	15/15

< >: No. of effective animals, (): No. of measured animals Av. Wt. : g

TABLE B 7

BODY WEIGHT CHANGES : MALE

(Control and Positive control group)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day							
	0-0	1-1	2-1	3-1	4-1	5-1	6-1	
Control	25.8 ± 1.6	26.0 ± 1.7	25.9 ± 1.8	26.4 ± 1.7	26.7 ± 1.6	27.1 ± 1.7	27.8 ± 1.6	
Posi.Control	25.9 ± 1.6	25.8 ± 1.6	25.6 ± 1.3	26.0 ± 1.4	26.0 ± 1.5	25.7 ± 1.6**	26.0 ± 1.4**	

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day						
	7-1	8-1	9-1	10-1	11-1	12-1	13-1
Control	28.0 ± 1.7	28.4 ± 1.7	28.6 ± 1.6	29.2 ± 1.7	29.3 ± 1.8	29.6 ± 2.1	29.4 ± 2.1
Posi.Control	26.1 ± 1.6**	26.3 ± 1.4**	26.1 ± 1.6**	26.7 ± 1.5**	26.4 ± 1.4**	27.0 ± 1.4**	26.4 ± 1.5**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day						
	14-1	15-1	16-1	17-1	18-1	19-1	20-1
Control	29.8 ± 1.9	30.2 ± 2.4	30.1 ± 2.2	30.6 ± 2.3	30.4 ± 2.1	30.6 ± 2.2	30.7 ± 2.2
Posi.Control	27.2 ± 1.7**	27.0 ± 1.6**	26.6 ± 1.6**	26.5 ± 1.4**	26.5 ± 1.6**	27.2 ± 1.4**	26.9 ± 1.7**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day						
	21-1	22-1	23-1	24-1	25-1	26-1	26-7
Control	31.1 ± 2.4	31.2 ± 2.4	31.3 ± 2.6	31.5 ± 2.6	31.7 ± 2.6	32.0 ± 2.7	32.3 ± 2.8
Posi.Control	27.1 ± 1.8**	26.9 ± 2.0**	26.7 ± 1.7**	27.1 ± 1.6**	26.9 ± 1.7**	27.2 ± 1.7**	27.3 ± 1.8**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

TABLE B 8

BODY WEIGHT CHANGES : FEMALE

(Control and Positive control group)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day							
	0-0	1-1	2-1	3-1	4-1	5-1	6-1	
Control	20.8 ± 1.6	21.0 ± 1.7	21.5 ± 1.8	21.9 ± 1.5	22.2 ± 1.5	22.6 ± 1.4	23.4 ± 1.4	
Posi.Control	20.8 ± 1.5	20.7 ± 1.6	21.4 ± 1.3	21.7 ± 1.4	21.6 ± 1.4	21.8 ± 1.5	22.1 ± 1.4**	

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day						
	7-1	8-1	9-1	10-1	11-1	12-1	13-1
Control	23.6 ± 1.6	24.0 ± 1.6	24.1 ± 1.4	24.2 ± 1.7	24.2 ± 1.6	24.6 ± 1.6	24.7 ± 1.7
Posi.Control	21.9 ± 1.6**	22.2 ± 1.6**	22.2 ± 1.5**	22.4 ± 1.6**	22.5 ± 1.8**	22.7 ± 1.8**	23.1 ± 1.7**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day						
	14-1	15-1	16-1	17-1	18-1	19-1	20-1
Control	24.5 ± 1.7	24.7 ± 1.6	25.1 ± 1.9	25.2 ± 1.7	25.6 ± 1.9	25.2 ± 1.8	25.7 ± 1.9
Posi.Control	23.2 ± 1.9*	22.9 ± 1.8**	23.2 ± 1.8**	23.1 ± 1.3**	23.5 ± 1.7**	23.3 ± 1.7**	23.3 ± 1.5**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day		23-1	24-1	25-1	26-1	26-7
	21-1	22-1					
Control	25.7 ± 1.6	26.1 ± 1.7	25.8 ± 2.0	25.9 ± 1.9	26.1 ± 2.3	26.3 ± 1.9	26.2 ± 1.9
Posi.Control	23.2 ± 1.7**	23.2 ± 1.6**	23.2 ± 1.6**	23.5 ± 1.8**	23.5 ± 1.9**	23.6 ± 1.9**	23.1 ± 2.1**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

TABLE B 9

FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL

NUMBERS : MALE

(Control and Positive control group)

STUDY NO. : 0906

MEAN FOOD CONSUMPTION AND SURVIVAL

ANIMAL : B6.129S2-Trp53tm1Tyj/J

UNIT : g

SEX : MALE

Week-Day on Study	Control		Posi. Control		
	Av. FC. <25>	No. of Surviv. <25>	Av. FC. <15>	% of cont. <15>	No. of Surviv. <15>
2-1	3.7 (25)	25/25	3.1 (15)	84	15/15
3-1	3.4 (25)	25/25	2.9 (15)	85	15/15
4-1	3.2 (25)	25/25	2.9 (15)	91	15/15
5-1	3.3 (25)	25/25	2.8 (15)	85	15/15
6-1	3.4 (25)	25/25	2.9 (15)	85	15/15
7-1	3.3 (25)	25/25	2.8 (15)	85	15/15
8-1	3.3 (25)	25/25	2.8 (15)	85	15/15
9-1	3.3 (25)	25/25	2.8 (15)	85	15/15
10-1	3.3 (25)	25/25	2.8 (15)	85	15/15
11-1	3.4 (25)	25/25	2.8 (15)	82	15/15
12-1	3.3 (25)	25/25	2.9 (15)	88	15/15
13-1	3.3 (25)	25/25	2.8 (15)	85	15/15
14-1	3.3 (25)	25/25	2.9 (15)	88	15/15
15-1	3.3 (25)	25/25	2.8 (15)	85	15/15
16-1	3.3 (25)	25/25	2.9 (15)	88	15/15
17-1	3.4 (25)	25/25	2.9 (15)	85	15/15
18-1	3.3 (25)	25/25	2.9 (15)	88	15/15
19-1	3.4 (25)	25/25	3.1 (15)	91	15/15
20-1	3.3 (25)	25/25	2.8 (15)	85	15/15
21-1	3.4 (25)	25/25	2.9 (15)	85	15/15
22-1	3.4 (25)	25/25	2.9 (15)	85	15/15
23-1	3.4 (25)	25/25	3.0 (15)	88	15/15
24-1	3.4 (25)	25/25	3.0 (15)	88	15/15
25-1	3.5 (25)	25/25	3.1 (15)	89	15/15
26-1	3.4 (25)	25/25	3.0 (15)	88	15/15
26-7	3.4 (25)	25/25	3.0 (15)	88	15/15

< >: No. of effective animals, (): No. of measured animals Av. FC. : g

TABLE B 10

FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL

NUMBERS : FEMALE

(Control and Positive control group)

STUDY NO. : 0907

MEAN FOOD CONSUMPTION AND SURVIVAL

ANIMAL : B6.129S2-Trp53tm1Tyj/J

UNIT : g

SEX : FEMALE

Week-Day on Study	Control		Posi. Control		
	Av. FC. <25>	No. of Surviv. 25/25	Av. FC. <15>	% of cont. <15>	No. of Surviv. 15/15
2-1	3.4 (25)	25/25	3.0 (14)	88	15/15
3-1	2.7 (25)	25/25	2.5 (15)	93	15/15
4-1	2.8 (25)	25/25	2.5 (15)	89	15/15
5-1	2.9 (25)	25/25	2.6 (15)	90	15/15
6-1	3.0 (25)	25/25	2.6 (15)	87	15/15
7-1	2.9 (25)	25/25	2.5 (15)	86	15/15
8-1	3.1 (25)	25/25	2.5 (15)	81	15/15
9-1	3.1 (25)	25/25	2.6 (15)	84	15/15
10-1	3.0 (25)	25/25	2.6 (15)	87	15/15
11-1	2.9 (25)	25/25	2.5 (15)	86	15/15
12-1	3.0 (25)	25/25	2.6 (15)	87	15/15
13-1	3.0 (25)	25/25	2.7 (15)	90	15/15
14-1	2.9 (25)	25/25	2.7 (15)	93	15/15
15-1	3.0 (25)	25/25	2.6 (15)	87	15/15
16-1	3.0 (25)	25/25	2.7 (15)	90	15/15
17-1	3.1 (25)	25/25	2.7 (15)	87	15/15
18-1	3.2 (25)	25/25	2.7 (15)	84	15/15
19-1	3.0 (25)	25/25	2.6 (15)	87	15/15
20-1	3.1 (25)	25/25	2.6 (15)	84	15/15
21-1	3.2 (25)	25/25	2.6 (15)	81	15/15
22-1	3.3 (25)	25/25	2.6 (15)	79	15/15
23-1	3.1 (25)	25/25	2.6 (15)	84	15/15
24-1	3.2 (25)	25/25	2.6 (15)	81	15/15
25-1	3.2 (25)	25/25	2.6 (15)	81	15/15
26-1	3.2 (25)	25/25	2.6 (15)	81	15/15
26-7	3.1 (25)	25/25	2.5 (15)	81	15/15

< >: No. of effective animals, (): No. of measured animals Av. FC. : g

TABLE B 11

FOOD CONSUMPTION CHANGES : MALE

(Control and Positive control group)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)						
	2-1(7)	3-1(7)	4-1(7)	5-1(7)	6-1(7)	7-1(7)	8-1(7)
Control	3.7 ± 0.3	3.4 ± 0.3	3.2 ± 0.2	3.3 ± 0.3	3.4 ± 0.2	3.3 ± 0.3	3.3 ± 0.3
Posi.Control	3.1 ± 0.3**	2.9 ± 0.3**	2.9 ± 0.2**	2.8 ± 0.3**	2.9 ± 0.3**	2.8 ± 0.3**	2.8 ± 0.2**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)						
	9-1(7)	10-1(7)	11-1(7)	12-1(7)	13-1(7)	14-1(7)	15-1(7)
Control	3.3± 0.2	3.3± 0.2	3.4± 0.3	3.3± 0.3	3.3± 0.3	3.3± 0.2	3.3± 0.3
Posi.Control	2.8± 0.3**	2.8± 0.2**	2.8± 0.3**	2.9± 0.2**	2.8± 0.2**	2.9± 0.3**	2.8± 0.3**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)						
	16-1(7)	17-1(7)	18-1(7)	19-1(7)	20-1(7)	21-1(7)	22-1(7)
Control	3.3± 0.3	3.4± 0.3	3.3± 0.3	3.4± 0.3	3.3± 0.3	3.4± 0.3	3.4± 0.3
Posi.Control	2.9± 0.3**	2.9± 0.3**	2.9± 0.3**	3.1± 0.3**	2.8± 0.3**	2.9± 0.4**	2.9± 0.4**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)				
	23-1(7)	24-1(7)	25-1(7)	26-1(7)	26-7(6)
Control	3.4 ± 0.3	3.4 ± 0.3	3.5 ± 0.3	3.4 ± 0.3	3.4 ± 0.3
Posi.Control	3.0 ± 0.4**	3.0 ± 0.4**	3.1 ± 0.5**	3.0 ± 0.5*	3.0 ± 0.4**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

TABLE B 12

FOOD CONSUMPTION CHANGES : FEMALE

(Control and Positive control group)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)						
	2-1(7)	3-1(7)	4-1(7)	5-1(7)	6-1(7)	7-1(7)	8-1(7)
Control	3.4 ± 0.3	2.7 ± 0.3	2.8 ± 0.3	2.9 ± 0.2	3.0 ± 0.2	2.9 ± 0.3	3.1 ± 0.3
Posi.Control	3.0 ± 0.4**	2.5 ± 0.2**	2.5 ± 0.3**	2.6 ± 0.2**	2.6 ± 0.2**	2.5 ± 0.2**	2.5 ± 0.2**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)						
	9-1(7)	10-1(7)	11-1(7)	12-1(7)	13-1(7)	14-1(7)	15-1(7)
Control	3.1 ± 0.3	3.0 ± 0.2	2.9 ± 0.2	3.0 ± 0.2	3.0 ± 0.3	2.9 ± 0.3	3.0 ± 0.2
Posi.Control	2.6 ± 0.2**	2.6 ± 0.2**	2.5 ± 0.2**	2.6 ± 0.2**	2.7 ± 0.2**	2.7 ± 0.2**	2.6 ± 0.4**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 UNIT : g
 REPORT TYPE : A1 26
 SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)
 ALL ANIMALS

Group Name	Administration week-day(effective)						
	16-1(7)	17-1(7)	18-1(7)	19-1(7)	20-1(7)	21-1(7)	22-1(7)
Control	3.0 ± 0.3	3.1 ± 0.3	3.2 ± 0.3	3.0 ± 0.3	3.1 ± 0.3	3.2 ± 0.3	3.3 ± 0.5
Posi.Control	2.7 ± 0.2**	2.7 ± 0.3**	2.7 ± 0.2**	2.6 ± 0.2**	2.6 ± 0.2**	2.6 ± 0.2**	2.6 ± 0.2**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

TABLE B 13

URINALYSIS : MALE

(Control and Positive control group)

STUDY NO. : 0906

URINALYSIS

ANIMAL : B6.129S2-Trp53tm1Tyj/J

MEASURE. TIME : 1

SEX : MALE

REPORT TYPE : A1

PAGE : 1

Group Name	NO. of Animals	pH							CHI	Protein					CHI	Glucose					CHI	Ketone body					CHI	Occult blood				CHI			
		5.0	6.0	6.5	7.0	7.5	8.0	8.5		-	±	+	2+	3+		4+	-	±	+	2+		3+	4+	-	±	+		2+	3+	4+	-		±	+	2+
Control	25	0	2	2	3	2	8	8		0	2	19	4	0	0		25	0	0	0	0	0		0	13	10	2	0	0		25	0	0	0	0
Posi.Control	15	0	12	3	0	0	0	0	**	10	5	0	0	0	0	**	15	0	0	0	0	0		15	0	0	0	0	0	**	15	0	0	0	0

Significant difference ; * : P 0.05 ** : P 0.01

Test of CHI SQUARE

(HCL101)

BAIS6

STUDY NO. : 0906

URINALYSIS

ANIMAL : B6.129S2-Trp53tm1Tyj/J

MEASURE. TIME : 1

SEX : MALE

REPORT TYPE : A1

PAGE : 2

Group Name	NO. of Animals	Urobilinogen				CHI
		±	+	2+	3+ 4+	
Control	25	25	0	0	0	0
Posi.Control	15	15	0	0	0	0

Significant difference ; * : P 0.05 ** : P 0.01

Test of CHI SQUARE

(HCL101)

BAIS 6

TABLE B 14

URINALYSIS : FEMALE

(Control and Positive control group)

STUDY NO. : 0907

URINALYSIS

ANIMAL : B6.129S2-Trp53tm1Tyj/J

MEASURE. TIME : 1

SEX : FEMALE

REPORT TYPE : A1

PAGE : 1

Group Name	NO. of Animals	pH							CHI	Protein					CHI	Glucose					CHI	Ketone body					CHI	Occult blood				CHI
		5.0	6.0	6.5	7.0	7.5	8.0	8.5		-	±	+	2+	3+		4+	-	±	+	2+		3+	4+	-	±	+		2+	3+	4+	-	
Control	23	0	7	4	4	4	4	0	0	7	13	3	0	0	23	0	0	0	0	0	1	15	7	0	0	0	22	0	0	0	1	
Posi.Control	15	0	10	2	1	1	1	0	10	5	0	0	0	0	**	15	0	0	0	0	0	13	2	0	0	0	15	0	0	0	0	

Significant difference ; * : P 0.05 ** : P 0.01

Test of CHI SQUARE

(HCL101)

BAIS6

STUDY NO. : 0907

URINALYSIS

ANIMAL : B6.129S2-Trp53tm1Tyj/J

MEASURE. TIME : 1

SEX : FEMALE

REPORT TYPE : A1

PAGE : 2

Group Name	NO. of Animals	Urobilinogen				CHI
		±	+	2+	3+ 4+	
Control	23	23	0	0	0	0
Posi.Control	15	15	0	0	0	0

Significant difference ; * : P 0.05 ** : P 0.01

Test of CHI SQUARE

(HCL101)

BAIS 6

TABLE B 15

HEMATOLOGY : MALE

(Control and Positive control group)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : MALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	RED BLOOD CELL 10 ⁶ / μl		HEMOGLOBIN g / dl		HEMATOCRIT %		MCV fl		MCH pg		MCHC g / dl		PLATELET 10 ⁹ / μl	
Control	25	10.45 ±	0.66	14.7 ±	1.0	45.3 ±	3.0	43.3 ±	0.8	14.1 ±	0.3	32.5 ±	0.5	1549 ±	186
Posi.Control	15	8.97 ±	0.62**	11.8 ±	1.0**	37.6 ±	3.1**	41.9 ±	2.2*	13.2 ±	0.9**	31.5 ±	0.7**	1724 ±	233*

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

(HCL070)

BAIS 6

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
MEASURE. TIME : 1
SEX : MALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)
ALL ANIMALS (27W)

PAGE : 2

Group Name	NO. of Animals	RETICULOCYTE %	
Control	25	4.1 ±	0.5
Posi.Control	15	13.8 ±	2.3**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

(HCL070)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : MALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	WBC		Differential		WBC (%)		MONO		EOSINO		BASO	
		$10^3 / \mu l$		NEUTRO		LYMPHO							
Control	25	1.68 ±	1.02	13.3 ±	4.9	83.7 ±	4.9	2.4 ±	1.1	0.6 ±	0.6	0.0 ±	0.0
Posi. Control	15	2.68 ±	1.43*	19.5 ±	9.6*	77.6 ±	9.3*	2.3 ±	1.1	0.6 ±	0.4	0.0 ±	0.0
Significant difference ;		* : P	0.05	** : P	0.01	Test of t							

(HCL070)

TABLE B 16

HEMATOLOGY : FEMALE

(Control and Positive control group)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : FEMALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	RED BLOOD CELL 10 ⁶ / μl		HEMOGLOBIN g / dl		HEMATOCRIT %		MCV fl		MCH pg		MCHC g / dl		PLATELET 10 ⁹ / μl	
Control	25	10.08 ±	0.69	14.7 ±	0.9	44.3 ±	2.3	44.0 ±	1.2	14.6 ±	0.5	33.1 ±	0.7	1210 ±	237
Posi.Control	14	9.08 ±	0.78**	12.5 ±	1.2**	39.1 ±	3.7**	43.1 ±	1.5*	13.7 ±	0.7**	31.9 ±	0.8**	1388 ±	115**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

(HCL070)

BAIS 6

STUDY NO. : 0907
ANIMAL : B6.129S2-Trp53tm1Tyj/J
MEASURE. TIME : 1
SEX : FEMALE

HEMATOLOGY (SUMMARY)
ALL ANIMALS (27W)

REPORT TYPE : A1

PAGE : 2

Group Name	NO. of Animals	RETICULOCYTE %	
Control	25	4.4 ±	1.9
Posi.Control	14	11.6 ±	2.6**

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

(HCL070)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : FEMALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	WBC		Differential		WBC (%)		MONO		EOSINO		BASO	
		$10^3 / \mu l$		NEUTRO		LYMPHO							
Control	25	2.43±	1.81	14.5±	6.4	81.9±	7.3	2.8±	3.3	0.9±	1.6	0.0±	0.1
Posi.Control	14	1.93±	0.80	16.4±	6.2	80.4±	5.6	2.5±	1.0	0.7±	0.7	0.0±	0.2
Significant difference ;		* : P	0.05	** : P	0.01	Test of t							

(HCL070)

TABLE B 17

BIOCHEMISTRY : MALE

(Control and Positive control group)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : MALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	TOTAL PROTEIN g / dl		ALBUMIN g / dl		A/G RATIO		T-BILIRUBIN mg / dl		GLUCOSE mg / dl		T-CHOLESTEROL mg / dl		TRIGLYCERIDE mg / dl	
Control	23	5.2±	0.3	2.9±	0.2	1.3±	0.1	0.07±	0.03	236±	40	83±	20	31±	12
Posi.Control	15	5.4±	0.3*	3.1±	0.1**	1.3±	0.1	0.10±	0.03**	231±	36	108±	18**	37±	14

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : MALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	PHOSPHOLIPID mg / dl		AST U / L		ALT U / L		LDH U / L		ALP U / L		G-GTP U / L		CK U / L	
Control	23	166 ±	39	52 ±	19	15 ±	2	194 ±	32	252 ±	39	0.1 ±	0.1	70 ±	28
Posi.Control	15	211 ±	43**	124 ±	77**	81 ±	32**	333 ±	108**	337 ±	33**	0.2 ±	0.2	78 ±	30

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

(HCL074)

BAIS 6

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : MALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	UREA NITROGEN mg / dl		SODIUM mEq / l		POTASSIUM mEq / l		CHLORIDE mEq / l		CALCIUM mg / dl		INORGANIC PHOSPHORUS mg / dl	
Control	23	28.7 ±	4.0	152 ±	2	4.1 ±	0.2	117 ±	3	9.1 ±	0.3	6.1 ±	1.1
Posi. Control	15	49.4 ±	14.0**	151 ±	3	4.2 ±	0.3	114 ±	3**	9.7 ±	0.4**	5.6 ±	1.5

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

(HCL074)

BAIS 6

TABLE B 18

BIOCHEMISTRY : FEMALE

(Control and Positive control group)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : FEMALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	TOTAL PROTEIN g / dl		ALBUMIN g / dl		A/G RATIO		T-BILIRUBIN mg / dl		GLUCOSE mg / dl		T-CHOLESTEROL mg / dl		TRIGLYCERIDE mg / dl	
Control	25	5.1±	0.8	2.9±	0.2	1.4±	0.2	0.08±	0.03	167±	29	58±	13	21±	11
Posi.Control	15	5.3±	0.3	3.2±	0.2**	1.6±	0.2*	0.08±	0.03	180±	24	99±	17**	24±	9

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

(HCL074)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : FEMALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	PHOSPHOLIPID mg / dl		AST U / L		ALT U / L		LDH U / L		ALP U / L		G-GTP U / L		CK U / L	
Control	25	123 ±	28	69 ±	35	17 ±	9	211 ±	54	394 ±	88	0.6 ±	0.7	81 ±	36
Posi.Control	15	196 ±	37**	93 ±	72	53 ±	40**	305 ±	121*	406 ±	56	0.9 ±	0.7	107 ±	49

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

(HCL074)

BAIS 6

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 MEASURE. TIME : 1
 SEX : FEMALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)
 ALL ANIMALS (27W)

Group Name	NO. of Animals	UREA NITROGEN mg / dl		SODIUM mEq / l		POTASSIUM mEq / l		CHLORIDE mEq / l		CALCIUM mg / dl		INORGANIC PHOSPHORUS mg / dl	
Control	25	24.4 ±	4.5	152 ±	2	4.0 ±	0.4	116 ±	5	8.7 ±	0.3	6.3 ±	1.2
Posi. Control	15	45.6 ±	15.6**	151 ±	3	4.1 ±	0.4	108 ±	6**	9.0 ±	0.6	5.7 ±	1.6

Significant difference ; * : P 0.05 ** : P 0.01

Test of t

(HCL074)

BAIS 6

TABLE B 19

GROSS FINDINGS : MALE

(Control and Positive control group)

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : MALE

GROSS FINDINGS (SUMMARY)
ALL ANIMALS (0- 27W)

Organ_____	Findings_____	Group Name NO. of Animals	Control 25 (%)	Posi.Control 15 (%)
skin/app	ulcer		1 (4)	0 (0)
spleen	black zone		2 (8)	0 (0)
kidney	small		0 (0)	2 (13)
	pale		0 (0)	1 (7)
	white zone		2 (8)	0 (0)
	nodule		2 (8)	0 (0)
	deformed		0 (0)	4 (27)

TABLE B 20

GROSS FINDINGS : FEMALE

(Control and Positive control group)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

GROSS FINDINGS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Group Name NO. of Animals	Control 25 (%)	Posi.Control 15 (%)
skin/app	erosion		2 (8)	0 (0)
	scab		1 (4)	0 (0)
lung	small		0 (0)	1 (7)
	white zone		1 (4)	0 (0)
	brown zone		0 (0)	1 (7)
lymph node	enlarged		1 (4)	0 (0)
spleen	enlarged		1 (4)	0 (0)
kidney	small		0 (0)	1 (7)
	pale		0 (0)	1 (7)
	white zone		0 (0)	1 (7)
	cyst		1 (4)	0 (0)
	deformed		0 (0)	2 (13)
	hydronephrosis		1 (4)	0 (0)
uterus	dilated		1 (4)	0 (0)
brain	hydrocephalus		1 (4)	0 (0)
muscle	red zone		0 (0)	1 (7)

TABLE B 21

ORGAN WEIGHT, ABSOLUTE : MALE

(Control and Positive control group)

TABLE B 22

ORGAN WEIGHT, ABSOLUTE : FEMALE

(Control and Positive control group)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE
 UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)
 SURVIVAL ANIMALS (27W)

Group Name	NO. of Animals	Body Weight	THYMUS	ADRENALS	OVARIES	HEART	LUNGS
Control	25	23.6 ± 1.6	0.045 ± 0.013	0.017 ± 0.003	0.019 ± 0.003	0.127 ± 0.015	0.154 ± 0.055
Posi.Control	15	20.6 ± 1.8**	0.031 ± 0.007**	0.015 ± 0.002*	0.018 ± 0.004	0.114 ± 0.013**	0.137 ± 0.017

Significant difference ; * : P 0.05 ** : P 0.01 Test of t

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE
 UNIT: g

ORGAN WEIGHT: ABSOLUTE (SUMMARY)
 SURVIVAL ANIMALS (27W)

Group Name	NO. of Animals	KIDNEYS		SPLEEN		LIVER		BRAIN	
Control	25	0.359 ±	0.057	0.092 ±	0.059	0.848 ±	0.074	0.481 ±	0.034
Posi.Control	15	0.295 ±	0.026**	0.107 ±	0.015	0.986 ±	0.105**	0.456 ±	0.011**
Significant difference ;		* : P	0.05	** : P	0.01	Test of t			

TABLE B 23

ORGAN WEIGHT, RELATIVE : MALE

(Control and Positive control group)

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : MALE
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)
SURVIVAL ANIMALS (27W)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS	SPLEEN	LIVER	BRAIN
Control	25	1.390 ± 0.139	0.222 ± 0.037	3.817 ± 0.462	1.597 ± 0.122
Posi.Control	15	1.434 ± 0.132	0.420 ± 0.079**	4.601 ± 0.344**	1.909 ± 0.115**

Significant difference ; * : P 0.05 ** : P 0.01 Test of t

(HCL042)

BAIS 6

TABLE B 24

ORGAN WEIGHT, RELATIVE : FEMALE

(Control and Positive control group)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE
 UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)
 SURVIVAL ANIMALS (27W)

Group Name	NO. of Animals	Body Weight (g)	THYMUS	ADRENALS	OVARIES	HEART	LUNGS
Control	25	23.6 ± 1.6	0.192 ± 0.060	0.071 ± 0.011	0.083 ± 0.015	0.539 ± 0.054	0.659 ± 0.262
Posi.Control	15	20.6 ± 1.8**	0.149 ± 0.030**	0.073 ± 0.010	0.086 ± 0.014	0.554 ± 0.058	0.664 ± 0.063

Significant difference ; * : P 0.05 ** : P 0.01 Test of t

STUDY NO. : 0907
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : FEMALE
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)
SURVIVAL ANIMALS (27W)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS	SPLEEN	LIVER	BRAIN
Control	25	1.521 ± 0.221	0.397 ± 0.283	3.615 ± 0.430	2.045 ± 0.129
Posi.Control	15	1.438 ± 0.125	0.522 ± 0.062*	4.787 ± 0.229**	2.227 ± 0.175**

Significant difference ; * : P 0.05 ** : P 0.01 Test of t

(HCL042)

BAIS 6

TABLE B 25

HISTOPATHOLOGICAL FINDINGS :

NEOPLASTIC LESIONS : MALE

(Control and Positive control group)

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : MALE

HISTOPATHOLOGICAL FINDINGS : NEOPLASTIC LESIONS (SUMMARY)
ALL ANIMALS (0- 27W)

Organ	Findings	Group Name No. of animals on Study	Control 25	Posi.Control 15
{Urinary system}				
urin bladd	transitional cell papilloma		<25> 0 (0%)	<15> 2 (13%)
	transitional cell carcinoma		0 (0%)	3 (20%)

< a > a : Number of animals examined at the site
b (c) b : Number of animals with neoplasm c : b / a * 100

(HPT085)

BAIS6

TABLE B 26

HISTOPATHOLOGICAL FINDINGS :

NEOPLASTIC LESIONS : FEMALE

(Control and Positive control group)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS : NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Group Name No. of animals on Study	Control 25	Posi.Control 15
{Hematopoietic system}				
lymph node	malignant lymphoma		<25> 1 (4%)	<15> 0 (0%)
{Urinary system}				
urin bladd	squamous cell papilloma		<25> 0 (0%)	<15> 2 (13%)
	transitional cell papilloma		0 (0%)	1 (7%)

< a > a : Number of animals examined at the site
 b (c) b : Number of animals with neoplasm c : b / a * 100

(HPT085)

TABLE B 27

NEOPLASTIC LESIONS-INCIDENCE
AND STATISTICAL ANALYSIS : MALE
(Control and Positive control group)

NEOPLASTIC LESIONS – INCIDENCE AND STATISTICAL ANALYSIS

STUDY NO.: 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 SEX : MALE

PAGE: 1

Group Name	Control	Posi. Control
	SITE : urinary bladder	
	TUMOR : transitional cell papilloma	
Tumor rate (a)	0/25 (0.0)	2/15 (13.3)
Statistical analysis		
Fisher Exact test (b)		P = 0.1346
	SITE : urinary bladder	
	TUMOR : transitional cell carcinoma	
Tumor rate (a)	0/25 (0.0)	3/15 (20.0)
Statistical analysis		
Fisher Exact test (b)		P = 0.0461*
	SITE : urinary bladder	
	TUMOR : transitional cell papilloma, transitional cell carcinoma	
Tumor rate (a)	0/25 (0.0)	5/15 (33.3)
Statistical analysis		
Fisher Exact test (b)		P = 0.0046**

(a): Number of tumor-bearing animals/number of animals examined at the site.

(b): Fisher exact test compare directly the overall incidence rates.

Significant difference: * : $P \leq 0.05$ ** : $P \leq 0.01$

TABLE B 28

NEOPLASTIC LESIONS-INCIDENCE
AND STATISTICAL ANALYSIS : FEMALE
(Control and Positive control group)

NEOPLASTIC LESIONS – INCIDENCE AND STATISTICAL ANALYSIS

STUDY NO.: 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 SEX : FEMALE

PAGE: 1

Group Name	Control	Posi. Control
	SITE : urinary bladder	
	TUMOR : squamous cell papilloma	
Tumor rate (a)	0/25 (0.0)	2/15 (13.3)
Statistical analysis		
Fisher Exact test (b)		P = 0.1346
	SITE : urinary bladder	
	TUMOR : transitional cell papilloma	
Tumor rate (a)	0/25 (0.0)	1/15 (6.7)
Statistical analysis		
Fisher Exact test (b)		P = 0.3750
	SITE : urinary bladder	
	TUMOR : squamous cell papilloma, transitional cell papilloma	
Tumor rate (a)	0/25 (0.0)	3/15 (20.0)
Statistical analysis		
Fisher Exact test (b)		P = 0.0461*

(a): Number of tumor-bearing animals/number of animals examined at the site.

(b): Fisher exact test compare directly the overall incidence rates.

Significant difference: * : $P \leq 0.05$ ** : $P \leq 0.01$

TABLE B 29

NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF
TUMORS - TIME RELATED: MALE
(Control and Positive control group)

STUDY NO. : 0906
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : MALE

NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF TUMORS - TIME RELATED

Time-related Weeks	Items	Group Name	Control	Posi.Control
1 - 26	NO. OF EXAMINED ANIMALS		0	0
	NO. OF ANIMALS WITH TUMORS		0	0
	NO. OF ANIMALS WITH SINGLE TUMORS		0	0
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0
	NO. OF BENIGN TUMORS		0	0
	NO. OF MALIGNANT TUMORS		0	0
	NO. OF TOTAL TUMORS		0	0
27 - 27	NO. OF EXAMINED ANIMALS		25	15
	NO. OF ANIMALS WITH TUMORS		0	5
	NO. OF ANIMALS WITH SINGLE TUMORS		0	5
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0
	NO. OF BENIGN TUMORS		0	2
	NO. OF MALIGNANT TUMORS		0	3
	NO. OF TOTAL TUMORS		0	5
1 - 27	NO. OF EXAMINED ANIMALS		25	15
	NO. OF ANIMALS WITH TUMORS		0	5
	NO. OF ANIMALS WITH SINGLE TUMORS		0	5
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0
	NO. OF BENIGN TUMORS		0	2
	NO. OF MALIGNANT TUMORS		0	3
	NO. OF TOTAL TUMORS		0	5

TABLE B 30

NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF
TUMORS - TIME RELATED: FEMALE
(Control and Positive control group)

STUDY NO. : 0907
ANIMAL : B6.129S2-Trp53tm1Tyj/J
REPORT TYPE : A1
SEX : FEMALE

NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF TUMORS - TIME RELATED

Time-related Weeks	Items	Group Name	Control	Posi.Control
1 - 26	NO. OF EXAMINED ANIMALS		0	0
	NO. OF ANIMALS WITH TUMORS		0	0
	NO. OF ANIMALS WITH SINGLE TUMORS		0	0
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0
	NO. OF BENIGN TUMORS		0	0
	NO. OF MALIGNANT TUMORS		0	0
	NO. OF TOTAL TUMORS		0	0
27 - 27	NO. OF EXAMINED ANIMALS		25	15
	NO. OF ANIMALS WITH TUMORS		1	3
	NO. OF ANIMALS WITH SINGLE TUMORS		1	3
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0
	NO. OF BENIGN TUMORS		0	3
	NO. OF MALIGNANT TUMORS		1	0
	NO. OF TOTAL TUMORS		1	3
1 - 27	NO. OF EXAMINED ANIMALS		25	15
	NO. OF ANIMALS WITH TUMORS		1	3
	NO. OF ANIMALS WITH SINGLE TUMORS		1	3
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0
	NO. OF BENIGN TUMORS		0	3
	NO. OF MALIGNANT TUMORS		1	0
	NO. OF TOTAL TUMORS		1	3

TABLE B 31

HISTOPATHOLOGICAL FINDINGS:
NON-NEOPLASTIC LESIONS: MALE
(Control and Positive control group)

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Group Name Control No. of Animals on Study 25				Posi .Control 15			
		Grade 1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Integumentary system/appandage}									
skin/app	ulcer	<25>				<15>			
		0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
{Respiratory system}									
nasal cavit	hyperplasia:gland	<25>				<15>			
		0 (0)	0 (0)	0 (0)	0 (0)	3 (20)	0 (0)	0 (0)	0 (0)
	eosinophilic change:olfactory epithelium	1 (4)	0 (0)	0 (0)	0 (0)	12 (80)	3 (20)	0 (0)	0 (0) **
	eosinophilic change:respiratory epithelium	1 (4)	1 (4)	0 (0)	0 (0)	9 (60)	0 (0)	0 (0)	0 (0) **
	inflammation:foreign body	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	inflammation:olfactory epithelium	0 (0)	0 (0)	0 (0)	0 (0)	7 (47)	0 (0)	0 (0)	0 (0) **
	respiratory metaplasia:olfactory epithelium	0 (0)	0 (0)	0 (0)	0 (0)	4 (27)	3 (20)	0 (0)	0 (0) **

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Group Name Control No. of Animals on Study 25				Posi.Control 15			
		Grade 1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Respiratory system}									
nasal cavit	respiratory metaplasia:gland	<25> 1 0 0 0 (4) (0) (0) (0)				<15> 3 8 0 0 ** (20) (53) (0) (0)			
	regeneration:olfactory epithelium	0 0 0 0 (0) (0) (0) (0)				8 6 0 0 ** (53) (40) (0) (0)			
	atrophy:olfactory epithelium	0 0 0 0 (0) (0) (0) (0)				10 0 0 0 ** (67) (0) (0) (0)			
	hyperplasia:respiratory epithelium	0 0 0 0 (0) (0) (0) (0)				3 0 0 0 (20) (0) (0) (0)			
nasopharynx	eosinophilic change	<25> 1 0 0 0 (4) (0) (0) (0)				<15> 10 0 0 0 ** (67) (0) (0) (0)			
lung	hemorrhage	<25> 1 0 0 0 (4) (0) (0) (0)				<15> 0 0 0 0 (0) (0) (0) (0)			
{Hematopoietic system}									
spleen	deposit of hemosiderin	<25> 0 0 0 0 (0) (0) (0) (0)				<15> 15 0 0 0 ** (100) (0) (0) (0)			

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study 25				Posi .Control 15			
		Grade 1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Hematopoietic system}									
spleen	deposit of melanin	<25> 2 0 0 0 (8) (0) (0) (0)				<15> 0 0 0 0 (0) (0) (0) (0)			
	extramedullary hematopoiesis	0 0 0 0 (0) (0) (0) (0)				15 0 0 0 ** (100) (0) (0) (0)			
{Circulatory system}									
heart	inflammatory cell infiltration:focal	<25> 0 0 0 0 (0) (0) (0) (0)				<15> 1 0 0 0 (7) (0) (0) (0)			
{Digestive system}									
stomach	hemorrhage:glandular stomach	<25> 1 0 0 0 (4) (0) (0) (0)				<15> 0 0 0 0 (0) (0) (0) (0)			
liver	inflammatory cell nest	<25> 5 0 0 0 (20) (0) (0) (0)				<15> 1 0 0 0 (7) (0) (0) (0)			

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study 25				Posi .Control 15			
		Grade 1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Digestive system}									
liver	extramedullary hematopoiesis	<25> 0 0 0 0 (0) (0) (0) (0)				<15> 1 0 0 0 (7) (0) (0) (0)			
	degeneration/necrosis:midzonal	0 0 0 0 (0) (0) (0) (0)				6 9 0 0 ** (40) (60) (0) (0)			
gall blad	eosinophilic change	<25> 0 1 0 0 (0) (4) (0) (0)				<15> 0 0 0 0 (0) (0) (0) (0)			
	pancreas inflammatory infiltration	<25> 1 0 0 0 (4) (0) (0) (0)				<15> 0 0 0 0 (0) (0) (0) (0)			
{Urinary system}									
kidney	malformation	<25> 1 0 0 0 (4) (0) (0) (0)				<15> 0 0 0 0 (0) (0) (0) (0)			
	hyaline cast	3 0 0 0 (12) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)			

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study 25				Posi. Control 15			
		Grade 1+ (%)	Grade 2+ (%)	Grade 3+ (%)	Grade 4+ (%)	Grade 1+ (%)	Grade 2+ (%)	Grade 3+ (%)	Grade 4+ (%)
{Urinary system}									
kidney	lymphocytic infiltration	<25>				<15>			
		3 (12)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	papillary necrosis	0 (0)	0 (0)	0 (0)	0 (0)	2 (13)	6 (40)	6 (40)	0 (0) **
	mineralization:papilla	0 (0)	0 (0)	0 (0)	0 (0)	2 (13)	0 (0)	1 (7)	0 (0)
	dilated pelvis	0 (0)	0 (0)	0 (0)	0 (0)	2 (13)	0 (0)	0 (0)	0 (0)
chronic nephritis		0 (0)	0 (0)	0 (0)	0 (0)	9 (60)	1 (7)	5 (33)	0 (0) **
	urin bladd								
simple hyperplasia:transitional epithelium		<25>				<15>			
		0 (0)	0 (0)	0 (0)	0 (0)	15 (100)	0 (0)	0 (0)	0 (0) **
papillary and/or nodular hyperplasia	0 (0)	0 (0)	0 (0)	0 (0)	5 (33)	0 (0)	0 (0)	0 (0) **	
{Endocrine system}									
pituitary	Rathke pouch	<25>				<15>			
		0 (0)	0 (0)	0 (0)	0 (0)	1 (7)	0 (0)	0 (0)	0 (0)

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0906
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study 25				Posi. Control 15			
		Grade 1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Endocrine system}									
parathyroid	ectopic thymic tissue	<25>				<15>			
		0 (0)	0 (0)	0 (0)	0 (0)	1 (7)	0 (0)	0 (0)	0 (0)
adrenal	spindle-cell hyperplasia	<25>				<15>			
		5 (20)	0 (0)	0 (0)	0 (0)	5 (33)	0 (0)	0 (0)	0 (0)
{Nervous system}									
brain	ectopic tissue	<25>				<15>			
		1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
{Musculoskeletal system}									
bone	necrosis:focal	<25>				<15>			
		1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

TABLE B 32

HISTOPATHOLOGICAL FINDINGS:
NON-NEOPLASTIC LESIONS: FEMALE
(Control and Positive control group)

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study 25				Posi .Control 15			
		Grade 1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Integumentary system/appandage}									
skin/app		<25>				<15>			
	ulcer	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	erosion	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	scab	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
{Respiratory system}									
nasal cavit		<25>				<15>			
	hyperplasia:gland	0 (0)	0 (0)	0 (0)	0 (0)	1 (7)	0 (0)	0 (0)	0 (0)
	eosinophilic change:olfactory epithelium	4 (16)	0 (0)	0 (0)	0 (0)	10 (67)	4 (27)	0 (0)	0 (0) **
	eosinophilic change:respiratory epithelium	7 (28)	4 (16)	1 (4)	0 (0)	5 (33)	5 (33)	1 (7)	0 (0)
	inflammation:olfactory epithelium	0 (0)	0 (0)	0 (0)	0 (0)	3 (20)	2 (13)	0 (0)	0 (0) **

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study Grade				Posi. Control 15			
		1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Respiratory system}									
nasal cavit	respiratory metaplasia:olfactory epithelium	<25>				<15>			
		1	0	0	0	2	4	0	0 **
		(4)	(0)	(0)	(0)	(13)	(27)	(0)	(0)
	respiratory metaplasia:gland	0	0	0	0	3	5	0	0 **
	(0)	(0)	(0)	(0)	(20)	(33)	(0)	(0)	
	regeneration:olfactory epithelium	0	0	0	0	4	1	0	0 **
		(0)	(0)	(0)	(0)	(27)	(7)	(0)	(0)
	atrophy:olfactory epithelium	0	0	0	0	1	0	0	0
		(0)	(0)	(0)	(0)	(7)	(0)	(0)	(0)
nasopharynx	eosinophilic change	<25>				<15>			
		5	0	0	0	9	0	0	0 *
		(20)	(0)	(0)	(0)	(60)	(0)	(0)	(0)
trachea	eosinophilic change:respiratory epithelium	<25>				<15>			
		1	0	0	0	0	0	0	0
		(4)	(0)	(0)	(0)	(0)	(0)	(0)	(0)
lung	fibrosis:focal	<25>				<15>			
		0	0	0	0	1	0	0	0
		(0)	(0)	(0)	(0)	(7)	(0)	(0)	(0)

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study 25				Posi .Control 15			
		Grade 1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Hematopoietic system}									
Lymph node	lymphoid hyperplasia	<25> 2 0 0 0 (8) (0) (0) (0)				<15> 0 0 0 0 (0) (0) (0) (0)			
spleen	deposit of hemosiderin	<25> 0 0 0 0 (0) (0) (0) (0)				<15> 15 0 0 0 (100) (0) (0) (0) **			
	extramedullary hematopoiesis	1 0 0 0 (4) (0) (0) (0)				15 0 0 0 (100) (0) (0) (0) **			
{Digestive system}									
stomach	erosion:glandular stomach	<25> 0 0 0 0 (0) (0) (0) (0)				<15> 1 0 0 0 (7) (0) (0) (0)			
	eosinophilic change:glandular stomach	1 0 0 0 (4) (0) (0) (0)				1 0 0 0 (7) (0) (0) (0)			
liver	inflammatory cell nest	<25> 11 1 0 0 (44) (4) (0) (0)				<15> 2 0 0 0 (13) (0) (0) (0)			

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study 25				Posi .Control 15			
		Grade 1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Digestive system}									
Liver	degeneration/necrosis:midzonal	<25>				<15>			
		0 (0)	0 (0)	0 (0)	0 (0)	8 (53)	5 (33)	0 (0)	0 (0) **
{Urinary system}									
Kidney	malformation	<25>				<15>			
		2 (8)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	hyaline cast	9 (36)	0 (0)	0 (0)	0 (0)	1 (7)	0 (0)	0 (0)	0 (0)
	lymphocytic infiltration	2 (8)	0 (0)	0 (0)	0 (0)	1 (7)	0 (0)	0 (0)	0 (0)
	papillary necrosis	0 (0)	0 (0)	0 (0)	0 (0)	7 (47)	7 (47)	0 (0)	0 (0) **
	regeneration:proximal tubule	2 (8)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	vacuolic change:proximal tubule	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study 25				Posi .Control 15			
		Grade 1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Urinary system}									
kidney	dilated pelvis	<25>				<15>			
		0 (0)	0 (0)	0 (0)	0 (0)	1 (7)	0 (0)	0 (0)	0 (0)
	chronic nephritis	0 (0)	0 (0)	0 (0)	0 (0)	10 (67)	2 (13)	0 (0)	2 ** (13)
urin bladd	squamous cell metaplasia	<25>				<15>			
		0 (0)	0 (0)	0 (0)	0 (0)	5 (33)	0 (0)	0 (0)	0 ** (0)
	simple hyperplasia:transitional epithelium	0 (0)	0 (0)	0 (0)	0 (0)	15 (100)	0 (0)	0 (0)	0 ** (0)
	papillary and/or nodular hyperplasia	0 (0)	0 (0)	0 (0)	0 (0)	5 (33)	0 (0)	0 (0)	0 ** (0)
{Endocrine system}									
adrenal	spindle-cell hyperplasia	<25>				<15>			
		22 (88)	0 (0)	0 (0)	0 (0)	14 (93)	0 (0)	0 (0)	0 (0)

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Control No. of Animals on Study 25				Posi .Control 15			
		Grade 1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Reproductive system}									
uterus	dilatation	<25> 0 1 0 0 (0) (4) (0) (0)				<15> 0 0 0 0 (0) (0) (0) (0)			
	cystic endometrial hyperplasia	1 0 0 0 (4) (0) (0) (0)				0 0 0 0 (0) (0) (0) (0)			
{Nervous system}									
brain	hydrocephalus	<25> 0 1 0 0 (0) (4) (0) (0)				<15> 0 0 0 0 (0) (0) (0) (0)			
{Musculoskeletal system}									
muscle	inflammatory infiltration	<25> 1 0 0 0 (4) (0) (0) (0)				<15> 0 0 0 0 (0) (0) (0) (0)			
bone	necrosis:focal	<25> 1 0 0 0 (4) (0) (0) (0)				<15> 0 0 0 0 (0) (0) (0) (0)			

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square

STUDY NO. : 0907
 ANIMAL : B6.129S2-Trp53tm1Tyj/J
 REPORT TYPE : A1
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)
 ALL ANIMALS (0- 27W)

Organ	Findings	Group Name Control				Posi.Control			
		No. of Animals on Study 25				15			
		1+	2+	3+	4+	1+	2+	3+	4+
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)

{Musculoskeletal system}

bone		<25>				<15>			
	osteofibrosis	0	0	0	0	1	0	0	0
		(0)	(0)	(0)	(0)	(7)	(0)	(0)	(0)

{Body cavities}

adipose		<25>				<15>			
	angiectasis	0	0	0	0	1	0	0	0
		(0)	(0)	(0)	(0)	(7)	(0)	(0)	(0)

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe
 < a > a : Number of animals examined at the site
 b b : Number of animals with lesion
 (c) c : b / a * 100
 Significant difference ; * : P 0.05 ** : P 0.01 Test of Chi Square