

4-(1,1,3,3-テトラメチルブチル)フェノールの rasH2 マウスを用いた  
強制経口投与による中期がん原性試験報告書

試験番号 : 0900, 0901

TABLES

## TABLES

### (Test substance-treated group)

- TABLE A 1 SURVIVAL ANIMAL NUMBERS: MALE  
(Control, 50, 100 and 200 mg/kg groups)
- TABLE A 2 SURVIVAL ANIMAL NUMBERS: FEMALE  
(Control, 50, 100 and 200 mg/kg groups)
- TABLE A 3 CLINICAL OBSERVATION: MALE  
(Control, 50, 100 and 200 mg/kg groups)
- TABLE A 4 CLINICAL OBSERVATION: FEMALE  
(Control, 50, 100 and 200 mg/kg groups)
- TABLE A 5 BODY WEIGHT CHANGES AND SURVIVAL ANIMAL NUMBERS : MALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 6 BODY WEIGHT CHANGES AND SURVIVAL ANIMAL NUMBERS : FEMALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 7 BODY WEIGHT CHANGES: MALE  
(Control, 50, 100 and 200 mg/kg groups)
- TABLE A 8 BODY WEIGHT CHANGES: FEMALE  
(Control, 50, 100 and 200 mg/kg groups)
- TABLE A 9 FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL NUMBERS: MALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 10 FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL NUMBERS: FEMALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 11 FOOD CONSUMPTION CHANGES: MALE  
(Control, 50, 100 and 200 mg/kg groups)
- TABLE A 12 FOOD CONSUMPTION CHANGES: FEMALE  
(Control, 50, 100 and 200 mg/kg groups)
- TABLE A 13 URINALYSIS: MALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 14 URINALYSIS: FEMALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 15 HEMATOLOGY: MALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 16 HEMATOLOGY: FEMALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 17 BIOCHEMISTRY: MALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 18 BIOCHEMISTRY: FEMALE (Control, 50, 100 and 200 mg/kg groups)

**TABLES (CONTINUED)**  
**(Test substance-treated group)**

- TABLE A 19 GROSS FINDINGS: MALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 20 GROSS FINDINGS: FEMALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 21 ORGAN WEIGHT, ABSOLUTE: MALE  
(Control, 50, 100 and 200 mg/kg groups)
- TABLE A 22 ORGAN WEIGHT, ABSOLUTE: FEMALE  
(Control, 50, 100 and 200 mg/kg groups)
- TABLE A 23 ORGAN WEIGHT, RELATIVE: MALE  
(Control, 50, 100 and 200 mg/kg groups)
- TABLE A 24 ORGAN WEIGHT, RELATIVE: FEMALE  
(Control, 50, 100 and 200 mg/kg groups)
- TABLE A 25 HISTOPATHOLOGICAL FINDINGS: NEOPLASTIC LESIONS:  
MALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 26 HISTOPATHOLOGICAL FINDINGS: NEOPLASTIC LESIONS:  
FEMALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 27 NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL  
ANALYSIS: MALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 28 NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL  
ANALYSIS: FEMALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 29 NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF  
TUMORS - TIME RELATED: MALE  
(Control, 50, 100 and 200 mg/kg groups)
- TABLE A 30 NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF  
TUMORS - TIME RELATED: FEMALE  
(Control, 50, 100 and 200 mg/kg groups)
- TABLE A 31 HISTOPATHOLOGICAL FINDINGS: METASTASIS OF TUMOR:  
MALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 32 HISTOPATHOLOGICAL FINDINGS: METASTASIS OF TUMOR:  
FEMALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 33 HISTOPATHOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS  
: MALE (Control, 50, 100 and 200 mg/kg groups)
- TABLE A 34 HISTOPATHOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS  
: FEMALE (Control, 50, 100 and 200 mg/kg groups)

**TABLES (CONTINUED)**  
**(Test substance-treated group)**

TABLE A 35 CAUSE OF DEATH: MALE (Control, 50, 100 and 200 mg/kg groups)

TABLE A 36 CAUSE OF DEATH: FEMALE (Control, 50, 100 and 200 mg/kg groups)

## TABLES (Positive control group)

- TABLE B 1 SURVIVAL ANIMAL NUMBERS: MALE  
(Control and Positive control group)
- TABLE B 2 SURVIVAL ANIMAL NUMBERS: FEMALE  
(Control and Positive control group)
- TABLE B 3 CLINICAL OBSERVATION: MALE  
(Control and Positive control group)
- TABLE B 4 CLINICAL OBSERVATION: FEMALE  
(Control and Positive control group)
- TABLE B 5 BODY WEIGHT CHANGES AND SURVIVAL ANIMAL NUMBERS : MALE (Control and Positive control group)
- TABLE B 6 BODY WEIGHT CHANGES AND SURVIVAL ANIMAL NUMBERS : FEMALE (Control and Positive control group)
- TABLE B 7 BODY WEIGHT CHANGES: MALE  
(Control and Positive control group)
- TABLE B 8 BODY WEIGHT CHANGES: FEMALE  
(Control and Positive control group)
- TABLE B 9 FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL NUMBERS: MALE (Control and Positive control group)
- TABLE B 10 FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL NUMBERS: FEMALE (Control and Positive control group)
- TABLE B 11 FOOD CONSUMPTION CHANGES: MALE  
(Control and Positive control group)
- TABLE B 12 FOOD CONSUMPTION CHANGES: FEMALE  
(Control and Positive control group)
- TABLE B 13 URINALYSIS: MALE (Control and Positive control group)
- TABLE B 14 URINALYSIS: FEMALE (Control and Positive control group)
- TABLE B 15 HEMATOLOGY: MALE (Control and Positive control group)
- TABLE B 16 HEMATOLOGY: FEMALE (Control and Positive control group)

## TABLES (CONTINUED) (Positive control group)

TABLE B 17 BIOCHEMISTRY: MALE (Control and Positive control group)

TABLE B 18 BIOCHEMISTRY: FEMALE (Control and Positive control group)

TABLE B 19 GROSS FINDINGS: MALE (Control and Positive control group)

TABLE B 20 GROSS FINDINGS: FEMALE (Control and Positive control group)

TABLE B 21 ORGAN WEIGHT, ABSOLUTE: MALE  
(Control and Positive control group)

TABLE B 22 ORGAN WEIGHT, ABSOLUTE: FEMALE  
(Control and Positive control group)

TABLE B 23 ORGAN WEIGHT, RELATIVE: MALE  
(Control and Positive control group)

TABLE B 24 ORGAN WEIGHT, RELATIVE: FEMALE  
(Control and Positive control group)

TABLE B 25 HISTOPATHOLOGICAL FINDINGS: NEOPLASTIC LESIONS:  
MALE (Control and Positive control group)

TABLE B 26 HISTOPATHOLOGICAL FINDINGS: NEOPLASTIC LESIONS:  
FEMALE (Control and Positive control group)

TABLE B 27 NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL  
ANALYSIS: MALE (Control and Positive control group)

TABLE B 28 NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL  
ANALYSIS: FEMALE (Control and Positive control group)

TABLE B 29 NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF  
TUMORS - TIME RELATED: MALE (Control and Positive control  
group)

TABLE B 30 NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF  
TUMORS - TIME RELATED: FEMALE (Control and Positive control  
group)

TABLE B 31 HISTOPATHOLOGICAL FINDINGS: METASTASIS OF TUMOR:  
MALE (Control and Positive control group)

TABLE B 32 HISTOPATHOLOGICAL FINDINGS: METASTASIS OF TUMOR:  
FEMALE (Control and Positive control group)

**TABLES (CONTINUED)**  
**(Positive control group)**

TABLE B 33 HISTOPATHOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS  
: MALE (Control and Positive control group)

TABLE B 34 HISTOPATHOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS  
: FEMALE (Control and Positive control group)

TABLE B 35 CAUSE OF DEATH: MALE (Control and Positive control group)

TABLE B 36 CAUSE OF DEATH: FEMALE (Control and Positive control group)

TABLE A 1

SURVIVAL ANIMAL NUMBERS : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900

ANIMAL : Jic:CB6F1-Tg rasH20Jcl

REPORT TYPE : A1 26

SEX : MALE

## SURVIVAL ANIMAL NUMBERS

PAGE : 1

Group Name	Animals At start	Administration (Weeks)												
		0	1	2	3	4	5	6	7	8	9	10	11	12
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
50 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
100 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
200 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0

Number of survival/ Number of effective animals  
Survival rate (%)

(HAN360)

BA1S5

STUDY NO. : 0900

ANIMAL : Jic:CB6F1-Tg rash20Jcl

REPORT TYPE : A1 26

SEX : MALE

## SURVIVAL ANIMAL NUMBERS

PAGE : 2

Group Name	Animals At start	Administration (Weeks)												
		14	15	16	17	18	19	20	21	22	23	24	25	26
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
50 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	24/25 96.0									
100 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
200 mg/kg	25	25/25 100.0	24/25 96.0	23/25 92.0	23/25 92.0	23/25 92.0	23/25 92.0							

Number of survival/ Number of effective animals  
Survival rate (%)

(HAN360)

BAIS5

TABLE A 2

SURVIVAL ANIMAL NUMBERS : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 26  
SEX : FEMALE

## SURVIVAL ANIMAL NUMBERS

PAGE : 1

Group Name	Animals At start	Administration (Weeks)												
		0	1	2	3	4	5	6	7	8	9	10	11	12
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
50 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
100 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
200 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0

Number of survival/ Number of effective animals  
Survival rate (%)

(HAN360)

BA1S5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 26  
SEX : FEMALE

## SURVIVAL ANIMAL NUMBERS

PAGE : 2

Group Name	Animals At start	Administration (Weeks)												
		14	15	16	17	18	19	20	21	22	23	24	25	26
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	24/25 96.0	24/25 96.0	24/25 96.0	24/25 96.0	24/25 96.0	23/25 92.0	23/25 92.0
50 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	24/25 96.0	24/25 96.0	24/25 96.0	24/25 96.0	24/25 96.0	24/25 96.0
100 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
200 mg/kg	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	24/25 96.0	24/25 96.0

Number of survival/ Number of effective animals  
Survival rate (%)

(HAN360)

BA1S5

**TABLE A 3**

**CLINICAL OBSERVATION : MALE**

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27'

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 1

Clinical sign	Group Name	Administration Week-day													
		1-1 1	1-1 2	1-2 1	1-2 2	1-3 1	1-3 2	1-4 1	1-4 2	1-5 1	1-5 2	1-6 1	1-6 2	1-7 1	1-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BALS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 2

Clinical sign	Group Name	Administration		Week-day											
		2-1 1	2-1 2	2-2 1	2-2 2	2-3 1	2-3 2	2-4 1	2-4 2	2-5 1	2-5 2	2-6 1	2-6 2	2-7 1	2-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 3

Clinical sign	Group Name	Administration		Week-day											
		3-1 1	3-1 2	3-2 1	3-2 2	3-3 1	3-3 2	3-4 1	3-4 2	3-5 1	3-5 2	3-6 1	3-6 2	3-7 1	3-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BATIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 4

Clinical sign	Group Name	Administration		Week-day												
		4-1 1	4-1 2	4-2 1	4-2 2	4-3 1	4-3 2	4-4 1	4-4 2	4-5 1	4-5 2	4-6 1	4-6 2	4-7 1	4-7 2	
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 5

Clinical sign	Group Name	Administration		Week-day												
		5-1 1	5-1 2	5-2 1	5-2 2	5-3 1	5-3 2	5-4 1	5-4 2	5-5 1	5-5 2	5-6 1	5-6 2	5-7 1	5-7 2	
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 6

Clinical sign	Group Name	Administration		Week-day												
		6-1 1	6-1 2	6-2 1	6-2 2	6-3 1	6-3 2	6-4 1	6-4 2	6-5 1	6-5 2	6-6 1	6-6 2	6-7 1	6-7 2	
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAT5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 7

Clinical sign	Group Name	Administration		Week-day											
		7-1 1	7-1 2	7-2 1	7-2 2	7-3 1	7-3 2	7-4 1	7-4 2	7-5 1	7-5 2	7-6 1	7-6 2	7-7 1	7-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAT5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 8

Clinical sign	Group Name	Administration		Week-day											
		8-1 1	8-1 2	8-2 1	8-2 2	8-3 1	8-3 2	8-4 1	8-4 2	8-5 1	8-5 2	8-6 1	8-6 2	8-7 1	8-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 9

Clinical sign	Group Name	Administration		Week-day											
		9-1 1	9-1 2	9-2 1	9-2 2	9-3 1	9-3 2	9-4 1	9-4 2	9-5 1	9-5 2	9-6 1	9-6 2	9-7 1	9-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 10

Clinical sign	Group Name	Administration		Week-day												
		10-1 1	10-1 2	10-2 1	10-2 2	10-3 1	10-3 2	10-4 1	10-4 2	10-5 1	10-5 2	10-6 1	10-6 2	10-7 1	10-7 2	
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25	
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	

(HAN190)

BAT5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 11

Clinical sign	Group Name	Administration Week-day													
		11-1 1	11-1 2	11-2 1	11-2 2	11-3 1	11-3 2	11-4 1	11-4 2	11-5 1	11-5 2	11-6 1	11-6 2	11-7 1	11-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BALS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 12

Clinical sign	Group Name	Administration		Week-day											
		12-1 1	12-1 2	12-2 1	12-2 2	12-3 1	12-3 2	12-4 1	12-4 2	12-5 1	12-5 2	12-6 1	12-6 2	12-7 1	12-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAT\$5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 13

Clinical sign	Group Name	Administration		Week-day											
		13-1 1	13-1 2	13-2 1	13-2 2	13-3 1	13-3 2	13-4 1	13-4 2	13-5 1	13-5 2	13-6 1	13-6 2	13-7 1	13-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BATIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 14

Clinical sign	Group Name	Administration		Week-day											
		14-1 1	14-1 2	14-2 1	14-2 2	14-3 1	14-3 2	14-4 1	14-4 2	14-5 1	14-5 2	14-6 1	14-6 2	14-7 1	14-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BATIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 15

Clinical sign	Group Name	Administration		Week-day											
		15-1 1	15-1 2	15-2 1	15-2 2	15-3 1	15-3 2	15-4 1	15-4 2	15-5 1	15-5 2	15-6 1	15-6 2	15-7 1	15-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24

(HAN190)

BATIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 16

Clinical sign	Group Name	Administration		Week-day												
		16-1 1	16-1 2	16-2 1	16-2 2	16-3 1	16-3 2	16-4 1	16-4 2	16-5 1	16-5 2	16-6 1	16-6 2	16-7 1	16-7 2	
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 17

Clinical sign	Group Name	Administration		Week-day											
		17-1 1	17-1 2	17-2 1	17-2 2	17-3 1	17-3 2	17-4 1	17-4 2	17-5 1	17-5 2	17-6 1	17-6 2	17-7 1	17-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 18

Clinical sign	Group Name	Administration		Week-day											
		18-1 1	18-1 2	18-2 1	18-2 2	18-3 1	18-3 2	18-4 1	18-4 2	18-5 1	18-5 2	18-6 1	18-6 2	18-7 1	18-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24

(HAN190)

BATIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 19

Clinical sign	Group Name	Administration		Week-day												
		19-1 1	19-1 2	19-2 1	19-2 2	19-3 1	19-3 2	19-4 1	19-4 2	19-5 1	19-5 2	19-6 1	19-6 2	19-7 1	19-7 2	
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 20

Clinical sign	Group Name	Administration		Week-day											
		20-1 1	20-1 2	20-2 1	20-2 2	20-3 1	20-3 2	20-4 1	20-4 2	20-5 1	20-5 2	20-6 1	20-6 2	20-7 1	20-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24

(HAN190)

BAIS5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 21

Clinical sign	Group Name	Administration		Week-day												
		21-1 1	21-1 2	21-2 1	21-2 2	21-3 1	21-3 2	21-4 1	21-4 2	21-5 1	21-5 2	21-6 1	21-6 2	21-7 1	21-7 2	
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24

(HAN190)

BAT\$5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 22

Clinical sign	Group Name	Administration		Week-day												
		22-1 1	22-1 2	22-2 1	22-2 2	22-3 1	22-3 2	22-4 1	22-4 2	22-5 1	22-5 2	22-6 1	22-6 2	22-7 1	22-7 2	
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 23

Clinical sign	Group Name	Administration		Week-day												
		23-1 1	23-1 2	23-2 1	23-2 2	23-3 1	23-3 2	23-4 1	23-4 2	23-5 1	23-5 2	23-6 1	23-6 2	23-7 1	23-7 2	
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	24	24	23	23	23	23	23	23	23	23	23	23	23	23	23

(HAN190)

BASIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 24

Clinical sign	Group Name	Administration		Week-day												
		24-1 1	24-1 2	24-2 1	24-2 2	24-3 1	24-3 2	24-4 1	24-4 2	24-5 1	24-5 2	24-6 1	24-6 2	24-7 1	24-7 2	
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 25

Clinical sign	Group Name	Administration		Week-day												
		25-1 1	25-1 2	25-2 1	25-2 2	25-3 1	25-3 2	25-4 1	25-4 2	25-5 1	25-5 2	25-6 1	25-6 2	25-7 1	25-7 2	
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23

(HAN190)

BATIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rashH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 26

Clinical sign	Group Name	Administration		Week-day												
		26-1 1	26-1 2	26-2 1	26-2 2	26-3 1	26-3 2	26-4 1	26-4 2	26-5 1	26-5 2	26-6 1	26-6 2	26-7 1	26-7 2	
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23

(HAN190)

BAINS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 27

Clinical sign	Group Name	Administration Week-day	
		27-1 1	27-1 2
DEATH	Control	0	0
	50 mg/kg	1	1
	100 mg/kg	0	0
	200 mg/kg	2	2
NON REMARKABLE	Control	25	11
	50 mg/kg	24	11
	100 mg/kg	25	11
	200 mg/kg	23	10

(HAN190)

BAIS 5

TABLE A 4

CLINICAL OBSERVATION : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 1

Clinical sign	Group Name	Administration Week-day													
		1-1 1	1-1 2	1-2 1	1-2 2	1-3 1	1-3 2	1-4 1	1-4 2	1-5 1	1-5 2	1-6 1	1-6 2	1-7 1	1-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 2

Clinical sign	Group Name	Administration Week-day													
		2-1 1	2-1 2	2-2 1	2-2 2	2-3 1	2-3 2	2-4 1	2-4 2	2-5 1	2-5 2	2-6 1	2-6 2	2-7 1	2-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR.	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 3

Clinical sign	Group Name	Administration Week-day													
		3-1 1	3-1 2	3-2 1	3-2 2	3-3 1	3-3 2	3-4 1	3-4 2	3-5 1	3-5 2	3-6 1	3-6 2	3-7 1	3-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 4

Clinical sign	Group Name	Administration Week-day													
		4-1 1	4-1 2	4-2 1	4-2 2	4-3 1	4-3 2	4-4 1	4-4 2	4-5 1	4-5 2	4-6 1	4-6 2	4-7 1	4-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1-27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 5

Clinical sign	Group Name	Administration Week-day													
		5-1 1	5-1 2	5-2 1	5-2 2	5-3 1	5-3 2	5-4 1	5-4 2	5-5 1	5-5 2	5-6 1	5-6 2	5-7 1	5-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 6

Clinical sign	Group Name	Administration Week-day													
		6-1 1	6-1 2	6-2 1	6-2 2	6-3 1	6-3 2	6-4 1	6-4 2	6-5 1	6-5 2	6-6 1	6-6 2	6-7 1	6-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 7

Clinical sign	Group Name	Administration Week-day													
		7-1 1	7-1 2	7-2 1	7-2 2	7-3 1	7-3 2	7-4 1	7-4 2	7-5 1	7-5 2	7-6 1	7-6 2	7-7 1	7-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 8

Clinical sign	Group Name	Administration Week-day													
		8-1 1	8-1 2	8-2 1	8-2 2	8-3 1	8-3 2	8-4 1	8-4 2	8-5 1	8-5 2	8-6 1	8-6 2	8-7 1	8-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash28Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 9

Clinical sign	Group Name	Administration Week-day													
		9-1 1	9-1 2	9-2 1	9-2 2	9-3 1	9-3 2	9-4 1	9-4 2	9-5 1	9-5 2	9-6 1	9-6 2	9-7 1	9-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 10

Clinical sign	Group Name	Administration Week-day													
		10-1 1	10-1 2	10-2 1	10-2 2	10-3 1	10-3 2	10-4 1	10-4 2	10-5 1	10-5 2	10-6 1	10-6 2	10-7 1	10-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 11

Clinical sign	Group Name	Administration Week-day													
		11-1 1	11-1 2	11-2 1	11-2 2	11-3 1	11-3 2	11-4 1	11-4 2	11-5 1	11-5 2	11-6 1	11-6 2	11-7 1	11-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 12

Clinical sign	Group Name	Administration Week-day													
		12-1 1	12-1 2	12-2 1	12-2 2	12-3 1	12-3 2	12-4 1	12-4 2	12-5 1	12-5 2	12-6 1	12-6 2	12-7 1	12-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 13

Clinical sign	Group Name	Administration		Week-day											
		13-1 1	13-1 2	13-2 1	13-2 2	13-3 1	13-3 2	13-4 1	13-4 2	13-5 1	13-5 2	13-6 1	13-6 2	13-7 1	13-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 14

Clinical sign	Group Name	Administration Week-day													
		14-1 1	14-1 2	14-2 1	14-2 2	14-3 1	14-3 2	14-4 1	14-4 2	14-5 1	14-5 2	14-6 1	14-6 2	14-7 1	14-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 15

Clinical sign	Group Name	Administration Week-day													
		15-1 1	15-1 2	15-2 1	15-2 2	15-3 1	15-3 2	15-4 1	15-4 2	15-5 1	15-5 2	15-6 1	15-6 2	15-7 1	15-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 16

Clinical sign	Group Name	Administration Week-day													
		16-1 1	16-1 2	16-2 1	16-2 2	16-3 1	16-3 2	16-4 1	16-4 2	16-5 1	16-5 2	16-6 1	16-6 2	16-7 1	16-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 17

Clinical sign	Group Name	Administration Week-day													
		17-1 1	17-1 2	17-2 1	17-2 2	17-3 1	17-3 2	17-4 1	17-4 2	17-5 1	17-5 2	17-6 1	17-6 2	17-7 1	17-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 18

Clinical sign	Group Name	Administration Week-day													
		18-1 1	18-1 2	18-2 1	18-2 2	18-3 1	18-3 2	18-4 1	18-4 2	18-5 1	18-5 2	18-6 1	18-6 2	18-7 1	18-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 19

Clinical sign	Group Name	Administration		Week-day												
		19-1 1	19-1 2	19-2 1	19-2 2	19-3 1	19-3 2	19-4 1	19-4 2	19-5 1	19-5 2	19-6 1	19-6 2	19-7 1	19-7 2	
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 20

Clinical sign	Group Name	Administration		Week-day		20-1 1	20-1 2	20-2 1	20-2 2	20-3 1	20-3 2	20-4 1	20-4 2	20-5 1	20-5 2	20-6 1	20-6 2	20-7 1	20-7 2
		20-1	20-1	20-2	20-2														
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash28Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 21

Clinical sign	Group Name	Administration		Week-day											
		21-1 1	21-1 2	21-2 1	21-2 2	21-3 1	21-3 2	21-4 1	21-4 2	21-5 1	21-5 2	21-6 1	21-6 2	21-7 1	21-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PER1-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 22

Clinical sign	Group Name	Administration Week-day													
		22-1 1	22-1 2	22-2 1	22-2 2	22-3 1	22-3 2	22-4 1	22-4 2	22-5 1	22-5 2	22-6 1	22-6 2	22-7 1	22-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 23

Clinical sign	Group Name	Administration Week-day													
		23-1 1	23-1 2	23-2 1	23-2 2	23-3 1	23-3 2	23-4 1	23-4 2	23-5 1	23-5 2	23-6 1	23-6 2	23-7 1	23-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 24

Clinical sign	Group Name	Administration		Week-day													
		24-1 1	24-1 2	24-2 1	24-2 2	24-3 1	24-3 2	24-4 1	24-4 2	24-5 1	24-5 2	24-6 1	24-6 2	24-7 1	24-7 2		
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 25

Clinical sign	Group Name	Administration Week-day													
		25-1 1	25-1 2	25-2 1	25-2 2	25-3 1	25-3 2	25-4 1	25-4 2	25-5 1	25-5 2	25-6 1	25-6 2	25-7 1	25-7 2
DEATH	Control	0	0	0	0	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	1	1	1	1
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	1	0	0	0	0
PARALYTIC GAIT	Control	1	1	1	1	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO.: 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 26

Clinical sign	Group Name	Administration Week-day													
		26-1 1	26-1 2	26-2 1	26-2 2	26-3 1	26-3 2	26-4 1	26-4 2	26-5 1	26-5 2	26-6 1	26-6 2	26-7 1	26-7 2
DEATH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
LOCOMOTOR MOVEMENT DECR	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI-GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. NOSE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 27

Clinical sign	Group Name	Administration Week-day	
		27-1 1	27-1 2
DEATH	Control	1	1
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
MORIBUND SACRIFICE	Control	1	1
	50 mg/kg	1	1
	100 mg/kg	0	0
	200 mg/kg	1	1
LOCOMOTOR MOVEMENT DECR	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
PARALYTIC GAIT	Control	0	0
	50 mg/kg	1	1
	100 mg/kg	0	0
	200 mg/kg	0	0
A LOT OF SPILLED FOOD	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
SOILED PERI-GENITALIA	Control	0	0
	50 mg/kg	1	1
	100 mg/kg	0	0
	200 mg/kg	0	0
EXTERNAL MASS	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	1	1
	200 mg/kg	0	0
M. NOSE	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	1	1
	200 mg/kg	0	0
M. PERI-MOUTH	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 28

Clinical sign	Group Name	Administration Week-day													
		1-1 1	1-1 2	1-2 1	1-2 2	1-3 1	1-3 2	1-4 1	1-4 2	1-5 1	1-5 2	1-6 1	1-6 2	1-7 1	1-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash28Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 29

Clinical sign	Group Name	Administration Week-day													
		2-1 1	2-1 2	2-2 1	2-2 2	2-3 1	2-3 2	2-4 1	2-4 2	2-5 1	2-5 2	2-6 1	2-6 2	2-7 1	2-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	1	1	1	1	1	1	1	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	24	24	24	24	24	24	24	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 30

Clinical sign	Group Name	Administration Week-day													
		3-1 1	3-1 2	3-2 1	3-2 2	3-3 1	3-3 2	3-4 1	3-4 2	3-5 1	3-5 2	3-6 1	3-6 2	3-7 1	3-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 31

Clinical sign	Group Name	Administration Week-day													
		4-1 1	4-1 2	4-2 1	4-2 2	4-3 1	4-3 2	4-4 1	4-4 2	4-5 1	4-5 2	4-6 1	4-6 2	4-7 1	4-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 32

Clinical sign	Group Name	Administration		Week-day												
		5-1 1	5-1 2	5-2 1	5-2 2	5-3 1	5-3 2	5-4 1	5-4 2	5-5 1	5-5 2	5-6 1	5-6 2	5-7 1	5-7 2	
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAT5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 33

Clinical sign	Group Name	Administration		Week-day											
		6-1 1	6-1 2	6-2 1	6-2 2	6-3 1	6-3 2	6-4 1	6-4 2	6-5 1	6-5 2	6-6 1	6-6 2	6-7 1	6-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 34

Clinical sign	Group Name	Administration		Week-day												
		7-1 1	7-1 2	7-2 1	7-2 2	7-3 1	7-3 2	7-4 1	7-4 2	7-5 1	7-5 2	7-6 1	7-6 2	7-7 1	7-7 2	
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 35

Clinical sign	Group Name	Administration Week-day													
		8-1 1	8-1 2	8-2 1	8-2 2	8-3 1	8-3 2	8-4 1	8-4 2	8-5 1	8-5 2	8-6 1	8-6 2	8-7 1	8-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 36

Clinical sign	Group Name	Administration Week-day													
		9-1 1	9-1 2	9-2 1	9-2 2	9-3 1	9-3 2	9-4 1	9-4 2	9-5 1	9-5 2	9-6 1	9-6 2	9-7 1	9-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAS 5

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 37

Clinical sign	Group Name	Administration		Week-day											
		10-1 1	10-1 2	10-2 1	10-2 2	10-3 1	10-3 2	10-4 1-	10-4 2	10-5 1	10-5 2	10-6 1	10-6 2	10-7 1	10-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jct  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 38

Clinical sign	Group Name	Administration Week-day													
		11-1 1	11-1 2	11-2 1	11-2 2	11-3 1	11-3 2	11-4 1	11-4 2	11-5 1	11-5 2	11-6 1	11-6 2	11-7 1	11-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 39

Clinical sign	Group Name	Administration Week-day													
		12-1 1	12-1 2	12-2 1	12-2 2	12-3 1	12-3 2	12-4 1	12-4 2	12-5 1	12-5 2	12-6 1	12-6 2	12-7 1	12-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 40

Clinical sign	Group Name	Administration Week-day													
		13-1 1	13-1 2	13-2 1	13-2 2	13-3 1	13-3 2	13-4 1	13-4 2	13-5 1	13-5 2	13-6 1	13-6 2	13-7 1	13-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 41

Clinical sign	Group Name	Administration Week-day													
		14-1 1	14-1 2	14-2 1	14-2 2	14-3 1	14-3 2	14-4 1	14-4 2	14-5 1	14-5 2	14-6 1	14-6 2	14-7 1	14-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 42

Clinical Sign	Group Name	Administration Week-day													
		15-1 1	15-1 2	15-2 1	15-2 2	15-3 1	15-3 2	15-4 1	15-4 2	15-5 1	15-5 2	15-6 1	15-6 2	15-7 1	15-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 43

Clinical sign	Group Name	Administration Week-day													
		16-1 1	16-1 2	16-2 1	16-2 2	16-3 1	16-3 2	16-4 1	16-4 2	16-5 1	16-5 2	16-6 1	16-6 2	16-7 1	16-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 44

Clinical sign	Group Name	Administration Week-day													
		17-1 1	17-1 2	17-2 1	17-2 2	17-3 1	17-3 2	17-4 1	17-4 2	17-5 1	17-5 2	17-6 1	17-6 2	17-7 1	17-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 45

Clinical sign	Group Name	Administration Week-day													
		18-1 1	18-1 2	18-2 1	18-2 2	18-3 1	18-3 2	18-4 1	18-4 2	18-5 1	18-5 2	18-6 1	18-6 2	18-7 1	18-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CBGF1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 46

Clinical sign	Group Name	Administration		Week-day												
		19-1 1	19-1 2	19-2 1	19-2 2	19-3 1	19-3 2	19-4 1	19-4 2	19-5 1	19-5 2	19-6 1	19-6 2	19-7 1	19-7 2	
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OLIGO-STOOL	Control	0	0	0	1	1	1	1	1	1	1	1	1	1	1	
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24	
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25	

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 47

Clinical sign	Group Name	Administration		Week-day											
		20-1 1	20-1 2	20-2 1	20-2 2	20-3 1	20-3 2	20-4 1	20-4 2	20-5 1	20-5 2	20-6 1	20-6 2	20-7 1	20-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	1	1	1	1	1	1	1	1	1	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 48

Clinical sign	Group Name	Administration Week-day													
		21-1 1	21-1 2	21-2 1	21-2 2	21-3 1	21-3 2	21-4 1	21-4 2	21-5 1	21-5 2	21-6 1	21-6 2	21-7 1	21-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	1	1	1
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	25	25	25	25	25	25	25	25	25	25	25	24	24	24
	100 mg/kg	25	25	25	25	25	25	25	25	25	25	25	24	24	24
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 49

Clinical sign	Group Name	Administration Week-day													
		22-1 1	22-1 2	22-2 1	22-2 2	22-3 1	22-3 2	22-4 1	22-4 2	22-5 1	22-5 2	22-6 1	22-6 2	22-7 1	22-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 50

Clinical sign	Group Name	Administration		Week-day											
		23-1 1	23-1 2	23-2 1	23-2 2	23-3 1	23-3 2	23-4 1	23-4 2	23-5 1	23-5 2	23-6 1	23-6 2	23-7 1	23-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BALS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 51

Clinical sign	Group Name	Administration Week-day													
		24-1 1	24-1 2	24-2 1	24-2 2	24-3 1	24-3 2	24-4 1	24-4 2	24-5 1	24-5 2	24-6 1	24-6 2	24-7 1	24-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	50 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	100 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	200 mg/kg	25	25	25	25	25	25	25	25	25	25	25	25	25	25

(HAN190)

BALS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 52

Clinical sign	Group Name	Administration		Week-day												
		25-1 1	25-1 2	25-2 1	25-2 2	25-3 1	25-3 2	25-4 1	25-4 2	25-5 1	25-5 2	25-6 1	25-6 2	25-7 1	25-7 2	
ANEMIA	Control	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	50 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	100 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	200 mg/kg	25	25	25	25	25	25	25	25	25	24	24	24	24	24	24

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 53

Clinical sign	Group Name	Administration Week-day													
		26-1 1	26-1 2	26-2 1	26-2 2	26-3 1	26-3 2	26-4 1	26-4 2	26-5 1	26-5 2	26-6 1	26-6 2	26-7 1	26-7 2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	200 mg/kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	50 mg/kg	23	23	23	23	23	23	23	23	23	23	23	23	23	23
	100 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	200 mg/kg	24	24	24	24	24	24	24	24	24	24	24	24	24	24

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 54

Clinical sign	Group Name	Administration Week-day	
		27-1 1	27-1 2
ANEMIA	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
SWELLING	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
HEMORRHAGE	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
DEEP BREATHING	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
OLIGO-STOOL	Control	0	0
	50 mg/kg	0	0
	100 mg/kg	0	0
	200 mg/kg	0	0
NON REMARKABLE	Control	23	9
	50 mg/kg	23	10
	100 mg/kg	24	10
	200 mg/kg	24	11

(HAN190)

BAISS

**TABLE A 5**

**BODY WEIGHT CHANGES AND SURVIVAL ANIMAL**

**NUMBERS : MALE**

**(Control, 50, 100 and 200 mg/kg groups)**

STUDY NO. : 0900  
 ANIMAL : Jic: CB6F1-Tg rasH2@Jcl  
 UNIT : g  
 SEX : MALE

MEAN BODY WEIGHTS AND SURVIVAL

Week-Day on Study	Control		50 mg/kg			100 mg/kg			200 mg/kg			
	Av. Wt. <25>	No. of Surviv. <25>	Av. Wt.	% of cont. <25>	No. of Surviv. <25>	Av. Wt.	% of cont. <25>	No. of Surviv. <25>	Av. Wt.	% of cont. <25>	No. of Surviv. <25>	
			(25)		(25)	(25)		(25)	(25)		(25)	
0-0	24.7	(25)	25/25		24.7	(25)	100	25/25	24.6	(25)	100	25/25
1-1	24.8	(25)	25/25		24.6	(25)	99	25/25	24.5	(25)	99	25/25
2-1	25.2	(25)	25/25		25.1	(25)	100	25/25	25.2	(25)	100	25/25
3-1	25.3	(25)	25/25		25.0	(25)	99	25/25	25.0	(25)	99	25/25
4-1	25.7	(25)	25/25		25.5	(25)	99	25/25	25.6	(25)	100	25/25
5-1	25.9	(25)	25/25		25.7	(25)	99	25/25	25.7	(25)	99	25/25
6-1	26.4	(25)	25/25		25.9	(25)	98	25/25	26.2	(25)	99	25/25
7-1	26.8	(25)	25/25		26.3	(25)	98	25/25	26.7	(25)	100	25/25
8-1	26.9	(25)	25/25		26.3	(25)	98	25/25	26.5	(25)	99	25/25
9-1	27.4	(25)	25/25		26.9	(25)	98	25/25	27.4	(25)	100	25/25
10-1	27.8	(25)	25/25		27.2	(25)	98	25/25	27.6	(25)	99	25/25
11-1	27.5	(25)	25/25		26.9	(25)	98	25/25	27.3	(25)	99	25/25
12-1	27.7	(25)	25/25		27.1	(25)	98	25/25	27.5	(25)	99	25/25
13-1	28.0	(25)	25/25		27.3	(25)	98	25/25	27.7	(25)	99	25/25
14-1	28.3	(25)	25/25		27.7	(25)	98	25/25	28.2	(25)	100	25/25
15-1	28.4	(25)	25/25		27.5	(25)	97	25/25	27.8	(25)	98	25/25
16-1	28.5	(25)	25/25		27.6	(25)	97	25/25	28.0	(25)	98	25/25
17-1	28.7	(25)	25/25		28.0	(25)	98	25/25	28.4	(25)	99	25/25
18-1	28.8	(25)	25/25		27.7	(24)	96	24/25	28.3	(25)	98	25/25
19-1	28.6	(25)	25/25		27.5	(24)	96	24/25	28.2	(25)	99	25/25
20-1	28.7	(25)	25/25		27.8	(24)	97	24/25	28.3	(25)	99	25/25
21-1	28.5	(25)	25/25		27.7	(24)	97	24/25	28.1	(25)	99	25/25
22-1	28.7	(25)	25/25		27.9	(24)	97	24/25	28.3	(25)	99	25/25
23-1	28.8	(25)	25/25		28.1	(24)	98	24/25	28.5	(25)	99	25/25
24-1	29.1	(25)	25/25		28.3	(24)	97	24/25	29.2	(25)	100	25/25
25-1	29.0	(25)	25/25		28.3	(24)	98	24/25	29.3	(25)	101	25/25
26-1	29.2	(25)	25/25		28.6	(24)	98	24/25	29.3	(25)	100	25/25
26-7	29.3	(25)	25/25		28.6	(24)	98	24/25	29.5	(25)	101	23/25

< >: No. of effective animals, ( ) : No. of measured animals Av. Wt. : g

**TABLE A 6**

**BODY WEIGHT CHANGES AND SURVIVAL ANIMAL**

**NUMBERS : FEMALE**

**(Control, 50, 100 and 200 mg/kg groups)**

STUDY NO. : 0901  
 ANIMAL : Jic: CB6F1-Tg rasH2@Jcl  
 UNIT : g  
 SEX : FEMALE

MEAN BODY WEIGHTS AND SURVIVAL

Week-Day on Study	Control		50 mg/kg			100 mg/kg			200 mg/kg			
	Av. Wt. <25>	No. of Surviv. <25>	Av. Wt.	% of cont. <25>	No. of Surviv. <25>	Av. Wt.	% of cont. <25>	No. of Surviv. <25>	Av. Wt.	% of cont. <25>	No. of Surviv. <25>	
			(25)		(25)	(25)		(25)	(25)		(25)	
0-0	20.3	(25)	25/25		20.3	(25)	100	25/25	20.3	(25)	100	25/25
1-1	19.5	(25)	25/25		19.6	(25)	101	25/25	19.5	(25)	100	25/25
2-1	20.3	(25)	25/25		20.1	(25)	99	25/25	20.5	(25)	101	25/25
3-1	20.5	(25)	25/25		20.5	(25)	100	25/25	21.1	(25)	103	25/25
4-1	20.2	(25)	25/25		20.3	(25)	100	25/25	20.9	(25)	103	25/25
5-1	20.1	(25)	25/25		20.5	(25)	102	25/25	20.8	(25)	103	25/25
6-1	20.2	(25)	25/25		20.5	(25)	101	25/25	20.7	(25)	102	25/25
7-1	20.6	(25)	25/25		20.8	(25)	101	25/25	20.8	(25)	101	25/25
8-1	21.2	(25)	25/25		20.7	(25)	98	25/25	21.1	(25)	100	25/25
9-1	21.4	(25)	25/25		21.2	(25)	99	25/25	21.6	(25)	101	25/25
10-1	21.8	(25)	25/25		21.6	(25)	99	25/25	21.7	(25)	100	25/25
11-1	21.9	(25)	25/25		21.4	(25)	98	25/25	21.4	(25)	98	25/25
12-1	22.0	(25)	25/25		21.6	(25)	98	25/25	22.0	(25)	100	25/25
13-1	22.1	(25)	25/25		21.9	(25)	99	25/25	21.7	(25)	98	25/25
14-1	22.2	(25)	25/25		21.8	(25)	98	25/25	22.0	(25)	99	25/25
15-1	21.9	(25)	25/25		21.5	(25)	98	25/25	22.1	(25)	101	25/25
16-1	22.2	(25)	25/25		21.9	(25)	99	25/25	21.9	(25)	99	25/25
17-1	22.0	(25)	25/25		21.5	(25)	98	25/25	21.7	(25)	99	25/25
18-1	22.3	(25)	25/25		22.0	(25)	99	25/25	22.5	(25)	101	25/25
19-1	22.3	(25)	25/25		21.9	(25)	98	25/25	22.0	(25)	99	25/25
20-1	22.2	(25)	25/25		21.7	(25)	98	25/25	21.9	(25)	99	25/25
21-1	22.8	(24)	24/25		22.0	(25)	96	25/25	21.9	(25)	96	25/25
22-1	22.8	(24)	24/25		22.1	(24)	97	24/25	22.4	(25)	98	25/25
23-1	22.3	(24)	24/25		22.1	(24)	99	24/25	22.2	(25)	100	25/25
24-1	22.6	(24)	24/25		22.4	(24)	99	24/25	22.4	(25)	99	25/25
25-1	22.9	(24)	24/25		22.1	(24)	97	24/25	22.3	(25)	97	25/25
26-1	22.7	(23)	23/25		22.6	(24)	100	24/25	22.7	(25)	100	25/25
26-7	23.1	(23)	23/25		22.4	(24)	97	24/25	22.8	(25)	99	25/25

< >: No. of effective animals, ( ) : No. of measured animals Av. Wt. : g

TABLE A 7

BODY WEIGHT CHANGES : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 1

Group Name	Administration week-day						
	0-0	1-1	2-1	3-1	4-1	5-1	6-1
Control	24.7 ± 1.0	24.8 ± 1.0	25.2 ± 1.2	25.3 ± 1.2	25.7 ± 1.2	25.9 ± 1.5	26.4 ± 1.4
50 mg/kg	24.7 ± 1.0	24.6 ± 0.9	25.1 ± 1.3	25.0 ± 1.2	25.5 ± 1.1	25.7 ± 1.2	25.9 ± 1.0
100 mg/kg	24.6 ± 1.1	24.5 ± 1.0	25.2 ± 1.0	25.0 ± 0.9	25.6 ± 1.2	25.7 ± 1.0	26.2 ± 1.2
200 mg/kg	24.7 ± 1.0	24.5 ± 0.9	25.7 ± 1.1	25.5 ± 1.0	26.1 ± 1.1	25.9 ± 1.1	26.4 ± 1.1

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 2

Group Name	Administration week-day						
	7-1	8-1	9-1	10-1	11-1	12-1	13-1
Control	26.8± 1.6	26.9± 1.6	27.4± 1.7	27.8± 1.7	27.5± 1.8	27.7± 1.8	28.0± 1.8
50 mg/kg	26.3± 1.1	26.3± 1.2	26.9± 1.3	27.2± 1.4	26.9± 1.3	27.1± 1.3	27.3± 1.3
100 mg/kg	26.7± 1.4	26.5± 1.3	27.4± 1.4	27.6± 1.4	27.3± 1.5	27.5± 1.3	27.7± 1.5
200 mg/kg	26.9± 1.2	26.6± 1.2	27.7± 1.3	27.7± 1.4	27.0± 1.4	27.4± 1.4	27.6± 1.6

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 3

Group Name	Administration week-day						
	14-1	15-1	16-1	17-1	18-1	19-1	20-1
Control	28.3 ± 1.5	28.4 ± 1.8	28.5 ± 1.9	28.7 ± 1.9	28.8 ± 1.8	28.6 ± 2.0	28.7 ± 2.1
50 mg/kg	27.7 ± 1.1	27.5 ± 1.3	27.6 ± 1.4	28.0 ± 1.3	27.7 ± 1.3	27.5 ± 1.4	27.8 ± 1.4
100 mg/kg	28.2 ± 1.4	27.8 ± 1.6	28.0 ± 1.7	28.4 ± 1.6	28.3 ± 1.5	28.2 ± 1.5	28.3 ± 1.5
200 mg/kg	28.3 ± 1.7	27.8 ± 1.7	28.2 ± 1.7	28.5 ± 1.6	28.2 ± 1.5	28.2 ± 1.4	28.4 ± 1.4

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260}

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 4

Group Name	Administration week-day						
	21-1	22-1	23-1	24-1	25-1	26-1	26-7
Control	28.5 ± 1.9	28.7 ± 2.0	28.8 ± 1.9	29.1 ± 2.1	29.0 ± 2.0	29.2 ± 1.9	29.3 ± 2.1
50 mg/kg	27.7 ± 1.3	27.9 ± 1.4	28.1 ± 1.5	28.3 ± 1.5	28.3 ± 1.4	28.6 ± 1.5	28.6 ± 1.4
100 mg/kg	28.1 ± 1.4	28.3 ± 1.5	28.5 ± 1.4	29.2 ± 1.6	29.3 ± 1.5	29.3 ± 1.5	29.5 ± 1.7
200 mg/kg	28.2 ± 1.4	28.3 ± 1.5	28.3 ± 1.5	29.1 ± 1.6	29.1 ± 1.7	29.2 ± 1.7	29.5 ± 1.8

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

TABLE A 8

BODY WEIGHT CHANGES : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 1

Group Name	Administration week-day						
	0-0	1-1	2-1	3-1	4-1	5-1	6-1
Control	20.3 ± 1.2	19.5 ± 1.2	20.3 ± 1.5	20.5 ± 1.4	20.2 ± 1.2	20.1 ± 1.2	20.2 ± 1.1
50 mg/kg	20.3 ± 1.2	19.6 ± 1.1	20.1 ± 1.2	20.5 ± 1.5	20.3 ± 1.4	20.5 ± 1.5	20.5 ± 1.3
100 mg/kg	20.3 ± 1.2	19.5 ± 1.1	20.5 ± 1.5	21.1 ± 1.6	20.9 ± 1.4	20.8 ± 1.4	20.7 ± 1.3
200 mg/kg	20.3 ± 1.2	19.5 ± 1.0	20.6 ± 1.2	21.2 ± 1.2	21.4 ± 1.3**	21.3 ± 1.3**	21.0 ± 1.2

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 2

Group Name	Administration week-day						
	7-1	8-1	9-1	10-1	11-1	12-1	13-1
Control	20.6 ± 1.2	21.2 ± 1.1	21.4 ± 1.3	21.8 ± 1.3	21.9 ± 1.5	22.0 ± 1.4	22.1 ± 1.3
50 mg/kg	20.8 ± 1.4	20.7 ± 1.3	21.2 ± 1.2	21.6 ± 1.3	21.4 ± 1.4	21.6 ± 1.2	21.9 ± 1.5
100 mg/kg	20.8 ± 1.2	21.1 ± 1.2	21.6 ± 1.2	21.7 ± 1.0	21.4 ± 1.2	22.0 ± 1.3	21.7 ± 1.0
200 mg/kg	21.1 ± 1.3	21.7 ± 1.2	21.9 ± 1.1	21.9 ± 0.8	21.2 ± 1.0	21.7 ± 1.0	21.6 ± 0.8

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 3

Group Name	Administration week-day						
	14-1	15-1	16-1	17-1	18-1	19-1	20-1
Control	22.2 ± 1.6	21.9 ± 1.2	22.2 ± 1.5	22.0 ± 1.3	22.3 ± 1.3	22.3 ± 1.6	22.2 ± 1.5
50 mg/kg	21.8 ± 1.3	21.5 ± 1.2	21.9 ± 1.5	21.5 ± 1.5	22.0 ± 1.2	21.9 ± 1.5	21.7 ± 1.1
100 mg/kg	22.0 ± 1.1	22.1 ± 1.3	21.9 ± 1.1	21.7 ± 1.0	22.5 ± 1.2	22.0 ± 1.1	21.9 ± 1.0
200 mg/kg	21.8 ± 1.1	22.3 ± 1.1	21.8 ± 1.2	21.7 ± 1.1	22.4 ± 0.8	21.8 ± 1.0	22.1 ± 1.0

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 4

Group Name	Administration week-day						
	21-1	22-1	23-1	24-1	25-1	26-1	26-7
Control	22.8± 1.5	22.8± 1.3	22.3± 1.2	22.6± 1.3	22.9± 1.3	22.7± 1.3	23.1± 1.5
50 mg/kg	22.0± 1.2	22.1± 1.4	22.1± 1.5	22.4± 1.5	22.1± 1.2	22.6± 1.6	22.4± 1.0
100 mg/kg	21.9± 1.2*	22.4± 1.2	22.2± 1.2	22.4± 1.2	22.3± 1.6	22.7± 1.1	22.8± 1.3
200 mg/kg	21.8± 0.9*	22.2± 1.1	21.7± 0.9	22.0± 1.0	21.9± 1.0	22.3± 1.1	22.4± 1.3

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

**TABLE A 9**

**FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL**

**NUMBERS : MALE**

**(Control, 50, 100 and 200 mg/kg groups)**

STUDY NO. : 0900  
 ANIMAL : Jic: CB6F1-Tg rasH2@Jcl  
 UNIT : g  
 SEX : MALE

MEAN FOOD CONSUMPTION AND SURVIVAL

Week-Day on Study	Control		50 mg/kg			100 mg/kg			200 mg/kg		
	Av. FC.	No. of <25> Surviv.	Av. FC.	% of cont. <25>	No. of Surviv.	Av. FC.	% of cont. <25>	No. of Surviv.	Av. FC.	% of cont. <25>	No. of Surviv.
2-1	3.9 (25)	25/25	3.9 (25)	100	25/25	4.0 (25)	103	25/25	4.2 (25)	108	25/25
3-1	3.3 (25)	25/25	3.5 (25)	106	25/25	3.5 (25)	106	25/25	3.6 (25)	109	25/25
4-1	3.3 (25)	25/25	3.3 (25)	100	25/25	3.3 (25)	100	25/25	3.5 (25)	106	25/25
5-1	3.4 (25)	25/25	3.4 (25)	100	25/25	3.5 (25)	103	25/25	3.5 (25)	103	25/25
6-1	3.3 (25)	25/25	3.1 (25)	94	25/25	3.2 (25)	97	25/25	3.4 (25)	103	25/25
7-1	3.3 (25)	25/25	3.3 (25)	100	25/25	3.3 (25)	100	25/25	3.5 (25)	106	25/25
8-1	3.3 (25)	25/25	3.2 (25)	97	25/25	3.3 (25)	100	25/25	3.4 (25)	103	25/25
9-1	3.4 (25)	25/25	3.3 (25)	97	25/25	3.5 (25)	103	25/25	3.6 (25)	106	25/25
10-1	3.2 (25)	25/25	3.2 (25)	100	25/25	3.3 (25)	103	25/25	3.4 (25)	106	25/25
11-1	3.1 (25)	25/25	3.1 (25)	100	25/25	3.3 (25)	106	25/25	3.3 (25)	106	25/25
12-1	3.2 (25)	25/25	3.1 (25)	97	25/25	3.3 (25)	103	25/25	3.4 (25)	106	25/25
13-1	3.3 (25)	25/25	3.2 (25)	97	25/25	3.3 (25)	100	25/25	3.5 (25)	106	25/25
14-1	3.2 (25)	25/25	3.1 (25)	97	25/25	3.3 (25)	103	25/25	3.4 (25)	106	25/25
15-1	3.3 (25)	25/25	3.1 (25)	94	25/25	3.2 (25)	97	25/25	3.3 (24)	100	24/25
16-1	3.2 (25)	25/25	3.0 (25)	94	25/25	3.3 (25)	103	25/25	3.4 (24)	106	24/25
17-1	3.3 (25)	25/25	3.1 (25)	94	25/25	3.3 (25)	100	25/25	3.4 (24)	103	24/25
18-1	3.3 (25)	25/25	3.0 (24)	91	24/25	3.2 (25)	97	25/25	3.3 (24)	100	24/25
19-1	3.1 (25)	25/25	2.9 (24)	94	24/25	3.2 (25)	103	25/25	3.3 (24)	106	24/25
20-1	3.1 (25)	25/25	3.0 (24)	97	24/25	3.2 (25)	103	25/25	3.3 (24)	106	24/25
21-1	3.1 (25)	25/25	3.0 (24)	97	24/25	3.2 (25)	103	25/25	3.3 (24)	106	24/25
22-1	3.2 (25)	25/25	3.0 (24)	94	24/25	3.3 (25)	103	25/25	3.3 (24)	103	24/25
23-1	3.1 (25)	25/25	3.0 (24)	97	24/25	3.2 (25)	103	25/25	3.3 (24)	106	24/25
24-1	3.2 (25)	25/25	3.0 (24)	94	24/25	3.3 (25)	103	25/25	3.4 (23)	106	23/25
25-1	3.1 (25)	25/25	2.9 (24)	94	24/25	3.1 (25)	100	25/25	3.2 (23)	103	23/25
26-1	3.3 (25)	25/25	3.1 (24)	94	24/25	3.3 (25)	100	25/25	3.4 (23)	103	23/25
26-7	3.2 (25)	25/25	3.0 (24)	94	24/25	3.2 (25)	100	25/25	3.4 (23)	106	23/25

< >: No. of effective animals, ( ) : No. of measured animals Av. FC. : g

TABLE A 10

FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL

NUMBERS : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
 ANIMAL : Jic: CB6F1-Tg rasH2@Jcl  
 UNIT : g  
 SEX : FEMALE

MEAN FOOD CONSUMPTION AND SURVIVAL

Week-Day on Study	Control		50 mg/kg			100 mg/kg			200 mg/kg		
	Av. FC.	No. of Surviv. <25>	Av. FC.	% of cont. <25>	No. of Surviv.	Av. FC.	% of cont. <25>	No. of Surviv.	Av. FC.	% of cont. <25>	No. of Surviv.
2-1	3.3 (25)	25/25	3.3 (25)	100	25/25	3.4 (25)	103	25/25	3.4 (25)	103	25/25
3-1	3.0 (25)	25/25	3.2 (25)	107	25/25	3.2 (25)	107	25/25	3.3 (25)	110	25/25
4-1	2.7 (25)	25/25	2.9 (25)	107	25/25	2.8 (25)	104	25/25	3.0 (25)	111	25/25
5-1	2.8 (25)	25/25	2.9 (25)	104	25/25	2.8 (25)	100	25/25	3.0 (25)	107	25/25
6-1	2.9 (25)	25/25	2.9 (25)	100	25/25	2.9 (25)	100	25/25	2.9 (25)	100	25/25
7-1	3.0 (25)	25/25	2.9 (25)	97	25/25	2.9 (25)	97	25/25	3.1 (25)	103	25/25
8-1	3.0 (25)	25/25	2.9 (25)	97	25/25	2.9 (25)	97	25/25	3.0 (25)	100	25/25
9-1	3.0 (25)	25/25	3.0 (25)	100	25/25	2.9 (25)	97	25/25	3.0 (25)	100	25/25
10-1	3.0 (25)	25/25	3.0 (25)	100	25/25	2.9 (25)	97	25/25	2.9 (25)	97	25/25
11-1	3.0 (25)	25/25	3.0 (25)	100	25/25	2.9 (25)	97	25/25	2.9 (25)	97	25/25
12-1	3.0 (25)	25/25	3.0 (25)	100	25/25	2.9 (25)	97	25/25	3.0 (25)	100	25/25
13-1	2.9 (25)	25/25	3.0 (25)	103	25/25	2.8 (25)	97	25/25	2.9 (25)	100	25/25
14-1	3.0 (25)	25/25	2.9 (25)	97	25/25	2.8 (25)	93	25/25	2.9 (25)	97	25/25
15-1	2.9 (25)	25/25	2.8 (25)	97	25/25	2.9 (25)	100	25/25	2.9 (25)	100	25/25
16-1	2.9 (25)	25/25	2.9 (25)	100	25/25	2.8 (25)	97	25/25	2.9 (25)	100	25/25
17-1	2.9 (25)	25/25	2.8 (25)	97	25/25	2.9 (25)	100	25/25	2.9 (25)	100	25/25
18-1	2.9 (25)	25/25	2.9 (25)	100	25/25	2.9 (25)	100	25/25	2.8 (25)	97	25/25
19-1	2.8 (25)	25/25	2.8 (25)	100	25/25	2.8 (25)	100	25/25	2.8 (25)	100	25/25
20-1	2.9 (25)	25/25	2.8 (25)	97	25/25	2.9 (25)	100	25/25	2.8 (25)	97	25/25
21-1	2.8 (24)	24/25	2.9 (25)	104	25/25	2.7 (25)	96	25/25	2.8 (25)	100	25/25
22-1	2.8 (24)	24/25	2.9 (24)	104	24/25	3.0 (25)	107	25/25	2.9 (25)	104	25/25
23-1	2.8 (24)	24/25	2.9 (24)	104	24/25	2.8 (25)	100	25/25	2.8 (25)	100	25/25
24-1	2.8 (24)	24/25	3.0 (24)	107	24/25	2.9 (25)	104	25/25	2.9 (25)	104	25/25
25-1	3.0 (24)	24/25	2.8 (24)	93	24/25	2.8 (25)	93	25/25	2.8 (25)	93	25/25
26-1	2.8 (23)	23/25	3.0 (24)	107	24/25	2.9 (25)	104	25/25	2.8 (24)	100	24/25
26-7	2.8 (23)	23/25	2.9 (24)	104	24/25	2.8 (25)	100	25/25	2.7 (24)	96	24/25

< >: No. of effective animals, ( ) : No. of measured animals Av. FC. : g

TABLE A 11

FOOD CONSUMPTION CHANGES : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 1

Group Name	Administration week-day (effective)						
	2-1 (7)	3-1 (7)	4-1 (7)	5-1 (7)	6-1 (7)	7-1 (7)	8-1 (7)
Control	3.9 ± 0.4	3.3 ± 0.3	3.3 ± 0.3	3.4 ± 0.3	3.3 ± 0.3	3.3 ± 0.3	3.3 ± 0.3
50 mg/kg	3.9 ± 0.4	3.5 ± 0.3	3.3 ± 0.2	3.4 ± 0.2	3.1 ± 0.2	3.3 ± 0.3	3.2 ± 0.2
100 mg/kg	4.0 ± 0.4	3.5 ± 0.3	3.3 ± 0.4	3.5 ± 0.2	3.2 ± 0.3	3.3 ± 0.3	3.3 ± 0.3
200 mg/kg	4.2 ± 0.4	3.6 ± 0.3*	3.5 ± 0.2*	3.5 ± 0.3	3.4 ± 0.3	3.5 ± 0.3	3.4 ± 0.3

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 2

Group Name	Administration week-day (effective)						
	9-1 (7)	10-1 (7)	11-1 (7)	12-1 (7)	13-1 (7)	14-1 (7)	15-1 (7)
Control	3.4 ± 0.3	3.2 ± 0.3	3.1 ± 0.3	3.2 ± 0.3	3.3 ± 0.3	3.2 ± 0.3	3.3 ± 0.3
50 mg/kg	3.3 ± 0.3	3.2 ± 0.3	3.1 ± 0.2	3.1 ± 0.2	3.2 ± 0.2	3.1 ± 0.2	3.1 ± 0.2*
100 mg/kg	3.5 ± 0.3	3.3 ± 0.3	3.3 ± 0.3	3.3 ± 0.3	3.3 ± 0.3	3.3 ± 0.3	3.2 ± 0.3
200 mg/kg	3.6 ± 0.4**	3.4 ± 0.3	3.3 ± 0.3	3.4 ± 0.3	3.5 ± 0.4	3.4 ± 0.3	3.3 ± 0.4

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 3

Group Name	Administration week-day (effective)						
	16-1 (7)	17-1 (7)	18-1 (7)	19-1 (7)	20-1 (7)	21-1 (7)	22-1 (7)
Control	3.2 ± 0.3	3.3 ± 0.3	3.3 ± 0.3	3.1 ± 0.3	3.1 ± 0.4	3.1 ± 0.3	3.2 ± 0.4
50 mg/kg	3.0 ± 0.2	3.1 ± 0.2	3.0 ± 0.2**	2.9 ± 0.2	3.0 ± 0.2	3.0 ± 0.2	3.0 ± 0.2
100 mg/kg	3.3 ± 0.3	3.3 ± 0.3	3.2 ± 0.3	3.2 ± 0.2	3.2 ± 0.3	3.2 ± 0.3	3.3 ± 0.3
200 mg/kg	3.4 ± 0.3	3.4 ± 0.3	3.3 ± 0.3	3.3 ± 0.4	3.3 ± 0.3	3.3 ± 0.3	3.3 ± 0.4

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 4

Group Name	Administration week-day (effective)				
	23-1 (7)	24-1 (7)	25-1 (7)	26-1 (7)	26-7 (6)
Control	3.1 ± 0.3	3.2 ± 0.4	3.1 ± 0.3	3.3 ± 0.3	3.2 ± 0.3
50 mg/kg	3.0 ± 0.2	3.0 ± 0.2	2.9 ± 0.2	3.1 ± 0.3	3.0 ± 0.2
100 mg/kg	3.2 ± 0.3	3.3 ± 0.3	3.1 ± 0.3	3.3 ± 0.3	3.2 ± 0.3
200 mg/kg	3.3 ± 0.3	3.4 ± 0.3	3.2 ± 0.4	3.4 ± 0.3	3.4 ± 0.4

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

TABLE A 12

FOOD CONSUMPTION CHANGES : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 1

Group Name	Administration week-day (effective)						
	2-1 (7)	3-1 (7)	4-1 (7)	5-1 (7)	6-1 (7)	7-1 (7)	8-1 (7)
Control	3.3 ± 0.4	3.0 ± 0.2	2.7 ± 0.2	2.8 ± 0.3	2.9 ± 0.3	3.0 ± 0.2	3.0 ± 0.2
50 mg/kg	3.3 ± 0.3	3.2 ± 0.3*	2.9 ± 0.3*	2.9 ± 0.3	2.9 ± 0.3	2.9 ± 0.3	2.9 ± 0.2
100 mg/kg	3.4 ± 0.4	3.2 ± 0.3**	2.8 ± 0.2	2.8 ± 0.2	2.9 ± 0.3	2.9 ± 0.2	2.9 ± 0.3
200 mg/kg	3.4 ± 0.3	3.3 ± 0.3**	3.0 ± 0.3**	3.0 ± 0.3**	2.9 ± 0.3	3.1 ± 0.3	3.0 ± 0.2

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 2

Group Name	Administration week-day (effective)						
	9-1 (7)	10-1 (7)	11-1 (7)	12-1 (7)	13-1 (7)	14-1 (7)	15-1 (7)
Control	3.0± 0.3	3.0± 0.3	3.0± 0.4	3.0± 0.3	2.9± 0.3	3.0± 0.4	2.9± 0.2
50 mg/kg	3.0± 0.2	3.0± 0.2	3.0± 0.3	3.0± 0.3	3.0± 0.3	2.9± 0.3	2.8± 0.2
100 mg/kg	2.9± 0.2	2.9± 0.2	2.9± 0.3	2.9± 0.3	2.8± 0.2	2.8± 0.2	2.9± 0.2
200 mg/kg	3.0± 0.3	2.9± 0.3	2.9± 0.4	3.0± 0.4	2.9± 0.3	2.9± 0.4	2.9± 0.4

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CBGF1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 3

Group Name	Administration week-day (effective)						
	16-1 (7)	17-1 (7)	18-1 (7)	19-1 (7)	20-1 (7)	21-1 (7)	22-1 (7)
Control	2.9± 0.3	2.9± 0.3	2.9± 0.2	2.8± 0.3	2.9± 0.3	2.8± 0.3	2.8± 0.3
50 mg/kg	2.9± 0.3	2.8± 0.3	2.9± 0.2	2.8± 0.3	2.8± 0.3	2.9± 0.2	2.9± 0.2
100 mg/kg	2.8± 0.2	2.9± 0.3	2.9± 0.4	2.8± 0.2	2.9± 0.3	2.7± 0.2	3.0± 0.3
200 mg/kg	2.9± 0.3	2.9± 0.4	2.8± 0.3	2.8± 0.3	2.8± 0.3	2.8± 0.3	2.9± 0.3

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 4

Group Name	Administration week-day (effective)				
	23-1 (7)	24-1 (7)	25-1 (7)	26-1 (7)	26-7 (6)
Control	2.8± 0.3	2.8± 0.2	3.0± 0.3	2.8± 0.2	2.8± 0.3
50 mg/kg	2.9± 0.3	3.0± 0.4	2.8± 0.2	3.0± 0.4	2.9± 0.2
100 mg/kg	2.8± 0.4	2.9± 0.2	2.8± 0.3	2.9± 0.2	2.8± 0.3
200 mg/kg	2.8± 0.3	2.9± 0.3	2.8± 0.3	2.8± 0.3	2.7± 0.3

Significant difference : \* :  $P \leq 0.05$     \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 5

TABLE A 13

URINALYSIS : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900

ANIMAL : Jic:CB6F1-Tg rash2@Jcl

MEASURE. TIME : 1

SEX : MALE

REPORT TYPE : A1

## URINALYSIS

PAGE : 1

Group Name	NO. of Animals	pH								Protein					Glucose					Ketone body					Occult blood											
		5. 0	6. 0	6. 5	7. 0	7. 5	8. 0	8. 5	CHI	-	±	+	2+	3+	4+	CHI	-	±	+	2+	3+	4+	CHI	-	±	+	2+	3+	4+	CHI						
Control	20	0	0	0	0	0	1	19		0	2	14	4	0	0	20	0	0	0	0	0	0	0	0	5	10	5	0	0	20	0	0	0	0		
50 mg/kg	19	0	0	0	0	1	1	17		0	4	14	1	0	0	19	0	0	0	0	0	0	0	0	3	4	10	2	0	0	19	0	0	0	0	
100 mg/kg	20	0	0	0	0	2	3	15		0	9	10	1	0	0	*	20	0	0	0	0	0	0	0	10	6	4	0	0	0	**	20	0	0	0	0
200 mg/kg	19	0	0	0	0	0	0	19		1	15	3	0	0	0	**	19	0	0	0	0	0	0	0	17	1	1	0	0	0	**	19	0	0	0	0

Significant difference ; \* : P ≤ 0.05      \*\* : P ≤ 0.01

Test of CHI SQUARE

(HCL101)

BAIS 5

STUDY NO. : 0900

ANIMAL : Jic:CB6F1-Tg rasH20Jcl

MEASURE, TIME : 1

SEX : MALE REPORT TYPE : A1

URINALYSIS

PAGE : 2

Group Name	No. of Animals	Urobilinogen ± + 2+ 3+ 4+	CHI
Control	20	20 0 0 0 0	
50 mg/kg	19	19 0 0 0 0	
100 mg/kg	20	20 0 0 0 0	
200 mg/kg	19	19 0 0 0 0	

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of CHI SQUARE

(HCL101)

BAIS 5

TABLE A 14

URINALYSIS : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901

ANIMAL : Jic:CB6F1-Tg rash20Jcl

MEASURE. TIME : 1

SEX : FEMALE REPORT TYPE : A1

## URINALYSIS

PAGE : 1

Group Name	NO. of Animals	pH								Protein				Glucose				Ketone body				Occult blood																
		5. 0	6. 0	6. 5	7. 0	7. 5	8. 0	8. 5	CHI	-	±	+	2+	3+	4+	CHI	-	±	+	2+	3+	4+	CHI	-	±	+	2+	3+	4+	CHI								
Control	13	0	0	0	1	2	4	6		0	5	6	0	2	0		13	0	0	0	0	0	0		0	6	5	2	0	0		13	0	0	0	0	0	0
50 mg/kg	19	0	0	3	4	3	7	2		0	10	8	1	0	0		19	0	0	0	0	0	0		0	8	8	3	0	0		19	0	0	0	0	0	0
100 mg/kg	25	0	0	0	0	2	6	17		0	23	2	0	0	0	**	25	0	0	0	0	0	0		1	22	2	0	0	0	*	25	0	0	0	0	0	0
200 mg/kg	23	0	0	0	1	0	4	18		3	18	2	0	0	0	**	23	0	0	0	0	0	0		7	15	1	0	0	0	**	23	0	0	0	0	0	0

Significant difference ; \* : P ≤ 0.05    \*\* : P ≤ 0.01

Test of CHI SQUARE

(HCL101)

BAIS 5

STUDY NO. : 0901

ANIMAL : Jic:CB6F1-Tg rash20Jcl

MEASURE. TIME : 1

SEX : FEMALE REPORT TYPE : A1

URINALYSIS

PAGE : 2

Group Name	NO. of Animals	Urobilinogen	±	2+	3+	4+	CHI
Control	13	13	0	0	0	0	
50 mg/kg	19	19	0	0	0	0	
100 mg/kg	25	25	0	0	0	0	
200 mg/kg	23	23	0	0	0	0	

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of CHI SQUARE

(HCL101)

BAIS 5

TABLE A 15

HEMATOLOGY : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900

ANIMAL : Jic:CB6F1-Tg rash20Jcl

MEASURE. TIME : 1

SEX : MALE

REPORT TYPE : A1

## HEMATOLOGY (SUMMARY)

ALL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	RED BLOOD CELL $10^6/\mu\text{l}$	HEMOGLOBIN g/dl	HEMATOCRIT %	MCV $\text{fL}$	MCH pg	MCHC g/dl	PLATELET $10^3/\mu\text{l}$
Control	25	11.54± 0.57	16.6± 0.6	48.5± 1.7	42.0± 1.0	14.4± 0.3	34.3± 0.4	1534± 113
50 mg/kg	23	11.74± 0.35	16.8± 0.4	49.1± 1.5	41.8± 0.6	14.4± 0.2	34.4± 0.4	1562± 101
100 mg/kg	25	11.65± 0.36	16.7± 0.4	48.9± 1.2	42.0± 0.6	14.3± 0.3	34.1± 0.3	1560± 101
200 mg/kg	23	11.36± 0.52	16.5± 0.6	48.4± 1.3	42.6± 1.3*	14.5± 0.4	34.0± 0.6	1556± 98

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$ 

Test of Dunnett

(HCL070)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
MEASURE. TIME : 1

SEX : MALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)  
ALL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	RETICULOCYTE %
Control	25	3.5± 2.1
50 mg/kg	23	3.0± 0.2
100 mg/kg	25	3.0± 0.2
200 mg/kg	23	3.5± 1.0**

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
MEASURE. TIME : 1

HEMATOLOGY (SUMMARY)  
ALL ANIMALS ( 27W)

SEX : MALE REPORT TYPE : A1

PAGE : 3

Group Name	No. of Animals	WBC $10^9/\mu\text{L}$	Differential		WBC LYMPHO (%)	MONO	EOSINO	BASO
			NEUTRO	LYM				
Control	25	1.68± 0.92	30.3± 6.4		63.8± 6.7	3.4± 2.0	2.2± 2.4	0.3± 0.7
50 mg/kg	23	1.79± 0.88	34.6± 9.1		60.5± 7.8	3.0± 1.4	1.6± 1.6	0.2± 0.3
100 mg/kg	25	1.64± 0.86	30.8± 7.7		64.4± 7.9	2.7± 1.1	1.8± 1.9	0.3± 0.3
200 mg/kg	23	1.68± 0.89	28.4± 6.4		66.3± 6.2	3.3± 1.0	1.6± 1.0	0.5± 0.4*

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS 5

TABLE A 16

HEMATOLOGY : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
MEASURE. TIME : 1  
SEX : FEMALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)  
ALL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	RED BLOOD CELL $10^6/\mu\text{l}$	HEMOGLOBIN $\text{g}/\text{dl}$	HEMATOCRIT %	MCV $\text{f}\ell$	MCH $\text{pg}$	MCHC $\text{g}/\text{dl}$	PLATELET $10^3/\mu\text{l}$
Control	23	11.35± 0.33	16.6± 0.3	48.0± 1.1	42.3± 0.6	14.6± 0.3	34.6± 0.4	1382± 128
50 mg/kg	24	11.32± 0.28	16.5± 0.4	48.1± 1.3	42.5± 0.6	14.6± 0.2	34.4± 0.5	1399± 119
100 mg/kg	25	11.05± 0.71	16.1± 1.0*	46.9± 2.4	42.5± 1.4	14.6± 0.4	34.2± 0.7	1394± 189
200 mg/kg	24	10.93± 0.67**	15.5± 1.0**	45.7± 2.7**	41.8± 0.8	14.2± 0.3**	33.9± 0.5**	1450± 97

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS 5

STUDY NO. : 0901

ANIMAL : Jic:CB6F1-Tg rash20Jcl

MEASURE. TIME : 1

SEX : FEMALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)

ALL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	RETICULOCYTE %	
Control	23	3.5±	0.5
50 mg/kg	24	3.4±	0.5
100 mg/kg	25	4.6±	4.9
200 mg/kg	24	4.0±	1.4

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BA1S5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
MEASURE. TIME : 1  
SEX : FEMALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)  
ALL ANIMALS ( 27W)

PAGE : 3

Group Name	No. of Animals	WBC 10 <sup>3</sup> /μl	Differential		WBC LYMPHO (%)	MONO	EOSINO		BASO	
			NEUTRO	LYMPHO			MONO	EOSINO	BASO	
Control	23	2.27± 1.32	30.1± 8.3	63.8± 7.0	4.1± 1.3	1.5± 1.2	0.5± 0.4			
50 mg/kg	24	2.49± 2.03	31.2± 10.6	62.6± 10.6	4.1± 0.9	1.6± 1.1	0.6± 0.3			
100 mg/kg	25	2.70± 2.36	30.8± 11.5	61.1± 10.0	5.2± 1.7*	2.1± 2.4	0.8± 0.6			
200 mg/kg	24	2.75± 1.32	34.7± 11.2	57.7± 10.9	4.0± 1.4	3.1± 3.6	0.5± 0.3			

Significant difference ; \* : P ≤ 0.05      \*\* : P ≤ 0.01

Test of Dunnett

(HCL070)

BAIS 5

TABLE A 17

BIOCHEMISTRY : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
MEASURE. TIME : 1

SEX : MALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)  
ALL ANIMALS ( 27W)

PAGE : 1

Group Name	No. of Animals	TOTAL PROTEIN g/dl	ALBUMIN g/dl	A/G RATIO		T-BILIRUBIN mg/dl		GLUCOSE mg/dl		T-CHOLESTEROL mg/dl		TRIGLYCERIDE mg/dl	
Control	25	5.1± 0.2	2.8± 0.1	1.2±	0.1	0.06±	0.01	200±	19	94±	10	44±	15
50 mg/kg	23	5.2± 0.2	2.9± 0.1	1.2±	0.1	0.06±	0.01	204±	23	104±	10**	61±	15**
100 mg/kg	25	5.2± 0.2	2.8± 0.1	1.2±	0.1*	0.05±	0.01	225±	16**	116±	9**	57±	21*
200 mg/kg	23	5.3± 0.3	2.7± 0.1**	1.0±	0.1**	0.05±	0.01**	221±	24**	140±	17**	58±	20*

Significant difference ; \* : P ≤ 0.05      \*\* : P ≤ 0.01

Test of Dunnett

(HCL074)

BAIS 5

STUDY NO. : 0900

ANIMAL : Jic:CB6F1-Tg rasH20Jcl

MEASURE. TIME : 1

SEX : MALE REPORT TYPE : A1

## BIOCHEMISTRY (SUMMARY)

ALL ANIMALS ( 27W)

PAGE : 2

Group Name	No. of Animals	PHOSPHOLIPID mg/dl	AST U/L	ALT U/L	LDH U/L	ALP U/L	G-GTP U/L	CK U/L
Control	25	188± 19	53± 14	16± 5	210± 48	227± 26	0.4± 0.4	60± 17
50 mg/kg	23	210± 18**	52± 9	17± 4	183± 29	501± 61**	0.5± 0.6	53± 12
100 mg/kg	25	228± 18**	49± 9	17± 4	184± 24	540± 51**	0.3± 0.5	57± 17
200 mg/kg	23	263± 32**	51± 13	16± 3	191± 37	550± 61**	0.5± 0.4	65± 23

Significant difference ; \* : P ≤ 0.05      \*\* : P ≤ 0.01

Test of Dunnett

(HCL074)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
MEASURE. TIME : 1

SEX : MALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)  
ALL ANIMALS ( 27W)

PAGE : 3

Group Name	No. of Animals	UREA NITROGEN mg/dl	SODIUM mEq/l	POTASSIUM mEq/l	CHLORIDE mEq/l	CALCIUM mg/dl	INORGANIC PHOSPHORUS mg/dl
Control	25	20.6 ± 3.2	153 ± 2	3.6 ± 0.2	118 ± 2	8.5 ± 0.3	5.1 ± 0.8
50 mg/kg	23	20.3 ± 4.9	153 ± 1	3.6 ± 0.3	119 ± 2	8.5 ± 0.2	4.8 ± 0.8
100 mg/kg	25	19.8 ± 3.8	153 ± 2	3.7 ± 0.3	118 ± 2	8.5 ± 0.3	4.9 ± 0.8
200 mg/kg	23	25.8 ± 4.7**	153 ± 2	3.5 ± 0.2	119 ± 2	8.8 ± 0.3**	5.2 ± 0.9

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS 5

TABLE A 18

BIOCHEMISTRY : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
MEASURE. TIME : 1  
SEX : FEMALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)  
ALL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	TOTAL PROTEIN g/dl	ALBUMIN g/dl	A/G RATIO		T-BILIRUBIN mg/dl		GLUCOSE mg/dl		T-CHOLESTEROL mg/dl		TRIGLYCERIDE mg/dl	
Control	23	5.2± 0.2	3.1± 0.1	1.4±	0.1	0.05±	0.01	180±	18	67±	7	34±	12
50 mg/kg	24	5.2± 0.2	3.0± 0.1	1.4±	0.1	0.05±	0.01	173±	19	71±	7	36±	12
100 mg/kg	25	5.3± 0.2	3.0± 0.1	1.3±	0.1**	0.04±	0.01	182±	18	79±	12**	43±	21
200 mg/kg	24	5.7± 0.2**	3.2± 0.1**	1.3±	0.1**	0.04±	0.01**	179±	22	113±	10**	56±	14**

Significant difference ; \* : P ≤ 0.05      \*\* : P ≤ 0.01

Test of Dunnett

(HCL074)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
MEASURE TIME : 1  
SEX : FEMALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)  
ALL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	PHOSPHOLIPID mg/dl	AST U/L	ALT U/L	LDH U/L	ALP U/L	G-GTP U/L	CK U/L
Control	23	137± 13	51± 7	16± 2	159± 30	310± 40	0.5± 0.6	47± 16
50 mg/kg	24	146± 16	55± 10	16± 3	148± 25	355± 52*	0.5± 0.5	54± 10*
100 mg/kg	25	159± 25**	52± 13	15± 3	164± 34	360± 64**	0.7± 1.2	59± 20**
200 mg/kg	24	225± 17**	54± 10	18± 4	171± 33	480± 81**	2.8± 1.4**	61± 19**

Significant difference : \* : P ≤ 0.05      \*\* : P ≤ 0.01

Test of Dunnett

(HCL074)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
MEASURE. TIME : 1

SEX : FEMALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)  
ALL ANIMALS ( 27W)

PAGE : 3

Group Name	NO. of Animals	UREA NITROGEN mg/dl	SODIUM mEq/l	POTASSIUM mEq/l	CHLORIDE mEq/l	CALCIUM mg/dl	INORGANIC PHOSPHORUS mg/dl
Control	23	16.7± 3.9	152± 2	3.3± 0.2	118± 2	8.8± 0.3	4.6± 0.8
50 mg/kg	24	15.3± 3.0	152± 2	3.4± 0.3	119± 2	8.8± 0.2	4.9± 0.7
100 mg/kg	25	18.1± 2.7	151± 2	3.2± 0.2	118± 3	8.9± 0.3	5.2± 0.9
200 mg/kg	24	30.3± 4.9**	150± 2*	3.3± 0.2	116± 2**	9.6± 0.2**	6.8± 1.1**

Significant difference ; \* : P ≤ 0.05      \*\* : P ≤ 0.01

Test of Dunnett

(HCL074)

BAIS 5

TABLE A 19

GROSS FINDINGS : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : MALE

GROSS FINDINGS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name NO. of Animals	Control 25 (%)	50 mg/kg 25 (%)	100 mg/kg 25 (%)	200 mg/kg 25 (%)
Lung	white zone	1 ( 4)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
	nodule	1 ( 4)	2 ( 8)	0 ( 0)	0 ( 0)	0 ( 0)
Lymph node	enlarged	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 4)	0 ( 0)
thymus	enlarged	0 ( 0)	0 ( 0)	1 ( 4)	0 ( 0)	0 ( 0)
	atrophic	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 4)	0 ( 0)
spleen	black zone	2 ( 8)	3 ( 12)	1 ( 4)	1 ( 4)	0 ( 0)
	nodule	1 ( 4)	1 ( 4)	0 ( 0)	2 ( 8)	0 ( 0)
stomach	forestomach:nodule	0 ( 0)	0 ( 0)	0 ( 0)	3 ( 12)	0 ( 0)
small intes	nodule	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 4)	0 ( 0)
liver	white zone	0 ( 0)	0 ( 0)	1 ( 4)	0 ( 0)	0 ( 0)
kidney	pale	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 4)
	white zone	0 ( 0)	0 ( 0)	1 ( 4)	2 ( 8)	0 ( 0)
	granular	0 ( 0)	0 ( 0)	0 ( 0)	3 ( 12)	0 ( 0)
muscle	red zone	0 ( 0)	1 ( 4)	0 ( 0)	0 ( 0)	0 ( 0)
abdominal ca	ascites	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 4)	0 ( 0)
thoracic ca	pleural fluid	0 ( 0)	1 ( 4)	0 ( 0)	1 ( 4)	0 ( 0)

TABLE A 20

GROSS FINDINGS : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name NO. of Animals	Control 25 (%)	50 mg/kg 25 (%)	100 mg/kg 25 (%)	200 mg/kg 25 (%)
skin/app	nodule	1 ( 4)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
lung	white zone	2 ( 8)	0 ( 0)	1 ( 4)	0 ( 0)	0 ( 0)
	nodule	0 ( 0)	1 ( 4)	0 ( 0)	0 ( 0)	0 ( 0)
lymph node	red	1 ( 4)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
thymus	atrophic	0 ( 0)	1 ( 4)	0 ( 0)	0 ( 0)	0 ( 0)
spleen	enlarged	2 ( 8)	1 ( 4)	0 ( 0)	0 ( 0)	0 ( 0)
	black zone	3 ( 12)	1 ( 4)	1 ( 4)	1 ( 4)	1 ( 4)
	nodule	0 ( 0)	0 ( 0)	1 ( 4)	0 ( 0)	0 ( 0)
stomach	forestomach:nodule	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 4)
kidney	pale	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	16 ( 64)
	granular	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	10 ( 40)
ovary	enlarged	1 ( 4)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 4)
uterus	red zone	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 4)
	nodule	0 ( 0)	0 ( 0)	1 ( 4)	0 ( 0)	0 ( 0)
muscle	red zone	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 4)
peritoneum	nodule	0 ( 0)	1 ( 4)	0 ( 0)	0 ( 0)	0 ( 0)
thoracic ca	pleural fluid	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 4)
other	hindlimb:swollen	1 ( 4)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
	nose:nodule	0 ( 0)	0 ( 0)	1 ( 4)	0 ( 0)	0 ( 0)

TABLE A 21

ORGAN WEIGHT, ABSOLUTE : MALE  
(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : MALE  
UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	Body Weight	THYMUS		ADRENALS		TESTES		HEART		LUNGS	
Control	25	26.3 ± 2.1	0.059 ±	0.023	0.016 ±	0.004	0.262 ±	0.029	0.156 ±	0.015	0.157 ±	0.019
50 mg/kg	24	25.5 ± 1.6	0.049 ±	0.010	0.016 ±	0.003	0.248 ±	0.031	0.151 ±	0.017	0.154 ±	0.016
100 mg/kg	25	26.2 ± 1.7	0.060 ±	0.043	0.016 ±	0.003	0.264 ±	0.019	0.152 ±	0.012	0.159 ±	0.011
200 mg/kg	23	25.9 ± 1.9	0.044 ±	0.008**	0.014 ±	0.003	0.263 ±	0.026	0.151 ±	0.016	0.154 ±	0.017

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : MALE  
UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS		SPLEEN		LIVER		BRAIN	
Control	25	0.519±	0.050	0.061±	0.017	1.069±	0.091	0.477±	0.015
50 mg/kg	24	0.496±	0.042	0.058±	0.012	1.124±	0.073	0.476±	0.015
100 mg/kg	25	0.490±	0.035	0.057±	0.008	1.218±	0.087**	0.476±	0.013
200 mg/kg	23	0.505±	0.050	0.069±	0.013**	1.306±	0.119**	0.477±	0.015

Significant difference : \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$       Test of Dunnett

(HCL040)

BAIS 5

TABLE A 22

ORGAN WEIGHT, ABSOLUTE : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	Body Weight	THYMUS		ADRENALS		OVARIES		HEART		LUNGS	
Control	23	20.4 ± 1.4	0.044 ±	0.019	0.015 ±	0.002	0.031 ±	0.008	0.117 ±	0.010	0.146 ±	0.014
50 mg/kg	24	19.8 ± 1.1	0.032 ±	0.011*	0.014 ±	0.002	0.028 ±	0.005	0.113 ±	0.007	0.142 ±	0.009
100 mg/kg	25	20.1 ± 1.1	0.035 ±	0.011	0.015 ±	0.002	0.029 ±	0.004	0.116 ±	0.010	0.147 ±	0.014
200 mg/kg	24	19.3 ± 1.0**	0.033 ±	0.014*	0.014 ±	0.001	0.028 ±	0.005	0.108 ±	0.008**	0.143 ±	0.014

Significant difference : \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS		SPLEEN		LIVER		BRAIN	
Control	23	0.343±	0.026	0.068±	0.012	0.885±	0.085	0.481±	0.013
50 mg/kg	24	0.338±	0.017	0.062±	0.012	0.860±	0.057	0.479±	0.014
100 mg/kg	25	0.357±	0.034	0.086±	0.053	0.904±	0.094	0.482±	0.014
200 mg/kg	24	0.358±	0.030	0.079±	0.015**	0.932±	0.073	0.475±	0.014

Significant difference : \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS 5

TABLE A 23

ORGAN WEIGHT, RELATIVE : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : MALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	Body Weight (g)	THYMUS	ADRENALS	TESTES	HEART	LUNGS
Control	25	26.3 ± 2.1	0.224 ± 0.080	0.060 ± 0.015	0.996 ± 0.101	0.592 ± 0.035	0.596 ± 0.068
50 mg/kg	24	25.5 ± 1.6	0.192 ± 0.036	0.062 ± 0.012	0.969 ± 0.100	0.592 ± 0.055	0.605 ± 0.065
100 mg/kg	25	26.2 ± 1.7	0.225 ± 0.143	0.061 ± 0.011	1.009 ± 0.073	0.583 ± 0.035	0.608 ± 0.048
200 mg/kg	23	25.9 ± 1.9	0.172 ± 0.032*	0.055 ± 0.010	1.019 ± 0.113	0.585 ± 0.038	0.597 ± 0.053

Significant difference : \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : MALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS	SPLEEN	LIVER	BRAIN
Control	25	1.973± 0.121	0.231± 0.058	4.059± 0.165	1.819± 0.128
50 mg/kg	24	1.941± 0.134	0.227± 0.041	4.403± 0.198**	1.868± 0.088
100 mg/kg	25	1.875± 0.108*	0.218± 0.029	4.655± 0.220**	1.826± 0.107
200 mg/kg	23	1.951± 0.110	0.267± 0.055**	5.045± 0.197**	1.852± 0.111

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS 5

TABLE A 24

ORGAN WEIGHT, RELATIVE : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	Body Weight (g)	THYMUS	ADRENALS	OVARIES	HEART	LUNGS
Control	23	20.4 ± 1.4	0.216 ± 0.082	0.073 ± 0.010	0.151 ± 0.039	0.575 ± 0.046	0.713 ± 0.049
50 mg/kg	24	19.8 ± 1.1	0.162 ± 0.049	0.071 ± 0.013	0.143 ± 0.025	0.570 ± 0.029	0.716 ± 0.036
100 mg/kg	25	20.1 ± 1.1	0.171 ± 0.049	0.073 ± 0.009	0.142 ± 0.020	0.580 ± 0.049	0.733 ± 0.072
200 mg/kg	24	19.3 ± 1.0**	0.168 ± 0.060	0.070 ± 0.006	0.144 ± 0.028	0.560 ± 0.037	0.739 ± 0.069

Significant difference : \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS	SPLEEN	LIVER	BRAIN
Control	23	1.681 ± 0.103	0.332 ± 0.061	4.335 ± 0.296	2.364 ± 0.146
50 mg/kg	24	1.706 ± 0.089	0.311 ± 0.052	4.341 ± 0.218	2.422 ± 0.098
100 mg/kg	25	1.777 ± 0.114**	0.425 ± 0.258	4.495 ± 0.294	2.406 ± 0.109
200 mg/kg	24	1.851 ± 0.096**	0.409 ± 0.070**	4.826 ± 0.203**	2.463 ± 0.104*

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS 5

TABLE A 25

HISTOPATHOLOGICAL FINDINGS :

NEOPLASTIC LESIONS : MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1  
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS : NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name No. of animals on Study	Control 25	50 mg/kg 25	100 mg/kg 25	200 mg/kg 25
<b>(Respiratory system)</b>						
nasal cavit	hemangioma		<25> 0 ( 0%)	<25> 1 ( 4%)	<25> 0 ( 0%)	<25> 0 ( 0%)
lung	bronchiolar-alveolar adenoma		<25> 1 ( 4%)	<25> 4 ( 16%)	<25> 1 ( 4%)	<25> 1 ( 4%)
<b>(Hematopoietic system)</b>						
spleen	hemangioma		<25> 1 ( 4%)	<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 0 ( 0%)
	hemangiosarcoma		0 ( 0%)	1 ( 4%)	0 ( 0%)	2 ( 8%)
<b>(Digestive system)</b>						
stomach	squamous cell papilloma		<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 2 ( 8%)
	squamous cell carcinoma		0 ( 0%)	0 ( 0%)	0 ( 0%)	1 ( 4%)
small intes	hemangiosarcoma		<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 1 ( 4%)
<b>(Urinary system)</b>						
urin bladd	hemangioma		<25> 0 ( 0%)	<25> 1 ( 4%)	<25> 0 ( 0%)	<25> 0 ( 0%)
<b>(Body cavities)</b>						
pleura	hemangioma		<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 1 ( 4%)

< a > a : Number of animals examined at the site  
 b ( c ) b : Number of animals with neoplasm      c : b / a \* 100

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1  
SEX : MALE

HISTOPATHOLOGICAL FINDINGS : NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 2

Organ	Findings	Group Name No. of animals on Study	Control 25	50 mg/kg 25	100 mg/kg 25	200 mg/kg 25
-------	----------	---------------------------------------	---------------	----------------	-----------------	-----------------

{Body cavities}

pleura	hemangiosarcoma		<25> 0 ( 0%)	<25> 1 ( 4%)	<25> 0 ( 0%)	<25> 0 ( 0%)
--------	-----------------	--	-----------------	-----------------	-----------------	-----------------

< a > a : Number of animals examined at the site  
b ( c ) b : Number of animals with neoplasm      c : b / a \* 100

(HPT085)

BAIS6

TABLE A 26

HISTOPATHOLOGICAL FINDINGS :

NEOPLASTIC LESIONS : FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS : NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name No. of animals on Study	Control 25	50 mg/kg 25	100 mg/kg 25	200 mg/kg 25
<b>(Integumentary system/appendage)</b>						
skin/app	schwannoma:malignant		<25> 1 ( 4%)	<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 0 ( 0%)
<b>(Respiratory system)</b>						
nasal cavit	hemangioma		<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 1 ( 4%)	<25> 0 ( 0%)
lung	bronchiolar-alveolar adenoma		<25> 3 ( 12%)	<25> 3 ( 12%)	<25> 2 ( 8%)	<25> 0 ( 0%)
	bronchiolar-alveolar carcinoma		<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 1 ( 4%)	<25> 0 ( 0%)
<b>(Hematopoietic system)</b>						
spleen	hemangiosarcoma		<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 1 ( 4%)	<25> 0 ( 0%)
<b>(Digestive system)</b>						
salivary gl	hemangioma		<25> 1 ( 4%)	<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 0 ( 0%)
stomach	squamous cell carcinoma		<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 1 ( 4%)
<b>(Reproductive system)</b>						
uterus	hemangioma		<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 1 ( 4%)	<25> 0 ( 0%)
<b>(Musculoskeletal system)</b>						
muscle	hemangioma		<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 0 ( 0%)	<25> 1 ( 4%)

< a > a : Number of animals examined at the site  
 b ( c ) b : Number of animals with neoplasm

c : b / a \* 100

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS : NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 2

Organ	Findings	Group Name No. of animals on Study	Control 25	50 mg/kg 25	100 mg/kg 25	200 mg/kg 25
-------	----------	---------------------------------------	---------------	----------------	-----------------	-----------------

{Body cavities}

peritoneum	hemangiosarcoma		<25> 0 ( 0%)	<25> 1 ( 4%)	<25> 0 ( 0%)	<25> 0 ( 0%)
------------	-----------------	--	-----------------	-----------------	-----------------	-----------------

< a > a : Number of animals examined at the site  
b ( c ) b : Number of animals with neoplasm      c : b / a \* 100

(HPT085)

BAIS6

TABLE A 27

NEOPLASTIC LESIONS-INCIDENCE  
AND STATISTICAL ANALYSIS : MALE  
(Control, 50, 100 and 200 mg/kg groups)

STUDY No. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
SEX : MALE

NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL ANALYSIS

PAGE : 1

Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
SITE : lung				
TUMOR : bronchiolar-alveolar adenoma				
Tumor rate				
Overall rates(a)	1/25 ( 4.0)	4/25 ( 16.0)	1/25 ( 4.0)	1/25 ( 4.0)
Adjusted rates(b)	4.00	16.67	4.00	4.35
Terminal rates(c)	1/25 ( 4.0)	4/24 ( 16.7)	1/25 ( 4.0)	1/23 ( 4.3)
Statistical analysis				
Peto test				
Standard method(d)	P = _____			
Prevalence method(d)	P = 0.6894			
Combined analysis(d)	P = _____			
Cochran-Armitage test(e)	P = 0.5510			
Fisher Exact test(e)		P = 0.1743	P = 0.7551	P = 0.7551
SITE : spleen				
TUMOR : hemangiosarcoma				
Tumor rate				
Overall rates(a)	0/25 ( 0.0)	1/25 ( 4.0)	0/25 ( 0.0)	2/25 ( 8.0)
Adjusted rates(b)	0.00	4.17	0.00	4.35
Terminal rates(c)	0/25 ( 0.0)	1/24 ( 4.2)	0/25 ( 0.0)	1/23 ( 4.3)
Statistical analysis				
Peto test				
Standard method(d)	P = 0.1033			
Prevalence method(d)	P = 0.2337			
Combined analysis(d)	P = 0.0763			
Cochran-Armitage test(e)	P = 0.1372			
Fisher Exact test(e)		P = 0.5000	P = N.C.	P = 0.2449
SITE : spleen				
TUMOR : hemangioma, hemangiosarcoma				
Tumor rate				
Overall rates(a)	1/25 ( 4.0)	1/25 ( 4.0)	0/25 ( 0.0)	2/25 ( 8.0)
Adjusted rates(b)	4.00	4.17	0.00	4.35
Terminal rates(c)	1/25 ( 4.0)	1/24 ( 4.2)	0/25 ( 0.0)	1/23 ( 4.3)
Statistical analysis				
Peto test				
Standard method(d)	P = 0.1033			
Prevalence method(d)	P = 0.4989			
Combined analysis(d)	P = 0.2349			
Cochran-Armitage test(e)	P = 0.4902			
Fisher Exact test(e)		P = 0.7551	P = 0.5000	P = 0.5000

STUDY No. : 0900  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 SEX : MALE

NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL ANALYSIS

PAGE : 2

Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
Tumor rate				
SITE : stomach				
TUMOR : squamous cell papilloma				
Overall rates (a)	0/25 ( 0.0)	0/25 ( 0.0)	0/25 ( 0.0)	2/25 ( 8.0)
Adjusted rates (b)	0.00	0.00	0.00	8.70
Terminal rates (c)	0/25 ( 0.0)	0/24 ( 0.0)	0/25 ( 0.0)	2/23 ( 8.7)
Statistical analysis				
Peto test				
Standard method (d)	P = -----			
Prevalence method (d)	P = 0.0157* ?			
Combined analysis (d)	P = -----			
Cochran-Armitage test (e)	P = 0.0298*			
Fisher Exact test (e)		P = N.C.	P = N.C.	P = 0.2449
Tumor rate				
SITE : stomach				
TUMOR : squamous cell papilloma, squamous cell carcinoma				
Overall rates (a)	0/25 ( 0.0)	0/25 ( 0.0)	0/25 ( 0.0)	3/25 ( 12.0)
Adjusted rates (b)	0.00	0.00	0.00	8.70
Terminal rates (c)	0/25 ( 0.0)	0/24 ( 0.0)	0/25 ( 0.0)	2/23 ( 8.7)
Statistical analysis				
Peto test				
Standard method (d)	P = 0.1064			
Prevalence method (d)	P = 0.0157* ?			
Combined analysis (d)	P = 0.0036**?			
Cochran-Armitage test (e)	P = 0.0075**			
Fisher Exact test (e)		P = N.C.	P = N.C.	P = 0.1173

(HPT360A)

BAIS6

- (a) : Number of tumor-bearing animals/number of animals examined at the site.
- (b) : Kaplan-Meier estimated tumor incidence at the end of the study after adjusting for intercurrent mortality.
- (c) : Observed tumor incidence at terminal kill.
- (d) : Beneath the control incidence are the P-values associated with the trend test.
  - Standard method : Death analysis
  - Prevalence method : Incidental tumor test
  - Combined analysis : Death analysis + Incidental tumor test
- (e) : The Cochran-Armitage and Fisher exact test compare directly the overall incidence rates.
- ? : The conditional probabilities of the largest and smallest possible outcomes can not be estimated or this P-value is beyond the estimated P-value.
- : There is no data which should be statistical analysis.
- Significant difference ; \* : P ≤ 0.05   \*\* : P ≤ 0.01
- N.C. : Statistical value cannot be calculated and was not significant.

STUDY No. : 0900  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 SEX : MALE

NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL ANALYSIS

PAGE : 1

Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
SITE : ALL SITE TUMOR : hemangioma				
Tumor rate				
Overall rates (a)	1/25 ( 4.0)	2/25 ( 8.0)	0/25 ( 0.0)	1/25 ( 4.0)
Adjusted rates (b)	4.00	8.33	0.00	4.35
Terminal rates (c)	1/25 ( 4.0)	2/24 ( 8.3)	0/25 ( 0.0)	1/23 ( 4.3)
Statistical analysis				
Peto test				
Standard method (d)	P = _____			
Prevalence method (d)	P = 0.5947			
Combined analysis (d)	P = _____			
Cochran-Armitage test (e)	P = 0.7301			
Fisher Exact test (e)		P = 0.5000	P = 0.5000	P = 0.7551
SITE : ALL SITE TUMOR : hemangiosarcoma				
Tumor rate				
Overall rates (a)	0/25 ( 0.0)	2/25 ( 8.0)	0/25 ( 0.0)	3/25 ( 12.0)
Adjusted rates (b)	0.00	4.17	0.00	8.70
Terminal rates (c)	0/25 ( 0.0)	1/24 ( 4.2)	0/25 ( 0.0)	2/23 ( 8.7)
Statistical analysis				
Peto test				
Standard method (d)	P = 0.2413			
Prevalence method (d)	P = 0.0731			
Combined analysis (d)	P = 0.0558			
Cochran-Armitage test (e)	P = 0.1034			
Fisher Exact test (e)		P = 0.2449	P = N.C.	P = 0.1173

(HPT360A)

BAIS6

- (a) : Number of tumor-bearing animals/number of animals examined at the site.
- (b) : Kaplan-Meier estimated tumor incidence at the end of the study after adjusting for intercurrent mortality.
- (c) : Observed tumor incidence at terminal kill.
- (d) : Beneath the control incidence are the P-values associated with the trend test.
  - Standard method : Death analysis
  - Prevalence method : Incidental tumor test
  - Combined analysis : Death analysis + Incidental tumor test
- (e) : The Cochran-Armitage and Fisher exact test compare directly the overall incidence rates.
- ? : The conditional probabilities of the largest and smallest possible outcomes can not be estimated or this P-value is beyond the estimated P-value.
- \_\_\_\_\_ : There is no data which should be statistical analysis.
- Significant difference ; \* : P ≤ 0.05   \*\* : P ≤ 0.01
- N.C : Statistical value cannot be calculated and was not significant.

TABLE A 28

NEOPLASTIC LESIONS-INCIDENCE  
AND STATISTICAL ANALYSIS : FEMALE  
(Control, 50, 100 and 200 mg/kg groups)

STUDY No. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 SEX : FEMALE

NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL ANALYSIS

PAGE : 1

Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
SITE : Lung TUMOR : bronchiolar-alveolar adenoma				
Tumor rate				
Overall rates(a)	3/25 ( 12.0)	3/25 ( 12.0)	2/25 ( 8.0)	0/25 ( 0.0)
Adjusted rates(b)	13.04	12.50	8.00	0.00
Terminal rates(c)	3/23 ( 13.0)	3/24 ( 12.5)	2/25 ( 8.0)	0/24 ( 0.0)
Statistical analysis				
Peto test				
Standard method(d)	P = _____			
Prevalence method(d)	P = 0.9685			
Combined analysis(d)	P = _____			
Cochran-Armitage test(e)	P = 0.0811			
Fisher Exact test(e)		P = 0.6664	P = 0.5000	P = 0.1173
SITE : Lung TUMOR : bronchiolar-alveolar adenoma, bronchiolar-alveolar carcinoma				
Tumor rate				
Overall rates(a)	3/25 ( 12.0)	3/25 ( 12.0)	3/25 ( 12.0)	0/25 ( 0.0)
Adjusted rates(b)	13.04	12.50	12.00	0.00
Terminal rates(c)	3/23 ( 13.0)	3/24 ( 12.5)	3/25 ( 12.0)	0/24 ( 0.0)
Statistical analysis				
Peto test				
Standard method(d)	P = _____			
Prevalence method(d)	P = 0.9541			
Combined analysis(d)	P = _____			
Cochran-Armitage test(e)	P = 0.1108			
Fisher Exact test(e)		P = 0.6664	P = 0.6664	P = 0.1173

(HPT360A)

BAIS6

- (a) : Number of tumor-bearing animals/number of animals examined at the site.
- (b) : Kaplan-Meier estimated tumor incidence at the end of the study after adjusting for intercurrent mortality.
- (c) : Observed tumor incidence at terminal kill.
- (d) : Beneath the control incidence are the P-values associated with the trend test.  
 Standard method : Death analysis  
 Prevalence method : Incidental tumor test  
 Combined analysis : Death analysis + Incidental tumor test
- (e) : The Cochran-Armitage and Fisher exact test compare directly the overall incidence rates.  
 ? : The conditional probabilities of the largest and smallest possible outcomes can not be estimated or this P-value is beyond the estimated P-value.  
 \_\_\_\_\_ : There is no data which should be statistical analysis.
- Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$
- N.C : Statistical value cannot be calculated and was not significant.

STUDY No. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
SEX : FEMALE

NEOPLASTIC LESIONS-INCIDENCE AND STATISTICAL ANALYSIS

PAGE : 1

Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
	SITE : ALL SITE TUMOR : hemangioma			
Tumor rate				
Overall rates (a)	1/25 ( 4.0)	0/25 ( 0.0)	2/25 ( 8.0)	1/25 ( 4.0)
Adjusted rates (b)	4.35	0.00	8.00	0.00
Terminal rates (c)	1/23 ( 4.3)	0/24 ( 0.0)	2/25 ( 8.0)	0/24 ( 0.0)
Statistical analysis				
Peto test				
Standard method (d)	P = 0.1130			
Prevalence method (d)	P = 0.6101			
Combined analysis (d)	P = 0.3490			
Cochran-Armitage test (e)	P = 0.6481			
Fisher Exact test (e)		P = 0.5000	P = 0.5000	P = 0.7551

(HPT370A)

BAIS6

- (a) : Number of tumor-bearing animals/number of animals examined at the site.  
(b) : Kaplan-Meier estimated tumor incidence at the end of the study after adjusting for intercurrent mortality.  
(c) : Observed tumor incidence at terminal kill.  
(d) : Beneath the control incidence are the P-values associated with the trend test.  
    Standard method : Death analysis  
    Prevalence method : Incidental tumor test  
    Combined analysis : Death analysis + Incidental tumor test  
(e) : The Cochran-Armitage and Fisher exact test compare directly the overall incidence rates.  
? : The conditional probabilities of the largest and smallest possible outcomes can not be estimated or this P-value is beyond the estimated P-value.  
— : There is no data which should be statistical analysis.  
Significant difference ; \* : P ≤ 0.05    \*\* : P ≤ 0.01  
N.C : Statistical value cannot be calculated and was not significant.

TABLE A 29

NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF  
TUMORS - TIME RELATED: MALE  
(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : MALE

## NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF TUMORS - TIME RELATED

PAGE : 1

Time-related Weeks	Items	Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
0 - 26	NO. OF EXAMINED ANIMALS		0	1	0	2
	NO. OF ANIMALS WITH TUMORS		0	1	0	2
	NO. OF ANIMALS WITH SINGLE TUMORS		0	1	0	2
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0	0	0
	NO. OF BENIGN TUMORS		0	0	0	0
	NO. OF MALIGNANT TUMORS		0	1	0	2
	NO. OF TOTAL TUMORS		0	1	0	2
27 - 27	NO. OF EXAMINED ANIMALS		25	24	25	23
	NO. OF ANIMALS WITH TUMORS		2	6	1	5
	NO. OF ANIMALS WITH SINGLE TUMORS		2	5	1	4
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	1	0	1
	NO. OF BENIGN TUMORS		2	6	1	4
	NO. OF MALIGNANT TUMORS		0	1	0	2
	NO. OF TOTAL TUMORS		2	7	1	6
0 - 27	NO. OF EXAMINED ANIMALS		25	25	25	25
	NO. OF ANIMALS WITH TUMORS		2	7	1	7
	NO. OF ANIMALS WITH SINGLE TUMORS		2	6	1	6
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	1	0	1
	NO. OF BENIGN TUMORS		2	6	1	4
	NO. OF MALIGNANT TUMORS		0	2	0	4
	NO. OF TOTAL TUMORS		2	8	1	8

(HPT070)

BAIS6

TABLE A 30

NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF  
TUMORS - TIME RELATED: FEMALE  
(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : FEMALE

## NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF TUMORS - TIME RELATED

PAGE : 2

Time-related Weeks	Items	Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
0 - 26	NO. OF EXAMINED ANIMALS		2	1	0	1
	NO. OF ANIMALS WITH TUMORS		1	1	0	1
	NO. OF ANIMALS WITH SINGLE TUMORS		1	1	0	1
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0	0	0
	NO. OF BENIGN TUMORS		0	0	0	1
	NO. OF MALIGNANT TUMORS		1	1	0	0
	NO. OF TOTAL TUMORS		1	1	0	1
27 - 27	NO. OF EXAMINED ANIMALS		23	24	25	24
	NO. OF ANIMALS WITH TUMORS		4	3	6	1
	NO. OF ANIMALS WITH SINGLE TUMORS		4	3	6	1
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0	0	0
	NO. OF BENIGN TUMORS		4	3	4	0
	NO. OF MALIGNANT TUMORS		0	0	2	1
	NO. OF TOTAL TUMORS		4	3	6	1
0 - 27	NO. OF EXAMINED ANIMALS		25	25	25	25
	NO. OF ANIMALS WITH TUMORS		5	4	6	2
	NO. OF ANIMALS WITH SINGLE TUMORS		5	4	6	2
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	0	0	0
	NO. OF BENIGN TUMORS		4	3	4	1
	NO. OF MALIGNANT TUMORS		1	1	2	1
	NO. OF TOTAL TUMORS		5	4	6	2

(HPT070)

BA1S6

TABLE A 31

HISTOPATHOLOGICAL FINDINGS :

METASTASIS OF TUMOR: MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : MALE

HISTOPATHOLOGICAL FINDINGS : METASTASIS OF TUMOR (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
		No. of Animals on Study	25	25	25	25

(Hematopoietic system)

Lymph node	metastasis:stomach tumor	<25> 0	<25> 0	<25> 0	<25> 1

< a > a : Number of animals examined at the site  
b : Number of animals with lesion

(JPT150)

BA1S6

TABLE A 32

HISTOPATHOLOGICAL FINDINGS :

METASTASIS OF TUMOR: FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS : METASTASIS OF TUMOR (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
		No. of Animals on Study	25	25	25	25

{Respiratory system}

Lung	metastasis:skin/appendage tumor	<25> 1	<25> 0	<25> 0	<25> 0

< a > a : Number of animals examined at the site  
b : Number of animals with lesion

(JPT150)

BA1S6

TABLE A 33

HISTOPATHOLOGICAL FINDINGS:

NON-NEOPLASTIC LESIONS: MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name No. of Animals on Study	Control				50 mg/kg				100 mg/kg				200 mg/kg							
			Grade	1+ (%)	2+ (%)	3+ (%)	4+ (%)	25	1+ (%)	2+ (%)	3+ (%)	4+ (%)	25	1+ (%)	2+ (%)	3+ (%)	4+ (%)	25	1+ (%)	2+ (%)	3+ (%)	4+ (%)
<b>(Respiratory system)</b>																						
nasal cavit	angiectasis			0	0	0	0	<25>	0	0	0	0	<25>	1	0	0	0	<25>	0	0	0	0
				( 0)	( 0)	( 0)	( 0)		( 0)	( 0)	( 0)	( 0)		( 4)	( 0)	( 0)	( 0)		( 0)	( 0)	( 0)	( 0)
	epidermal cyst			0	0	0	0	<25>	0	0	0	0	<25>	1	0	0	0	<25>	0	0	0	0
				( 0)	( 0)	( 0)	( 0)		( 0)	( 0)	( 0)	( 0)		( 4)	( 0)	( 0)	( 0)		( 0)	( 0)	( 0)	( 0)
	eosinophilic change:olfactory epithelium			0	0	0	0	<25>	1	0	0	0	<25>	0	0	0	0	<25>	2	0	0	0
				( 0)	( 0)	( 0)	( 0)		( 4)	( 0)	( 0)	( 0)		( 0)	( 0)	( 0)	( 0)		( 8)	( 0)	( 0)	( 0)
	eosinophilic change:respiratory epithelium			1	0	0	0	<25>	2	0	0	0	<25>	1	0	0	0	<25>	2	0	0	0
				( 4)	( 0)	( 0)	( 0)		( 8)	( 0)	( 0)	( 0)		( 4)	( 0)	( 0)	( 0)		( 8)	( 0)	( 0)	( 0)
	respiratory metaplasia:gland			20	0	0	0	<25>	19	0	0	0	<25>	19	0	0	0	<25>	22	0	0	0
				( 80)	( 0)	( 0)	( 0)		( 76)	( 0)	( 0)	( 0)		( 76)	( 0)	( 0)	( 0)		( 88)	( 0)	( 0)	( 0)
	atrophy:olfactory epithelium			0	0	0	0	<25>	1	0	0	0	<25>	1	0	0	0	<25>	0	0	0	0
				( 0)	( 0)	( 0)	( 0)		( 4)	( 0)	( 0)	( 0)		( 4)	( 0)	( 0)	( 0)		( 0)	( 0)	( 0)	( 0)
nasopharynx	eosinophilic change			0	0	0	0	<25>	0	0	0	0	<25>	0	0	0	0	<25>	1	0	0	0
				( 0)	( 0)	( 0)	( 0)		( 0)	( 0)	( 0)	( 0)		( 0)	( 0)	( 0)	( 0)		( 4)	( 0)	( 0)	( 0)
lung	bronchiolar-alveolar cell hyperplasia			0	0	0	0	<25>	0	0	0	0	<25>	1	0	0	0	<25>	0	0	0	0
				( 0)	( 0)	( 0)	( 0)		( 0)	( 0)	( 0)	( 0)		( 4)	( 0)	( 0)	( 0)		( 0)	( 0)	( 0)	( 0)

**Grade**      1+ : Slight      2+ : Moderate      3+ : Marked      4+ : Severe

[a](#) : Number of animals examined at the site

b : Number of animals with lesion

(c) c : b / a ≠ 100

Significant difference : \* :  $P \leq 0.05$     \*\* :  $P \leq 0.01$     Test of Chi Square

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1  
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 27W)

PAGE : 2

Organ	Findings	Group Name No. of Animals on Study	Control				50 mg/kg				100 mg/kg				200 mg/kg				
			25				25				25				25				
			Grade	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+
{Hematopoietic system}																			
thymus	atrophy			0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
			<25>	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	
	lymphoid hyperplasia			0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
			<25>	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	
spleen	deposit of melanin			2	0	0	0	3	0	0	0	1	0	0	0	1	0	0	0
			<25>	( 8)	( 0)	( 0)	( 0)	( 12)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)
	extramedullary hematopoiesis			2	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0
			<25>	( 8)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 16)	( 0)	( 0)	( 0)	( 0)
{Digestive system}																			
stomach	squamous cell hyperplasia:forestomach			1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			<25>	( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
liver	necrosis:focal			0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0
			<25>	( 0)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	( 0)

Grade      1+ : Slight      2+ : Moderate      3+ : Marked      4+ : Severe

< a >      a : Number of animals examined at the site

b : Number of animals with lesion

( c )      c : b / a \* 100

Significant difference :      \* : P ≤ 0.05      \*\* : P ≤ 0.01      Test of Chi Square

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1  
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 27W)

PAGE : 3

Organ	Findings	Group Name No. of Animals on Study	Control				50 mg/kg				100 mg/kg				200 mg/kg				
			25				25				25				25				
			Grade	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+
{Digestive system}																			
liver	hepatocellular hypertrophy:central		<25>	0	0	0	0	0	0	0	0	1	0	0	0	9	0	0	0 **
			( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 4 )	( 0 )	( 0 )	( 0 )	( 36 )	( 0 )	( 0 )	( 0 )
	focus of cellular alteration		<25>	0	1	0	0	0	0	0	0	1	0	1	0	1	0	0	0
			( 0 )	( 4 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 4 )	( 0 )	( 4 )	( 0 )	( 4 )	( 0 )	( 0 )	( 0 )
{Urinary system}																			
kidney	chronic nephritis		<25>	0	0	0	0	0	0	0	0	1	0	0	0	7	15	0	0 **
			( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 4 )	( 0 )	( 0 )	( 0 )	( 28 )	( 60 )	( 0 )	( 0 )
{Endocrine system}																			
pituitary	hemorrhage		<25>	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
			( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 4 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )
	Rathke pouch		<25>	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0
			( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 4 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 4 )	( 0 )	( 0 )	( 0 )	( 0 )

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe

< a > a : Number of animals examined at the site

b b : Number of animals with lesion

{ c } c : b / a \* 100

Significant difference ; \* : P ≤ 0.05 \*\* : P ≤ 0.01 Test of Chi Square

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1  
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 27W)

PAGE : 4

Organ	Findings	Group Name No. of Animals on Study	Control				50 mg/kg				100 mg/kg				200 mg/kg				
			25				25				25				25				
			Grade	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+
[Endocrine system]																			
pituitary	cystic degeneration:anterior lobe		<25>	3	0	0	0	1	0	0	0	3	0	0	0	1	0	0	0
				( 12)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	( 12)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)
thyroid	cyst		<25>	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
				( 4)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
parathyroid	cyst		<25>	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0
				( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	( 8)	( 0)	( 0)	( 0)	( 0)
adrenal	spindle-cell hyperplasia		<25>	14	0	0	0	12	0	0	0	11	0	0	0	15	0	0	0
				( 56)	( 0)	( 0)	( 0)	( 48)	( 0)	( 0)	( 0)	( 44)	( 0)	( 0)	( 0)	( 60)	( 0)	( 0)	( 0)
[Body cavities]																			
pleura	inflammatory infiltration		<25>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
				( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	( 0)

Grade 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe

< a > a : Number of animals examined at the site

b b : Number of animals with lesion

( c ) c : b / a \* 100

Significant difference ; \* : P ≤ 0.05 \*\* : P ≤ 0.01 Test of Chi Square

TABLE A 34

HISTOPATHOLOGICAL FINDINGS:

NON-NEOPLASTIC LESIONS: FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name No. of Animals on Study	Control				50 mg/kg				100 mg/kg				200 mg/kg			
			25				25				25				25			
			Grade	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+
{Integumentary system/appendage}																		
subcutis	inflammation		<25>	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
			( a )	( 4 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )
{Respiratory system}			<25>					<25>				<25>				<25>		
nasal cavit	eosinophilic change:olfactory epithelium		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			( 4 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )
	eosinophilic change:respiratory epithelium		5	0	0	0	0	2	0	0	0	5	0	0	0	2	0	0
			( 20 )	( 0 )	( 0 )	( 0 )	( 0 )	( 8 )	( 0 )	( 0 )	( 0 )	( 20 )	( 0 )	( 0 )	( 0 )	( 8 )	( 0 )	( 0 )
	respiratory metaplasia:gland		23	0	0	0	0	22	0	0	0	22	1	0	0	23	0	0
			( 92 )	( 0 )	( 0 )	( 0 )	( 0 )	( 88 )	( 0 )	( 0 )	( 0 )	( 88 )	( 4 )	( 0 )	( 0 )	( 92 )	( 0 )	( 0 )
nasopharynx	eosinophilic change		<25>	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
			( 4 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 4 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )
{Hematopoietic system}			<25>					<25>				<25>				<25>		
thymus	atrophy		0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
			( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 4 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )

Grade      1+ : Slight      2+ : Moderate      3+ : Marked      4+ : Severe

< a >      a : Number of animals examined at the site

b      b : Number of animals with lesion

( c )      c : b / a \* 100

Significant difference :      \* : P ≤ 0.05      \*\* : P ≤ 0.01      Test of Chi Square

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 27W)

PAGE : 2

Organ	Findings	Group Name No. of Animals on Study	Control				50 mg/kg				100 mg/kg				200 mg/kg					
			25				25				25				25					
			Grade	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+	
[Hematopoietic system]																				
spleen	deposit of melanin		<25>	3	0	0	0	1	0	0	0	1	0	0	0	1	0	0	0	
				( 12)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	
	extramedullary hematopoiesis		<25>	0	2	0	0	0	1	0	0	0	1	0	0	0	2	0	0	0
				( 0)	( 8)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	( 8)	( 0)	( 0)	( 0)	
[Circulatory system]																				
heart	inflammatory infiltration		<25>	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
				( 0)	( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	
[Digestive system]																				
stomach	erosion:glandular stomach		<25>	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
				( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	
	squamous cell hyperplasia:forestomach		<25>	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
				( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	

Grade      1+ : Slight      2+ : Moderate      3+ : Marked      4+ : Severe

< a >      a : Number of animals examined at the site

b      b : Number of animals with lesion

( c )      c : b / a \* 100

Significant difference ;      \* : P ≤ 0.05      \*\* : P ≤ 0.01      Test of Chi Square

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 27W)

PAGE : 3

Organ	Findings	Group Name No. of Animals on Study	Control				50 mg/kg				100 mg/kg				200 mg/kg				
			Grade	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
<b>[Digestive system]</b>																			
liver	granulation			0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	3 ( 12 )	1 ( 4 )	0 ( 0 )	0 ( 0 )	1 ( 4 )	0 ( 0 )	0 ( 0 )	0 ( 0 )
	focus of cellular alteration			0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	2 ( 8 )	0 ( 0 )	0 ( 0 )	0 ( 0 )
gall bladder	ectopic tissue			0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	1 ( 4 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	
	eosinophilic change			0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	1 ( 4 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	
<b>[Urinary system]</b>																			
kidney	chronic nephritis			0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	7 ( 28 )	1 ( 4 )	0 ( 0 )	0 **	0 ( 0 )	14 ( 56 )	11 ( 44 )	0 **
<b>[Endocrine system]</b>																			
pituitary	cystic degeneration:anterior lobe			3 ( 13 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	1 ( 4 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	3 ( 12 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	1 ( 4 )	0 ( 0 )	0 ( 0 )	0 ( 0 )

Grade      1+ : Slight      2+ : Moderate      3+ : Marked      4+ : Severe

< a >      a : Number of animals examined at the site

b      b : Number of animals with lesion

( c )      c : b / a \* 100

Significant difference ;      \* : P ≤ 0.05      \*\* : P ≤ 0.01      Test of Chi Square

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 27W)

PAGE : 4

Organ	Findings	Group Name No. of Animals on Study	Control				50 mg/kg				100 mg/kg				200 mg/kg				
			25				25				25				25				
			Grade	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+	1+	2+	3+	4+
{Endocrine system}																			
thyroid	cyst			0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
			<25>	( 0)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	
parathyroid	cyst			0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
			<25>	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)	( 0)	
adrenal	spindle-cell hyperplasia			15	10	0	0	19	6	0	0	21	4	0	0	16	8	0	0
			<25>	( 60)	( 40)	( 0)	( 0)	( 76)	( 24)	( 0)	( 0)	( 84)	( 16)	( 0)	( 0)	( 64)	( 32)	( 0)	( 0)
{Reproductive system}																			
ovary	thrombus			0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
			<25>	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 4)	( 0)	( 0)
	granuloma			0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			<25>	( 0)	( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
uterus	atrophy			1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			<25>	( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)

Grade      1+ : Slight      2+ : Moderate      3+ : Marked      4+ : Severe

< a >      a : Number of animals examined at the site

b      b : Number of animals with lesion

( c )      c : b / a \* 100

Significant difference ;      \* : P ≤ 0.05      \*\* : P ≤ 0.01      Test of Chi Square

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 27W)

PAGE : 5

Organ	Findings	Group Name No. of Animals on Study	Control				50 mg/kg				100 mg/kg				200 mg/kg				
			Grade	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
<b>[Reproductive system]</b>																			
uterus	cystic endometrial hyperplasia	<25>	10 (40)	0 (0)	0 (0)	0 (0)	0 (0)	14 (56)	0 (0)	0 (0)	0 (0)	13 (52)	0 (0)	0 (0)	0 (0)	5 (20)	0 (0)	0 (0)	0 (0)
	vascular anomaly	<25>	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)
vagina	inflammatory polyp	<25>	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	vascular anomaly	<25>	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
<b>[Nervous system]</b>																			
brain	epidermal cyst	<25>	1 (4)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)

Grade      1+ : Slight      2+ : Moderate      3+ : Marked      4+ : Severe

< a >      a : Number of animals examined at the site

b      b : Number of animals with lesion

( c )      c : b / a \* 100

Significant difference :      \* : P ≤ 0.05      \*\* : P ≤ 0.01      Test of Chi Square

TABLE A 35

CAUSE OF DEATH: MALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
SEX : MALE

COUSE OF DEATH (SUMMARY)  
(0- 27W)

PAGE : 1

Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
Number of Dead and Moribund Animal	0	1	0	2
tumor d:leukemia	0	0	0	0
tumor d:spleen	0	0	0	1
tumor d:stomach	0	0	0	1
tumor d:pleura	0	1	0	0

(B10120)

BAIS6

TABLE A 36

CAUSE OF DEATH: FEMALE

(Control, 50, 100 and 200 mg/kg groups)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
SEX : FEMALE

COUSE OF DEATH (SUMMARY)  
(0- 27W)

PAGE : 1

Group Name	Control	50 mg/kg	100 mg/kg	200 mg/kg
Number of Dead and Moribund Animal	2	1	0	1
no microscop confirm	1	0	0	0
tumor d:leukemia	0	0	0	0
tumor d:skin/app	1	0	0	0
tumor d:stomach	0	0	0	0
tumor d:muscle	0	0	0	1
tumor d:peritoneum	0	1	0	0

(B10120)

BA1S6

TABLE B 1

SURVIVAL ANIMAL NUMBERS : MALE

(Control and Positive control group)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
REPORT TYPE : A1 26  
SEX : MALE

## SURVIVAL ANIMAL NUMBERS

PAGE : 1

Group Name	Animals At start	Administration (Weeks)													
		0	1	2	3	4	5	6	7	8	9	10	11	12	13
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
Posi. Control	15	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0

Number of survival/ Number of effective animals  
Survival rate(%)

(HAN360)

BA1S5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 26  
SEX : MALE

## SURVIVAL ANIMAL NUMBERS

PAGE : 2

Group Name	Animals At start	Administration (Weeks)												
		14	15	16	17	18	19	20	21	22	23	24	25	26
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
Posi. Control	15	15/15 100.0	14/15 93.3	14/15 93.3	14/15 93.3	13/15 86.7	12/15 80.0	10/15 66.7	10/15 66.7	10/15 66.7	8/15 53.3	8/15 53.3	8/15 53.3	8/15 53.3

Number of survival/ Number of effective animals  
Survival rate (%)

(HAN360)

BA1S5

TABLE B 2

SURVIVAL ANIMAL NUMBERS : FEMALE

(Control and Positive control group)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 26  
SEX : FEMALE

## SURVIVAL ANIMAL NUMBERS

PAGE : 1

Group Name	Animals At start	Administration (Weeks)													
		0	1	2	3	4	5	6	7	8	9	10	11	12	13
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0
Posi. Control	15	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0	15/15 100.0

Number of survival/ Number of effective animals  
Survival rate (%)

(HAN360)

BA1\$5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash28Jcl  
REPORT TYPE : A1 26  
SEX : FEMALE

## SURVIVAL ANIMAL NUMBERS

PAGE : 2

Group Name	Animals At start	Administration (Weeks)												
		14	15	16	17	18	19	20	21	22	23	24	25	26
Control	25	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	25/25 100.0	24/25 96.0	24/25 96.0	24/25 96.0	24/25 96.0	24/25 96.0	23/25 92.0	23/25 92.0
Posi. Control	15	15/15 100.0	15/15 100.0	15/15 100.0	14/15 93.3	10/15 66.7	8/15 53.3	8/15 53.3	7/15 46.7	6/15 40.0	5/15 33.3	5/15 33.3	5/15 33.3	4/15 26.7

Number of survival/ Number of effective animals  
Survival rate(%)

(HAN360)

BA1S5

**TABLE B 3**

**CLINICAL OBSERVATION : MALE**

(Control and Positive control group)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 1

Clinical sign	Group Name	Administration Week-day													
		1-1 1	1-1 2	1-2 1	1-2 2	1-3 1	1-3 2	1-4 1	1-4 2	1-5 1	1-5 2	1-6 1	1-6 2	1-7 1	1-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 2

Clinical sign	Group Name	Administration Week-day													
		2-1 1	2-1 2	2-2 1	2-2 2	2-3 1	2-3 2	2-4 1	2-4 2	2-5 1	2-5 2	2-6 1	2-6 2	2-7 1	2-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 3

Clinical sign	Group Name	Administration Week-day													
		3-1 1	3-1 2	3-2 1	3-2 2	3-3 1	3-3 2	3-4 1	3-4 2	3-5 1	3-5 2	3-6 1	3-6 2	3-7 1	3-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CBGFI-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 4

Clinical sign	Group Name	Administration Week-day													
		4-1 1	4-1 2	4-2 1	4-2 2	4-3 1	4-3 2	4-4 1	4-4 2	4-5 1	4-5 2	4-6 1	4-6 2	4-7 1	4-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 5

Clinical sign	Group Name	Administration Week-day													
		5-1 1	5-1 2	5-2 1	5-2 2	5-3 1	5-3 2	5-4 1	5-4 2	5-5 1	5-5 2	5-6 1	5-6 2	5-7 1	5-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 6

Clinical sign	Group Name	Administration Week-day													
		6-1 1	6-1 2	6-2 1	6-2 2	6-3 1	6-3 2	6-4 1	6-4 2	6-5 1	6-5 2	6-6 1	6-6 2	6-7 1	6-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : MALE

PAGE : 7

Clinical sign	Group Name	Administration Week-day													
		7-1 1	7-1 2	7-2 1	7-2 2	7-3 1	7-3 2	7-4 1	7-4 2	7-5 1	7-5 2	7-6 1	7-6 2	7-7 1	7-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : MALE

PAGE : 8

Clinical sign	Group Name	Administration Week-day													
		8-1 1	8-1 2	8-2 1	8-2 2	8-3 1	8-3 2	8-4 1	8-4 2	8-5 1	8-5 2	8-6 1	8-6 2	8-7 1	8-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	-0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PIOERCTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 9

Clinical sign	Group Name	Administration Week-day													
		9-1 1	9-1 2	9-2 1	9-2 2	9-3 1	9-3 2	9-4 1	9-4 2	9-5 1	9-5 2	9-6 1	9-6 2	9-7 1	9-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PIOERCTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 10

Clinical sign	Group Name	Administration Week-day													
		10-1 1	10-1 2	10-2 1	10-2 2	10-3 1	10-3 2	10-4 1	10-4 2	10-5 1	10-5 2	10-6 1	10-6 2	10-7 1	10-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rashH2OJcl  
REPORT TYPE: A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 11

Clinical sign	Group Name	Administration Week-day													
		11-1 1	11-1 2	11-2 1	11-2 2	11-3 1	11-3 2	11-4 1	11-4 2	11-5 1	11-5 2	11-6 1	11-6 2	11-7 1	11-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rashH2OJcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : MALE

PAGE : 12

Clinical sign	Group Name	Administration Week-day													
		12-1 1	12-1 2	12-2 1	12-2 2	12-3 1	12-3 2	12-4 1	12-4 2	12-5 1	12-5 2	12-6 1	12-6 2	12-7 1	12-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CBGF1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 13

Clinical sign	Group Name	Administration Week-day													
		13-1 1	13-1 2	13-2 1	13-2 2	13-3 1	13-3 2	13-4 1	13-4 2	13-5 1	13-5 2	13-6 1	13-6 2	13-7 1	13-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : MALE

PAGE : 14

Clinical sign	Group Name	Administration Week-day													
		14-1 1	14-1 2	14-2 1	14-2 2	14-3 1	14-3 2	14-4 1	14-4 2	14-5 1	14-5 2	14-6 1	14-6 2	14-7 1	14-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : MALE

PAGE : 15

Clinical sign	Group Name	Administration		Week-day											
		15-1 1	15-1 2	15-2 1	15-2 2	15-3 1	15-3 2	15-4 1	15-4 2	15-5 1	15-5 2	15-6 1	15-6 2	15-7 1	15-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	1	1	1	1	1	1	1	1	1
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERCTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	1	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	1	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CBGFI-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 16

Clinical sign	Group Name	Administration Week-day													
		16-1 1	16-1 2	16-2 1	16-2 2	16-3 1	16-3 2	16-4 1	16-4 2	16-5 1	16-5 2	16-6 1	16-6 2	16-7 1	16-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : MALE

PAGE : 17

Clinical sign	Group Name	Administration Week-day													
		17-1 1	17-1 2	17-2 1	17-2 2	17-3 1	17-3 2	17-4 1	17-4 2	17-5 1	17-5 2	17-6 1	17-6 2	17-7 1	17-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 18

Clinical sign	Group Name	Administration Week-day													
		18-1 1	18-1 2	18-2 1	18-2 2	18-3 1	18-3 2	18-4 1	18-4 2	18-5 1	18-5 2	18-6 1	18-6 2	18-7 1	18-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	1	1	1	1	1	1
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	1	1	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 19

Clinical sign	Group Name	Administration Week-day													
		19-1 1	19-1 2	19-2 1	19-2 2	19-3 1	19-3 2	19-4 1	19-4 2	19-5 1	19-5 2	19-6 1	19-6 2	19-7 1	19-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	2	2	2	2	2	2	2	2
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	1
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	1
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : MALE

PAGE : 20

Clinical sign	Group Name	Administration Week-day													
		20-1 1	20-1 2	20-2 1	20-2 2	20-3 1	20-3 2	20-4 1	20-4 2	20-5 1	20-5 2	20-6 1	20-6 2	20-7 1	20-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	3	3	3	3	3	3	3	3	3	3	4	4
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	0	0	0	0	1	1	1	1	1	1	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : MALE

PAGE : 21

Clinical sign	Group Name	Administration Week-day													
		21-1 1	21-1 2	21-2 1	21-2 2	21-3 1	21-3 2	21-4 1	21-4 2	21-5 1	21-5 2	21-6 1	21-6 2	21-7 1	21-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	4	4	4	4	4	4	4	4	4	4	4	4	4	4
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	1	1	1	1	1	1	1
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	1	1	1	1	1	1

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : MALE

PAGE : 22

Clinical sign	Group Name	Administration Week-day													
		22-1 1	22-1 2	22-2 1	22-2 2	22-3 1	22-3 2	22-4 1	22-4 2	22-5 1	22-5 2	22-6 1	22-6 2	22-7 1	22-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	4	4	4	4	4	4	4	4	4	4	4	4	4	4
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	2	2	2	2	2	2
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : MALE

PAGE : 23

Clinical sign	Group Name	Administration Week-day													
		23-1 1	23-1 2	23-2 1	23-2 2	23-3 1	23-3 2	23-4 1	23-4 2	23-5 1	23-5 2	23-6 1	23-6 2	23-7 1	23-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	4	4	4	4	4	4	4	4	4	4	5	5	5	5
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	2	2
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	1	1	1	1	1	1	1	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	1	1	1	1	1	1	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	1	1	1	1	1	1	1	1	1	1	1
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	1	1	1	1	1	1	1	1	1	1	1
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	2	2	1	1	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : MALE

PAGE : 24

Clinical sign	Group Name	Administration Week-day													
		24-1 1	24-1 2	24-2 1	24-2 2	24-3 1	24-3 2	24-4 1	24-4 2	24-5 1	24-5 2	24-6 1	24-6 2	24-7 1	24-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	5	5	5	5	5	5	5	5	5	5	5	5	5	5
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	2	2	2	2	2	2
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	2	2	2	2	2	2	2	2	2	2	2	2
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	1	1	1	1	1	1	1	1	1	1	1	1
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : MALE

PAGE : 25

Clinical sign	Group Name	Administration Week-day													
		25-1 1	25-1 2	25-2 1	25-2 2	25-3 1	25-3 2	25-4 1	25-4 2	25-5 1	25-5 2	25-6 1	25-6 2	25-7 1	25-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	5	5	5	5	5	5	5	5	5	5	5	5	5	5
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	2	2	2	2	2	2
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	3	3	3	3	3	3
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	1	1	1	1	1	1
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	1	1	1	1	1	1
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	1	1	0	0	0	0
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 26

Clinical sign	Group Name	Administration Week-day													
		26-1 1	26-1 2	26-2 1	26-2 2	26-3 1	26-3 2	26-4 1	26-4 2	26-5 1	26-5 2	26-6 1	26-6 2	26-7 1	26-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	5	5	5	5	5	5	5	5	5	5	5	5	5	5
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	2	2	2	2	2	2
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROLAPSE OF ANUS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	4	4	4	4	4	4	4	4	4	4	4	4	5	5
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. ORAL CAVITY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	2	2
M. POSTERIOR DORSUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
M. SCROTUM	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	2	2	2	2	3	3
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TACHYPNEA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLOODY STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rashH2OJcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 27

Clinical sign	Group Name	Administration Week-day	
		27-1 1	27-1 2
DEATH	Control	0	0
	Posi. Control	5	5
MORIBUND SACRIFICE	Control	0	0
	Posi. Control	2	2
A LOT OF SPILLED FOOD	Control	0	0
	Posi. Control	0	0
PILOERECTION	Control	0	0
	Posi. Control	0	0
PROLAPSE OF ANUS	Control	0	0
	Posi. Control	0	0
EXTERNAL MASS	Control	0	0
	Posi. Control	5	5
INTERNAL MASS	Control	0	0
	Posi. Control	0	0
M. ORAL CAVITY	Control	0	0
	Posi. Control	2	2
M. POSTERIOR DORSUM	Control	0	0
	Posi. Control	1	1
M. SCROTUM	Control	0	0
	Posi. Control	3	3
ANEMIA	Control	0	0
	Posi. Control	1	1
HEMORRHAGE	Control	0	0
	Posi. Control	1	1
TACHYPNEA	Control	0	0
	Posi. Control	0	0
DEEP BREATHING	Control	0	0
	Posi. Control	0	0
BLOODY STOOL	Control	0	0
	Posi. Control	0	0

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 28

Clinical sign	Group Name	Administration Week-day													
		1-1 1	1-1 2	1-2 1	1-2 2	1-3 1	1-3 2	1-4 1	1-4 2	1-5 1	1-5 2	1-6 1	1-6 2	1-7 1	1-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 29

Clinical sign	Group Name	Administration Week-day													
		2-1 1	2-1 2	2-2 1	2-2 2	2-3 1	2-3 2	2-4 1	2-4 2	2-5 1	2-5 2	2-6 1	2-6 2	2-7 1	2-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 30

Clinical sign	Group Name	Administration Week-day													
		3-1 1	3-1 2	3-2 1	3-2 2	3-3 1	3-3 2	3-4 1	3-4 2	3-5 1	3-5 2	3-6 1	3-6 2	3-7 1	3-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 31

Clinical sign	Group Name	Administration Week-day													
		4-1 1	4-1 2	4-2 1	4-2 2	4-3 1	4-3 2	4-4 1	4-4 2	4-5 1	4-5 2	4-6 1	4-6 2	4-7 1	4-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 32

Clinical sign	Group Name	Administration Week-day													
		5-1 1	5-1 2	5-2 1	5-2 2	5-3 1	5-3 2	5-4 1	5-4 2	5-5 1	5-5 2	5-6 1	5-6 2	5-7 1	5-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 33

Clinical sign	Group Name	Administration Week-day													
		6-1 1	6-1 2	6-2 1	6-2 2	6-3 1	6-3 2	6-4 1	6-4 2	6-5 1	6-5 2	6-6 1	6-6 2	6-7 1	6-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 34

Clinical sign	Group Name	Administration Week-day													
		7-1 1	7-1 2	7-2 1	7-2 2	7-3 1	7-3 2	7-4 1	7-4 2	7-5 1	7-5 2	7-6 1	7-6 2	7-7 1	7-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 35

Clinical sign	Group Name	Administration Week-day													
		8-1 1	8-1 2	8-2 1	8-2 2	8-3 1	8-3 2	8-4 1	8-4 2	8-5 1	8-5 2	8-6 1	8-6 2	8-7 1	8-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 36

Clinical sign	Group Name	Administration Week-day													
		9-1 1	9-1 2	9-2 1	9-2 2	9-3 1	9-3 2	9-4 1	9-4 2	9-5 1	9-5 2	9-6 1	9-6 2	9-7 1	9-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 37

Clinical sign	Group Name	Administration Week-day													
		10-1 1	10-1 2	10-2 1	10-2 2	10-3 1	10-3 2	10-4 1	10-4 2	10-5 1	10-5 2	10-6 1	10-6 2	10-7 1	10-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 38

Clinical sign	Group Name	Administration		Week-day											
		11-1 1	11-1 2	11-2 1	11-2 2	11-3 1	11-3 2	11-4 1	11-4 2	11-5 1	11-5 2	11-6 1	11-6 2	11-7 1	11-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 39

Clinical sign	Group Name	Administration Week-day													
		12-1 1	12-1 2	12-2 1	12-2 2	12-3 1	12-3 2	12-4 1	12-4 2	12-5 1	12-5 2	12-6 1	12-6 2	12-7 1	12-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 40

Clinical sign	Group Name	Administration Week-day													
		13-1 1	13-1 2	13-2 1	13-2 2	13-3 1	13-3 2	13-4 1	13-4 2	13-5 1	13-5 2	13-6 1	13-6 2	13-7 1	13-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 41

Clinical sign	Group Name	Administration Week-day													
		14-1 1	14-1 2	14-2 1	14-2 2	14-3 1	14-3 2	14-4 1	14-4 2	14-5 1	14-5 2	14-6 1	14-6 2	14-7 1	14-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 42

Clinical sign	Group Name	Administration Week-day													
		15-1 1	15-1 2	15-2 1	15-2 2	15-3 1	15-3 2	15-4 1	15-4 2	15-5 1	15-5 2	15-6 1	15-6 2	15-7 1	15-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	1	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	14	14	14	14	14	14	14	14	14	14

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 43

Clinical sign	Group Name	Administration Week-day													
		16-1 1	16-1 2	16-2 1	16-2 2	16-3 1	16-3 2	16-4 1	16-4 2	16-5 1	16-5 2	16-6 1	16-6 2	16-7 1	16-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	14	14	14	14	14	14	14	14	14	14	14	14	14	14

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 44

Clinical sign	Group Name	Administration Week-day													
		17-1 1	17-1 2	17-2 1	17-2 2	17-3 1	17-3 2	17-4 1	17-4 2	17-5 1	17-5 2	17-6 1	17-6 2	17-7 1	17-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	14	14	14	14	14	14	14	14	14	14	14	14	14	14

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 45

Clinical sign	Group Name	Administration Week-day													
		18-1 1	18-1 2	18-2 1	18-2 2	18-3 1	18-3 2	18-4 1	18-4 2	18-5 1	18-5 2	18-6 1	18-6 2	18-7 1	18-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	1	1	1	1	1	1	1	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	14	14	13	13	13	13	12	12	12	13	13	13	13	13

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 46

Clinical sign	Group Name	Administration Week-day													
		19-1 1	19-1 2	19-2 1	19-2 2	19-3 1	19-3 2	19-4 1	19-4 2	19-5 1	19-5 2	19-6 1	19-6 2	19-7 1	19-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	1
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	12	12	12	12	12	12	11	11	11	11	11	11	11	10

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 47

Clinical sign	Group Name	Administration		Week-day											
		20-1 1	20-1 2	20-2 1	20-2 2	20-3 1	20-3 2	20-4 1	20-4 2	20-5 1	20-5 2	20-6 1	20-6 2	20-7 1	20-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	10	10	10	10	10	10	10	10	10	10	10	10	10	10

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CBGF1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 48

Clinical sign	Group Name	Administration Week-day													
		21-1 1	21-1 2	21-2 1	21-2 2	21-3 1	21-3 2	21-4 1	21-4 2	21-5 1	21-5 2	21-6 1	21-6 2	21-7 1	21-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	1	1
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	10	10	10	10	10	10	10	9	9	9	9	9	9	9

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 49

Clinical sign	Group Name	Administration Week-day													
		22-1 1	22-1 2	22-2 1	22-2 2	22-3 1	22-3 2	22-4 1	22-4 2	22-5 1	22-5 2	22-6 1	22-6 2	22-7 1	22-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	9	9	9	9	9	9	9	8	8	8	8	8	8	8

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 50

Clinical sign	Group Name	Administration Week-day													
		23-1 1	23-1 2	23-2 1	23-2 2	23-3 1	23-3 2	23-4 1	23-4 2	23-5 1	23-5 2	23-6 1	23-6 2	23-7 1	23-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	8	8	8	7	7	7	7	7	7	7	7	7	7	7

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 51

Clinical sign	Group Name	Administration Week-day													
		24-1 1	24-1 2	24-2 1	24-2 2	24-3 1	24-3 2	24-4 1	24-4 2	24-5 1	24-5 2	24-6 1	24-6 2	24-7 1	24-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	7	7	6	6	6	6	6	6	6	6	6	6	6	6

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 52

Clinical sign	Group Name	Administration Week-day													
		25-1 1	25-1 2	25-2 1	25-2 2	25-3 1	25-3 2	25-4 1	25-4 2	25-5 1	25-5 2	25-6 1	25-6 2	25-7 1	25-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	6	6	6	6	6	6	6	6	5	5	5	5	5	5

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jlc:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 53

Clinical sign	Group Name	Administration Week-day													
		26-1 1	26-1 2	26-2 1	26-2 2	26-3 1	26-3 2	26-4 1	26-4 2	26-5 1	26-5 2	26-6 1	26-6 2	26-7 1	26-7 2
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	4	4	4	4	4	4	4	4	4	4	4	3	3	3

(HAN190)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : MALE

PAGE : 54

Clinical sign	Group Name	Administration Week-day	
		27-1 1	27-1 2
SMALL STOOL	Control	0	0
	Posi. Control	0	0
OLIGO-STOOL	Control	0	0
	Posi. Control	0	0
NON REMARKABLE	Control	25	11
	Posi. Control	3	3

(HAN190)

BAIS 5

**TABLE B 4**

**CLINICAL OBSERVATION : FEMALE**

(Control and Positive control group)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 1

Clinical sign	Group Name	Administration Week-day													
		1-1 1	1-1 2	1-2 1	1-2 2	1-3 1	1-3 2	1-4 1	1-4 2	1-5 1	1-5 2	1-6 1	1-6 2	1-7 1	1-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 2

Clinical sign	Group Name	Administration Week-day													
		2-1 1	2-1 2	2-2 1	2-2 2	2-3 1	2-3 2	2-4 1	2-4 2	2-5 1	2-5 2	2-6 1	2-6 2	2-7 1	2-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rashN28Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 3

Clinical sign	Group Name	Administration Week-day													
		3-1 1	3-1 2	3-2 1	3-2 2	3-3 1	3-3 2	3-4 1	3-4 2	3-5 1	3-5 2	3-6 1	3-6 2	3-7 1	3-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0801  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 4

Clinical sign	Group Name	Administration Week-day													
		4-1 1	4-1 2	4-2 1	4-2 2	4-3 1	4-3 2	4-4 1	4-4 2	4-5 1	4-5 2	4-6 1	4-6 2	4-7 1	4-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 5

Clinical sign	Group Name	Administration Week-day													
		5-1 1	5-1 2	5-2 1	5-2 2	5-3 1	5-3 2	5-4 1	5-4 2	5-5 1	5-5 2	5-6 1	5-6 2	5-7 1	5-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 6

Clinical sign	Group Name	Administration		Week-day											
		G-1 1	G-1 2	G-2 1	G-2 2	G-3 1	G-3 2	G-4 1	G-4 2	G-5 1	G-5 2	G-6 1	G-6 2	G-7 1	G-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 7

Clinical sign	Group Name	Administration Week-day													
		7-1 1	7-1 2	7-2 1	7-2 2	7-3 1	7-3 2	7-4 1	7-4 2	7-5 1	7-5 2	7-6 1	7-6 2	7-7 1	7-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 8

Clinical sign	Group Name	Administration Week-day													
		8-1 1	8-1 2	8-2 1	8-2 2	8-3 1	8-3 2	8-4 1	8-4 2	8-5 1	8-5 2	8-6 1	8-6 2	8-7 1	8-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 9

Clinical sign	Group Name	Administration Week-day													
		9-1 1	9-1 2	9-2 1	9-2 2	9-3 1	9-3 2	9-4 1	9-4 2	9-5 1	9-5 2	9-6 1	9-6 2	9-7 1	9-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 10

Clinical sign	Group Name	Administration Week-day													
		10-1 1	10-1 2	10-2 1	10-2 2	10-3 1	10-3 2	10-4 1	10-4 2	10-5 1	10-5 2	10-6 1	10-6 2	10-7 1	10-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 11

Clinical sign	Group Name	Administration Week-day													
		11-1 1	11-1 2	11-2 1	11-2 2	11-3 1	11-3 2	11-4 1	11-4 2	11-5 1	11-5 2	11-6 1	11-6 2	11-7 1	11-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 12

Clinical sign	Group Name	Administration Week-day													
		12-1 1	12-1 2	12-2 1	12-2 2	12-3 1	12-3 2	12-4 1	12-4 2	12-5 1	12-5 2	12-6 1	12-6 2	12-7 1	12-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 13

Clinical sign	Group Name	Administration Week-day													
		13-1 1	13-1 2	13-2 1	13-2 2	13-3 1	13-3 2	13-4 1	13-4 2	13-5 1	13-5 2	13-6 1	13-6 2	13-7 1	13-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 14

Clinical sign	Group Name	Administration Week-day													
		14-1 1	14-1 2	14-2 1	14-2 2	14-3 1	14-3 2	14-4 1	14-4 2	14-5 1	14-5 2	14-6 1	14-6 2	14-7 1	14-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 15

Clinical sign	Group Name	Administration Week-day													
		15-1 1	15-1 2	15-2 1	15-2 2	15-3 1	15-3 2	15-4 1	15-4 2	15-5 1	15-5 2	15-6 1	15-6 2	15-7 1	15-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	1
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	1	1	1	1
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rashH20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 16

Clinical sign	Group Name	Administration Week-day													
		16-1 1	16-1 2	16-2 1	16-2 2	16-3 1	16-3 2	16-4 1	16-4 2	16-5 1	16-5 2	16-6 1	16-6 2	16-7 1	16-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 17

Clinical sign	Group Name	Administration Week-day													
		17-1 1	17-1 2	17-2 1	17-2 2	17-3 1	17-3 2	17-4 1	17-4 2	17-5 1	17-5 2	17-6 1	17-6 2	17-7 1	17-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	1	1	1	1	1	1	1	1	1	1	1	1
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	1	1	1	1	1
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	1	1	2	2	2	2	2	2	2	2	2	2
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	0	0	0	0	0	0	0	1	1	1	1	1
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	1	1	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 18

Clinical sign	Group Name	Administration Week-day													
		18-1 1	18-1 2	18-2 1	18-2 2	18-3 1	18-3 2	18-4 1	18-4 2	18-5 1	18-5 2	18-6 1	18-6 2	18-7 1	18-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	2	2	2	2	2	4	4	4	4	4
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	1	1	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	3	3	3	3	2	2	2	2	2	1	1	1	1	1
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	3	3	3	2	2	2	2	2	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 19

Clinical sign	Group Name	Administration		Week-day														
		19-1 1	19-1 2	19-2 1	19-2 2	19-3 1	19-3 2	19-4 1	19-4 2	19-5 1	19-5 2	19-6 1	19-6 2	19-7 1	19-7 2			
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Posi. Control	1	1	1	1	1	1	2	2	2	2	2	2	3	3			
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Posi. Control	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Posi. Control	0	0	0	1	1	1	1	1	1	1	1	1	1	0	0	0	
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Posi. Control	0	0	0	1	1	1	1	1	1	1	1	1	1	0	0	0	

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 20

Clinical sign	Group Name	Administration Week-day													
		20-1 1	20-1 2	20-2 1	20-2 2	20-3 1	20-3 2	20-4 1	20-4 2	20-5 1	20-5 2	20-6 1	20-6 2	20-7 1	20-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	3	3	3	3	3	3	3	3	3	3	3	3	3	3
MORIBUND SACRIFICE	Control	0	0	0	0	0	0	0	0	0	0	1	1	1	1
	Posi. Control	4	4	4	4	4	4	4	4	4	4	4	4	4	4
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	1	1	1	1	1	1	1	1	1	1	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	1	1	1	1	1	1	1	1	1	1	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	1	1	1	1	1	1	1	1	1	1	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 21

Clinical sign	Group Name	Administration Week-day													
		21-1 1	21-1 2	21-2 1	21-2 2	21-3 1	21-3 2	21-4 1	21-4 2	21-5 1	21-5 2	21-6 1	21-6 2	21-7 1	21-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	3	3	3	3	3	3	3	3	3	3	4	4	4	4
MORIBUND SACRIFICE	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	4	4	4	4	4	4	4	4	4	4	4	4	4	4
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	1	1	1
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 22

Clinical sign	Group Name	Administration Week-day													
		22-1 1	22-1 2	22-2 1	22-2 2	22-3 1	22-3 2	22-4 1	22-4 2	22-5 1	22-5 2	22-6 1	22-6 2	22-7 1	22-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	4	4	4	4	4	4	4	4	4	4	4	4	4	4
MORIBUND SACRIFICE	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	4	4	4	4	5	5	5	5	5	5	5	5	5	5
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 23

Clinical sign	Group Name	Administration Week-day													
		23-1 1	23-1 2	23-2 1	23-2 2	23-3 1	23-3 2	23-4 1	23-4 2	23-5 1	23-5 2	23-6 1	23-6 2	23-7 1	23-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	4	4	4	4	4	4	4	4	4	4	4	4	4	4
MORIBUND SACRIFICE	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	5	5	5	5	5	5	5	5	5	5	5	5	6	6
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	2	2	2	2	2	2
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	2	2	2	2	2	2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 24

Clinical sign	Group Name	Administration Week-day													
		24-1 1	24-1 2	24-2 1	24-2 2	24-3 1	24-3 2	24-4 1	24-4 2	24-5 1	24-5 2	24-6 1	24-6 2	24-7 1	24-7 2
DEATH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	4	4	4	4	4	4	4	4	4	4	4	4	4	4
MORIBUND SACRIFICE	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	6	6	6	6	6	6	6	6	6	6	6	6	6	6
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	1	1	1	1	1	1
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	2	2	2	2	2	2
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	2	2	2	2	2	2
ANEMIA	Control	0	0	0	0	0	0	0	0	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 25

Clinical sign	Group Name	Administration Week-day													
		25-1 1	25-1 2	25-2 1	25-2 2	25-3 1	25-3 2	25-4 1	25-4 2	25-5 1	25-5 2	25-6 1	25-6 2	25-7 1	25-7 2
DEATH	Control	0	0	0	0	1	1	1	1	1	1	1	1	1	1
	Posi. Control	4	4	4	4	4	4	4	4	4	4	4	4	4	4
MORIBUND SACRIFICE	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	6	6	6	6	6	6	6	6	6	6	6	6	6	6
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	1	1	1	1	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	2
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	2	2	2	2	2	2
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	2	2	2	2	2	2
ANEMIA	Control	1	1	1	1	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	1	1	1	1	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 26

Clinical sign	Group Name	Administration Week-day													
		26-1 1	26-1 2	26-2 1	26-2 2	26-3 1	26-3 2	26-4 1	26-4 2	26-5 1	26-5 2	26-6 1	26-6 2	26-7 1	26-7 2
DEATH	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	4	4	4	4	4	4	4	4	4	4	4	5	5	5
MORIBUND SACRIFICE	Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	6	6	6	6	6	6	6	6	6	6	6	6	6	6
HUNCHBACK POSITION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PARALYTIC GAIT	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A LOT OF SPILLED FOOD	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	2	2	2	1	1	1
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROG BELLY	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	2	2	2	2	2	2
INTERNAL MASS	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. PERI-MOUTH	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M. GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	2	2	2	2	2	2	2	2	2	2	2	2	2	2
ANEMIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SWELLING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEMORRHAGE	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEEP BREATHING	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 27

Clinical sign	Group Name	Administration Week-day	
		27-1 1	27-1 2
DEATH	Control	1	1
	Posi. Control	5	5
MORIBUND SACRIFICE	Control	1	1
	Posi. Control	6	6
HUNCHBACK POSITION	Control	0	0
	Posi. Control	0	0
PARALYTIC GAIT	Control	0	0
	Posi. Control	0	0
A LOT OF SPILLED FOOD	Control	0	0
	Posi. Control	1	1
PILOERECTION	Control	0	0
	Posi. Control	0	0
FROG BELLY	Control	0	0
	Posi. Control	0	0
EXTERNAL MASS	Control	0	0
	Posi. Control	2	2
INTERNAL MASS	Control	0	0
	Posi. Control	0	0
M. PERI-MOUTH	Control	0	0
	Posi. Control	0	0
M. GENITALIA	Control	0	0
	Posi. Control	2	2
ANEMIA	Control	0	0
	Posi. Control	0	0
SWELLING	Control	0	0
	Posi. Control	0	0
HEMORRHAGE	Control	0	0
	Posi. Control	0	0
DEEP BREATHING	Control	0	0
	Posi. Control	0	0

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rashH2OJcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 28

Clinical sign	Group Name	Administration		Week-day												
		1-1 1	1-1 2	1-2 1	1-2 2	1-3 1	1-3 2	1-4 1	1-4 2	1-5 1	1-5 2	1-6 1	1-6 2	1-7 1	1-7 2	
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jc1  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 29

Clinical sign	Group Name	Administration Week-day													
		2-1 1	2-1 2	2-2 1	2-2 2	2-3 1	2-3 2	2-4 1	2-4 2	2-5 1	2-5 2	2-6 1	2-6 2	2-7 1	2-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 30

Clinical sign	Group Name	Administration Week-day													
		3-1 1	3-1 2	3-2 1	3-2 2	3-3 1	3-3 2	3-4 1	3-4 2	3-5 1	3-5 2	3-6 1	3-6 2	3-7 1	3-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 31

Clinical sign	Group Name	Administration Week-day													
		4-1 1	4-1 2	4-2 1	4-2 2	4-3 1	4-3 2	4-4 1	4-4 2	4-5 1	4-5 2	4-6 1	4-6 2	4-7 1	4-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	25	25	25	25	25	25	25	25	25	24	24	24	24	24
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 32

Clinical sign	Group Name	Administration Week-day													
		5-1 1	5-1 2	5-2 1	5-2 2	5-3 1	5-3 2	5-4 1	5-4 2	5-5 1	5-5 2	5-6 1	5-6 2	5-7 1	5-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 33

Clinical sign	Group Name	Administration Week-day													
		6-1 1	6-1 2	6-2 1	6-2 2	6-3 1	6-3 2	6-4 1	6-4 2	6-5 1	6-5 2	6-6 1	6-6 2	6-7 1	6-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 34

Clinical sign	Group Name	Administration Week-day													
		7-1 1	7-1 2	7-2 1	7-2 2	7-3 1	7-3 2	7-4 1	7-4 2	7-5 1	7-5 2	7-6 1	7-6 2	7-7 1	7-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH28Jc1  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 35

Clinical sign	Group Name	Administration		Week-day											
		8-1 1	8-1 2	8-2 1	8-2 2	8-3 1	8-3 2	8-4 1	8-4 2	8-5 1	8-5 2	8-6 1	8-6 2	8-7 1	8-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 36

Clinical sign	Group Name	Administration Week-day													
		9-1 1	9-1 2	9-2 1	9-2 2	9-3 1	9-3 2	9-4 1	9-4 2	9-5 1	9-5 2	9-6 1	9-6 2	9-7 1	9-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 37

Clinical sign	Group Name	Administration Week-day													
		10-1 1	10-1 2	10-2 1	10-2 2	10-3 1	10-3 2	10-4 1	10-4 2	10-5 1	10-5 2	10-6 1	10-6 2	10-7 1	10-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 38

Clinical sign	Group Name	Administration Week-day													
		11-1 1	11-1 2	11-2 1	11-2 2	11-3 1	11-3 2	11-4 1	11-4 2	11-5 1	11-5 2	11-6 1	11-6 2	11-7 1	11-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 39

Clinical sign	Group Name	Administration Week-day													
		12-1 1	12-1 2	12-2 1	12-2 2	12-3 1	12-3 2	12-4 1	12-4 2	12-5 1	12-5 2	12-6 1	12-6 2	12-7 1	12-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 40

Clinical sign	Group Name	Administration Week-day													
		13-1 1	13-1 2	13-2 1	13-2 2	13-3 1	13-3 2	13-4 1	13-4 2	13-5 1	13-5 2	13-6 1	13-6 2	13-7 1	13-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 41

Clinical sign	Group Name	Administration Week-day													
		14-1 1	14-1 2	14-2 1	14-2 2	14-3 1	14-3 2	14-4 1	14-4 2	14-5 1	14-5 2	14-6 1	14-6 2	14-7 1	14-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	15	15	15	15	15	15	15	15	15	15	15	15	15	15

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jc1  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 42

Clinical sign	Group Name	Administration Week-day													
		15-1 1	15-1 2	15-2 1	15-2 2	15-3 1	15-3 2	15-4 1	15-4 2	15-5 1	15-5 2	15-6 1	15-6 2	15-7 1	15-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	15	15	15	15	15	15	15	15	15	14	14	14	14	14

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 43

Clinical sign	Group Name	Administration Week-day													
		16-1 1	16-1 2	16-2 1	16-2 2	16-3 1	16-3 2	16-4 1	16-4 2	16-5 1	16-5 2	16-6 1	16-6 2	16-7 1	16-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	14	14	14	14	14	14	14	14	14	14	14	14	14	14

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 44

Clinical sign	Group Name	Administration Week-day													
		17-1 1	17-1 2	17-2 1	17-2 2	17-3 1	17-3 2	17-4 1	17-4 2	17-5 1	17-5 2	17-6 1	17-6 2	17-7 1	17-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	1	1	1	1	1	1	2	2	2	2	2	2
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	13	12	12	12	12	12	12	12	11	11	11	11	11	11

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 45

Clinical sign	Group Name	Administration Week-day													
		18-1 1	18-1 2	18-2 1	18-2 2	18-3 1	18-3 2	18-4 1	18-4 2	18-5 1	18-5 2	18-6 1	18-6 2	18-7 1	18-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	1	1	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	10	9	9	9	9	9	9	9	9	9	9	9	9	9

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 46

Clinical sign	Group Name	Administration Week-day													
		19-1 1	19-1 2	19-2 1	19-2 2	19-3 1	19-3 2	19-4 1	19-4 2	19-5 1	19-5 2	19-6 1	19-6 2	19-7 1	19-7 2
OLIGO-STOOL	Control	0	0	0	1	1	1	1	1	1	1	1	1	1	1
	Posi. Control	0	0	0	1	1	1	1	1	1	1	1	1	0	0
NON REMARKABLE	Control	24 9	24 9	24 9	24 9	24 9	24 9	24 8							
	Posi. Control														

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 47

Clinical sign	Group Name	Administration Week-day													
		20-1 1	20-1 2	20-2 1	20-2 2	20-3 1	20-3 2	20-4 1	20-4 2	20-5 1	20-5 2	20-6 1	20-6 2	20-7 1	20-7 2
OLIGO-STOOL	Control	1	1	1	1	1	1	1	1	1	1	0	0	0	0
	Posi. Control	0	0	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	8	8	7	7	7	7	7	7	7	7	7	7	7	7

(HAN190)

BA1S 5

STUDY NO. : 0901  
ANIMAL : Jlc:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 48

Clinical sign	Group Name	Administration Week-day													
		21-1 1	21-1 2	21-2 1	21-2 2	21-3 1	21-3 2	21-4 1	21-4 2	21-5 1	21-5 2	21-6 1	21-6 2	21-7 1	21-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	6	6	6	6	6	6	6	6	6	6	5	5	5	5

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 49

Clinical sign	Group Name	Administration Week-day													
		22-1 1	22-1 2	22-2 1	22-2 2	22-3 1	22-3 2	22-4 1	22-4 2	22-5 1	22-5 2	22-6 1	22-6 2	22-7 1	22-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	1	1	1	1	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	5	5	5	5	5	5	5	5	5	5	5	5	5	5

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 50

Clinical sign	Group Name	Administration Week-day													
		23-1 1	23-1 2	23-2 1	23-2 2	23-3 1	23-3 2	23-4 1	23-4 2	23-5 1	23-5 2	23-6 1	23-6 2	23-7 1	23-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	Posi. Control	4	4	4	4	4	4	4	4	4	4	4	3	24	3

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 51

Clinical sign	Group Name	Administration Week-day													
		24-1 1	24-1 2	24-2 1	24-2 2	24-3 1	24-3 2	24-4 1	24-4 2	24-5 1	24-5 2	24-6 1	24-6 2	24-7 1	24-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	23 3	23 3	23 3	23 3	23 3	23 3	23 3	23 3	23 2	23 2	23 2	23 2	23 2	23 2
	Posi. Control														

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 52

Clinical sign	Group Name	Administration Week-day													
		25-1 1	25-1 2	25-2 1	25-2 2	25-3 1	25-3 2	25-4 1	25-4 2	25-5 1	25-5 2	25-6 1	25-6 2	25-7 1	25-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	23 2	23 2	23 2	23 2	23 2	23 2	23 2	23 2	23 2	23 2	23 2	23 2	23 2	23 2
	Posi. Control														

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 53

Clinical sign	Group Name	Administration Week-day													
		26-1 1	26-1 2	26-2 1	26-2 2	26-3 1	26-3 2	26-4 1	26-4 2	26-5 1	26-5 2	26-6 1	26-6 2	26-7 1	26-7 2
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Posi. Control	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON REMARKABLE	Control	23 2	23 2	23 2	23 2	23 2	23 2	23 2	23 2	23 2	23 2	23 2	23 2	23 2	23 2
	Posi. Control														

(HAN190)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1 27

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 54

Clinical sign	Group Name	Administration Week-day	
		27-1 1	27-1 2
OLIGO-STOOL	Control	0	0
	Posi. Control	0	0
NON REMARKABLE	Control	23	9
	Posi. Control	2	2

(HAN190)

BAIS 5

**TABLE B 5**

**BODY WEIGHT CHANGES AND SURVIVAL ANIMAL**

**NUMBERS : MALE**

(Control and Positive control group)

STUDY NO. : 0900  
 ANIMAL : Jic: CB6F1-Tg rasH2@Jcl  
 UNIT : g  
 SEX : MALE

MEAN BODY WEIGHTS AND SURVIVAL

Week-Day on Study	Control		Posi. Control		
	Av. Wt. <25>	No. of Surviv.	Av. Wt.	% of cont. <15>	No. of Surviv.
0-0	24.7 (25)	25/25	24.7 (15)	100	15/15
1-1	24.8 (25)	25/25	24.6 (15)	99	15/15
2-1	25.2 (25)	25/25	25.0 (15)	99	15/15
3-1	25.3 (25)	25/25	25.6 (15)	101	15/15
4-1	25.7 (25)	25/25	26.4 (15)	103	15/15
5-1	25.9 (25)	25/25	27.3 (15)	105	15/15
6-1	26.4 (25)	25/25	27.9 (15)	106	15/15
7-1	26.8 (25)	25/25	28.4 (15)	106	15/15
8-1	26.9 (25)	25/25	28.7 (15)	107	15/15
9-1	27.4 (25)	25/25	28.6 (15)	104	15/15
10-1	27.8 (25)	25/25	29.2 (15)	105	15/15
11-1	27.5 (25)	25/25	29.3 (15)	107	15/15
12-1	27.7 (25)	25/25	29.8 (15)	108	15/15
13-1	28.0 (25)	25/25	30.2 (15)	108	15/15
14-1	28.3 (25)	25/25	30.5 (15)	108	15/15
15-1	28.4 (25)	25/25	30.3 (15)	107	15/15
16-1	28.5 (25)	25/25	30.7 (14)	108	14/15
17-1	28.7 (25)	25/25	30.5 (14)	106	14/15
18-1	28.8 (25)	25/25	29.8 (14)	103	14/15
19-1	28.6 (25)	25/25	30.3 (13)	106	13/15
20-1	28.7 (25)	25/25	30.3 (12)	106	12/15
21-1	28.5 (25)	25/25	30.4 (10)	107	10/15
22-1	28.7 (25)	25/25	29.9 (10)	104	10/15
23-1	28.8 (25)	25/25	29.4 (10)	102	10/15
24-1	29.1 (25)	25/25	30.9 ( 8)	106	8/15
25-1	29.0 (25)	25/25	31.0 ( 8)	107	8/15
26-1	29.2 (25)	25/25	30.7 ( 8)	105	8/15
26-7	29.3 (25)	25/25	30.6 ( 8)	104	8/15

< >: No. of effective animals, ( ) : No. of measured animals Av. Wt. : g

TABLE B 6

BODY WEIGHT CHANGES AND SURVIVAL ANIMAL

NUMBERS : FEMALE

(Control and Positive control group)

STUDY NO. : 0901  
 ANIMAL : Jic: CB6F1-Tg rasH2@Jcl  
 UNIT : g  
 SEX : FEMALE

MEAN BODY WEIGHTS AND SURVIVAL

Week-Day on Study	Control		Posi. Control		
	Av. Wt. <25>	No. of Surviv.	Av. Wt.	% of cont. <15>	No. of Surviv.
0-0	20.3 (25)	25/25	20.3 (15)	100	15/15
1-1	19.5 (25)	25/25	19.4 (15)	99	15/15
2-1	20.3 (25)	25/25	20.1 (15)	99	15/15
3-1	20.5 (25)	25/25	20.3 (15)	99	15/15
4-1	20.2 (25)	25/25	20.7 (15)	102	15/15
5-1	20.1 (25)	25/25	20.9 (15)	104	15/15
6-1	20.2 (25)	25/25	21.6 (15)	107	15/15
7-1	20.6 (25)	25/25	21.6 (15)	105	15/15
8-1	21.2 (25)	25/25	22.5 (15)	106	15/15
9-1	21.4 (25)	25/25	22.8 (15)	107	15/15
10-1	21.8 (25)	25/25	23.0 (15)	106	15/15
11-1	21.9 (25)	25/25	23.0 (15)	105	15/15
12-1	22.0 (25)	25/25	23.4 (15)	106	15/15
13-1	22.1 (25)	25/25	23.1 (15)	105	15/15
14-1	22.2 (25)	25/25	23.3 (15)	105	15/15
15-1	21.9 (25)	25/25	23.4 (15)	107	15/15
16-1	22.2 (25)	25/25	23.2 (15)	105	15/15
17-1	22.0 (25)	25/25	22.8 (15)	104	15/15
18-1	22.3 (25)	25/25	23.3 (13)	104	13/15
19-1	22.3 (25)	25/25	23.9 (10)	107	10/15
20-1	22.2 (25)	25/25	23.6 ( 8)	106	8/15
21-1	22.8 (24)	24/25	24.0 ( 8)	105	8/15
22-1	22.8 (24)	24/25	24.4 ( 7)	107	7/15
23-1	22.3 (24)	24/25	23.6 ( 6)	106	6/15
24-1	22.6 (24)	24/25	24.4 ( 5)	108	5/15
25-1	22.9 (24)	24/25	25.5 ( 5)	111	5/15
26-1	22.7 (23)	23/25	24.6 ( 5)	108	5/15
26-7	23.1 (23)	23/25	24.0 ( 4)	104	4/15

< >: No. of effective animals, ( ) : No. of measured animals Av. Wt. : g

TABLE B 7

BODY WEIGHT CHANGES : MALE

(Control and Positive control group)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 1

Group Name	Administration week-day						
	0-0	1-1	2-1	3-1	4-1	5-1	6-1
Control	24.7 ± 1.0	24.8 ± 1.0	25.2 ± 1.2	25.3 ± 1.2	25.7 ± 1.2	25.9 ± 1.5	26.4 ± 1.4
Posi. Control	24.7 ± 1.0	24.6 ± 1.0	25.0 ± 1.1	25.6 ± 1.2	26.4 ± 1.0	27.3 ± 1.1**	27.9 ± 1.1**

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 2

Group Name	Administration week-day						
	7-1	8-1	9-1	10-1	11-1	12-1	13-1
Control	26.8 ± 1.6	26.9 ± 1.6	27.4 ± 1.7	27.8 ± 1.7	27.5 ± 1.8	27.7 ± 1.8	28.0 ± 1.8
Posi. Control	28.4 ± 1.1**	28.7 ± 1.1**	28.6 ± 1.1*	29.2 ± 0.9**	29.3 ± 1.1**	29.8 ± 1.3**	30.2 ± 1.2**

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 3

Group Name	Administration week-day						
	14-1	15-1	16-1	17-1	18-1	19-1	20-1
Control	28.3 ± 1.5	28.4 ± 1.8	28.5 ± 1.9	28.7 ± 1.9	28.8 ± 1.8	28.6 ± 2.0	28.7 ± 2.1
Posi. Control	30.5 ± 1.5**	30.3 ± 1.5**	30.7 ± 1.7**	30.5 ± 1.9**	29.8 ± 2.9	30.3 ± 2.1*	30.3 ± 1.8*

Significant difference ; \* :  $P \leq 0.05$     \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 4

Group Name	Administration week-day						
	21-1	22-1	23-1	24-1	25-1	26-1	26-7
Control	28.5 ± 1.9	28.7 ± 2.0	28.8 ± 1.9	29.1 ± 2.1	29.0 ± 2.0	29.2 ± 1.9	29.3 ± 2.1
Posi. Control	30.4 ± 1.8**	29.9 ± 2.9	29.4 ± 3.3	30.9 ± 1.6*	31.0 ± 1.8*	30.7 ± 2.7	30.6 ± 2.7

Significant difference : \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

TABLE B 8

BODY WEIGHT CHANGES : FEMALE

(Control and Positive control group)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 1

Group Name	Administration week-day						
	0-0	1-1	2-1	3-1	4-1	5-1	6-1
Control	20.3 ± 1.2	19.5 ± 1.2	20.3 ± 1.5	20.5 ± 1.4	20.2 ± 1.2	20.1 ± 1.2	20.2 ± 1.1
Posi. Control	20.3 ± 1.2	19.4 ± 1.0	20.1 ± 1.1	20.3 ± 1.2	20.7 ± 1.2	20.9 ± 1.2*	21.6 ± 1.3**

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 2

Group Name	Administration week-day						
	7-1	8-1	9-1	10-1	11-1	12-1	13-1
Control	20.6 ± 1.2	21.2 ± 1.1	21.4 ± 1.3	21.8 ± 1.3	21.9 ± 1.5	22.0 ± 1.4	22.1 ± 1.3
Posi. Control	21.6 ± 1.2*	22.5 ± 1.3**	22.8 ± 1.2**	23.0 ± 1.2**	23.0 ± 1.5*	23.4 ± 1.6**	23.1 ± 1.3*

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 3

Group Name	Administration week-day						
	14-1	15-1	16-1	17-1	18-1	19-1	20-1
Control	22.2 ± 1.6	21.9 ± 1.2	22.2 ± 1.5	22.0 ± 1.3	22.3 ± 1.3	22.3 ± 1.6	22.2 ± 1.5
Posi. Control	23.3 ± 1.2*	23.4 ± 1.7**	23.2 ± 1.3*	22.8 ± 1.6	23.3 ± 2.0	23.9 ± 2.5*	23.6 ± 1.2*

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 4

Group Name	Administration week-day						
	21-1	22-1	23-1	24-1	25-1	26-1	26-7
Control	22.8 ± 1.5	22.8 ± 1.3	22.3 ± 1.2	22.6 ± 1.3	22.9 ± 1.3	22.7 ± 1.3	23.1 ± 1.5
Posi. Control	24.0 ± 1.7	24.4 ± 1.7*	23.6 ± 1.9*	24.4 ± 2.5	25.5 ± 3.1	24.6 ± 2.3*	24.0 ± 1.6

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

**TABLE B 9**

**FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL**

**NUMBERS : MALE**

(Control and Positive control group)

STUDY NO. : 0900  
 ANIMAL : Jic: CB6F1-Tg rasH2@Jcl  
 UNIT : g  
 SEX : MALE

MEAN FOOD CONSUMPTION AND SURVIVAL

Week-Day on Study	Control		Posi. Control		
	Av. FC. <25>	No. of Surviv.	Av. FC.	% of cont. <25>	No. of Surviv.
2-1	3.9 (25)	25/25	4.2 (15)	108	15/15
3-1	3.3 (25)	25/25	4.0 (15)	121	15/15
4-1	3.3 (25)	25/25	4.0 (15)	121	15/15
5-1	3.4 (25)	25/25	4.2 (15)	124	15/15
6-1	3.3 (25)	25/25	4.2 (15)	127	15/15
7-1	3.3 (25)	25/25	4.2 (15)	127	15/15
8-1	3.3 (25)	25/25	4.2 (15)	127	15/15
9-1	3.4 (25)	25/25	4.1 (15)	121	15/15
10-1	3.2 (25)	25/25	4.2 (15)	131	15/15
11-1	3.1 (25)	25/25	4.2 (15)	135	15/15
12-1	3.2 (25)	25/25	4.2 (15)	131	15/15
13-1	3.3 (25)	25/25	4.2 (15)	127	15/15
14-1	3.2 (25)	25/25	4.1 (15)	128	15/15
15-1	3.3 (25)	25/25	4.0 (15)	121	15/15
16-1	3.2 (25)	25/25	4.1 (14)	128	14/15
17-1	3.3 (25)	25/25	3.9 (14)	118	14/15
18-1	3.3 (25)	25/25	3.6 (14)	109	14/15
19-1	3.1 (25)	25/25	3.8 (13)	123	13/15
20-1	3.1 (25)	25/25	3.8 (12)	123	12/15
21-1	3.1 (25)	25/25	3.9 (10)	126	10/15
22-1	3.2 (25)	25/25	3.7 (10)	116	10/15
23-1	3.1 (25)	25/25	3.6 (10)	116	10/15
24-1	3.2 (25)	25/25	3.8 ( 8)	119	8/15
25-1	3.1 (25)	25/25	3.8 ( 8)	123	8/15
26-1	3.3 (25)	25/25	3.8 ( 8)	115	8/15
26-7	3.2 (25)	25/25	3.8 ( 8)	119	8/15

< >: No. of effective animals, ( ) : No. of measured animals Av. FC. : g

TABLE B 10

FOOD CONSUMPTION CHANGES AND SURVIVAL ANIMAL

NUMBERS : FEMALE

(Control and Positive control group)

STUDY NO. : 0901  
 ANIMAL : Jic: CB6F1-Tg rasH2@Jcl  
 UNIT : g  
 SEX : FEMALE

MEAN FOOD CONSUMPTION AND SURVIVAL

Week-Day on Study	Control		Posi. Control		
	Av. FC. <25>	No. of Surviv.	Av. FC.	% of cont. <15>	No. of Surviv.
2-1	3.3 (25)	25/25	3.4 (15)	103	15/15
3-1	3.0 (25)	25/25	3.4 (15)	113	15/15
4-1	2.7 (25)	25/25	3.3 (15)	122	15/15
5-1	2.8 (25)	25/25	3.4 (15)	121	15/15
6-1	2.9 (25)	25/25	3.7 (15)	128	15/15
7-1	3.0 (25)	25/25	3.6 (15)	120	15/15
8-1	3.0 (25)	25/25	3.8 (15)	127	15/15
9-1	3.0 (25)	25/25	3.7 (15)	123	15/15
10-1	3.0 (25)	25/25	3.7 (15)	123	15/15
11-1	3.0 (25)	25/25	3.7 (15)	123	15/15
12-1	3.0 (25)	25/25	3.7 (15)	123	15/15
13-1	2.9 (25)	25/25	3.4 (15)	117	15/15
14-1	3.0 (25)	25/25	3.6 (15)	120	15/15
15-1	2.9 (25)	25/25	3.6 (15)	124	15/15
16-1	2.9 (25)	25/25	3.5 (14)	121	15/15
17-1	2.9 (25)	25/25	3.8 (15)	131	15/15
18-1	2.9 (25)	25/25	3.9 (13)	134	13/15
19-1	2.8 (25)	25/25	3.6 (10)	129	10/15
20-1	2.9 (25)	25/25	3.3 ( 8)	114	8/15
21-1	2.8 (24)	24/25	3.6 ( 8)	129	8/15
22-1	2.8 (24)	24/25	3.6 ( 7)	129	7/15
23-1	2.8 (24)	24/25	3.5 ( 6)	125	6/15
24-1	2.8 (24)	24/25	3.6 ( 5)	129	5/15
25-1	3.0 (24)	24/25	4.3 ( 5)	143	5/15
26-1	2.8 (23)	23/25	3.8 ( 5)	136	5/15
26-7	2.8 (23)	23/25	4.2 ( 4)	150	4/15

< >: No. of effective animals, ( ) : No. of measured animals Av. FC. : g

TABLE B 11

FOOD CONSUMPTION CHANGES : MALE

(Control and Positive control group)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 1

Group Name	Administration week-day (effective)						
	2-1 (7)	3-1 (7)	4-1 (7)	5-1 (7)	6-1 (7)	7-1 (7)	8-1 (7)
Control	3.9 ± 0.4	3.3 ± 0.3	3.3 ± 0.3	3.4 ± 0.3	3.3 ± 0.3	3.3 ± 0.3	3.3 ± 0.3
Posi. Control	4.2 ± 0.2*	4.0 ± 0.3**	4.0 ± 0.2**	4.2 ± 0.3**	4.2 ± 0.3**	4.2 ± 0.2**	4.2 ± 0.3**

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 2

Group Name	Administration week-day (effective)						
	9-1 (7)	10-1 (7)	11-1 (7)	12-1 (7)	13-1 (7)	14-1 (7)	15-1 (7)
Control	3.4 ± 0.3	3.2 ± 0.3	3.1 ± 0.3	3.2 ± 0.3	3.3 ± 0.3	3.2 ± 0.3	3.3 ± 0.3
Posi. Control	4.1 ± 0.3**	4.2 ± 0.3**	4.2 ± 0.4**	4.2 ± 0.3**	4.2 ± 0.4**	4.1 ± 0.5**	4.0 ± 0.6**

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 3

Group Name	Administration week-day (effective)						
	16-1 (7)	17-1 (7)	18-1 (7)	19-1 (7)	20-1 (7)	21-1 (7)	22-1 (7)
Control	3.2 ± 0.3	3.3 ± 0.3	3.3 ± 0.3	3.1 ± 0.3	3.1 ± 0.4	3.1 ± 0.3	3.2 ± 0.4
Posi. Control	4.1 ± 0.4**	3.9 ± 0.5**	3.6 ± 0.9	3.8 ± 0.6**	3.8 ± 0.9*	3.9 ± 0.5**	3.7 ± 0.9

Significant difference ; \* :  $P \leq 0.05$     \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 4

Group Name	Administration week-day (effective)				
	23-1 (7)	24-1 (7)	25-1 (7)	26-1 (7)	26-7 (6)
Control	3.1 ± 0.3	3.2 ± 0.4	3.1 ± 0.3	3.3 ± 0.3	3.2 ± 0.3
Posi. Control	3.6 ± 0.6*	3.8 ± 0.2**	3.8 ± 0.3**	3.8 ± 0.6**	3.8 ± 0.3**

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

TABLE B 12

FOOD CONSUMPTION CHANGES : FEMALE

(Control and Positive control group)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 1

Group Name	Administration week-day (effective)						
	2-1 (7)	3-1 (7)	4-1 (7)	5-1 (7)	6-1 (7)	7-1 (7)	8-1 (7)
Control	3.3 ± 0.4	3.0 ± 0.2	2.7 ± 0.2	2.8 ± 0.3	2.9 ± 0.3	3.0 ± 0.2	3.0 ± 0.2
Posi. Control	3.4 ± 0.3	3.4 ± 0.3**	3.3 ± 0.4**	3.4 ± 0.3**	3.7 ± 0.4**	3.6 ± 0.2**	3.8 ± 0.3**

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 2

Group Name	Administration week-day (effective)						
	9-1 (7)	10-1 (7)	11-1 (7)	12-1 (7)	13-1 (7)	14-1 (7)	15-1 (7)
Control	3.0 ± 0.3	3.0 ± 0.3	3.0 ± 0.4	3.0 ± 0.3	2.9 ± 0.3	3.0 ± 0.4	2.9 ± 0.2
Posi. Control	3.7 ± 0.3**	3.7 ± 0.2**	3.7 ± 0.3**	3.7 ± 0.4**	3.4 ± 0.3**	3.6 ± 0.2**	3.6 ± 0.4**

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 3

Group Name	Administration week-day (effective)						
	16-1 (7)	17-1 (7)	18-1 (7)	19-1 (7)	20-1 (7)	21-1 (7)	22-1 (7)
Control	2.9± 0.3	2.9± 0.3	2.9± 0.2	2.8± 0.3	2.9± 0.3	2.8± 0.3	2.8± 0.3
Posi. Control	3.5± 0.4**	3.8± 1.8	3.9± 1.0**	3.6± 0.8*	3.3± 0.2**	3.6± 0.4**	3.6± 0.4**

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
UNIT : g  
REPORT TYPE : A1 26  
SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 4

Group Name	Administration week-day (effective)				
	23-1 (7)	24-1 (7)	25-1 (7)	26-1 (7)	26-7 (6)
Control	2.8± 0.3	2.8± 0.2	3.0± 0.3	2.8± 0.2	2.8± 0.3
Posi. Control	3.5± 0.5*	3.6± 0.8	4.3± 0.9*	3.8± 0.3**	4.2± 1.1

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of t

(HAN260)

BAIS 5

TABLE B 13

URINALYSIS : MALE

(Control and Positive control group)

STUDY NO. : 0900

ANIMAL : Jic:CB6F1-Tg rasH20Jcl

MEASURE. TIME : 1

SEX : MALE REPORT TYPE : A1

## URINALYSIS

PAGE : 1

Group Name	NO. of Animals	pH							CHI	Protein					CHI	Glucose					CHI	Ketone body					CHI	Occult blood							
		5.0	6.0	6.5	7.0	7.5	8.0	8.5		-	±	+	2+	3+	4+	-	±	+	2+	3+	4+	-	±	+	2+	3+	4+								
Control	20	0	0	0	0	0	1	19		0	2	14	4	0	0		20	0	0	0	0	0		0	5	10	5	0	0		20	0	0	0	0
Posi. Control	6	0	0	0	0	0	1	5		0	2	4	0	0	0		6	0	0	0	0	0		1	1	4	0	0	0		6	0	0	0	0

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$ 

## Test of CHI SQUARE

(HCL101)

BAIS 5

STUDY NO. : 0900

ANIMAL : Jic:CB6F1-Tg rash20Jcl

MEASURE. TIME : 1

SEX : MALE REPORT TYPE : A1

URINALYSIS

PAGE : 2

Group Name	NO. of Animals	Urobilinogen	±	2+	3+	4+	CHI
Control	20	20	0	0	0	0	0
Posi. Control	6	6	0	0	0	0	0

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of CHI SQUARE

(HCL101)

BAIS 5

TABLE B 14

URINALYSIS : FEMALE

(Control and Positive control group)

STUDY NO. : 0901

ANIMAL : Jic:CB6F1-Tg rash20Jcl

MEASURE. TIME : 1

SEX : FEMALE REPORT TYPE : A1

## URINALYSIS

PAGE : 1

Group Name	NO. of Animals	pH								CHI	Protein				CHI	Glucose				CHI	Ketone body				CHI	Occult blood				CHI						
		5.0	6.0	6.5	7.0	7.5	8.0	8.5	-		±	+	2+	-		±	+	2+	-	±	+	2+	-	±	+	2+										
Control	13	0	0	0	1	2	4	6			0	5	6	0	2	0		13	0	0	0	0	0	0	0	6	5	2	0	0	13	0	0	0	0	0
Posi. Control	4	0	0	0	1	1	2	0			0	0	2	2	0	0	*	4	0	0	0	0	0	0	0	1	1	2	0	0	3	0	0	1	0	0

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$ 

Test of CHI SQUARE

(HCL101)

BAIS 5

STUDY NO. : 0901

ANIMAL : Jic:CB6F1-Tg rash20Jcl

MEASURE. TIME : 1

SEX : FEMALE REPORT TYPE : A1

URINALYSIS

PAGE : 2

Group Name	NO. of Animals	Urobilinogen	CHI
Control	13	13 0 0 0 0	
Posi. Control	4	4 0 0 0 0	

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of CHI SQUARE

(HCL101)

BAIS 5

TABLE B 15

HEMATOLOGY : MALE

(Control and Positive control group)

STUDY NO. : 0900

ANIMAL : Jic:CB6F1-Tg rash20Jcl

MEASURE. TIME : 1

SEX : MALE

REPORT TYPE : A1

## HEMATOLOGY (SUMMARY)

ALL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	RED BLOOD CELL $10^6/\mu\text{l}$	HEMOGLOBIN $\text{g}/\text{dl}$	HEMATOCRIT %		MCV $\text{fL}$	MCH $\text{pg}$	MCHC $\text{g}/\text{dl}$	PLATELET $10^8/\mu\text{l}$	
Control	25	11.54± 0.57	16.6± 0.6	48.5±	1.7	42.0±	1.0	14.4±	0.3	34.3± 0.4
Posi. Control	8	9.80± 2.87	14.1± 4.6	42.2±	10.8	44.2±	4.3	14.0±	1.8	32.1± 5.8

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$ 

Test of t

(HCL070)

BAIS 5

STUDY NO. : 0900

ANIMAL : Jic:CB6F1-Tg rash20Jcl

MEASURE. TIME : 1

SEX : MALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)

ALL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	RETICULOCYTE %
Control	25	3.5± 2.1
Posi. Control	8	11.6± 19.8

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of t

(HCL070)

BAIS 5

STUDY NO. : 0900

ANIMAL : Jic:CB6F1-Tg rash20Jcl

MEASURE. TIME : 1

SEX : MALE REPORT TYPE : A1

## HEMATOLOGY (SUMMARY)

ALL ANIMALS ( 27W)

PAGE : 3

Group Name	NO. of Animals	WBC $10^3/\mu\text{L}$	Differential		WBC (%)	LYMPHO	MONO	EOSINO	BASO
			NEUTRO	LYMPHO					
Control	25	1.68± 0.92	30.3± 6.4	63.8± 6.7	3.4±	2.0	2.2± 2.4	0.3± 0.7	
Posi. Control	8	4.24± 3.30	42.6± 11.0*	50.0± 9.1**	4.3±	3.8	2.8± 6.5	0.4± 0.3	

Significant difference ; \* :  $P \leq 0.05$ \*\* :  $P \leq 0.01$ 

Test of t

(HCL070)

BAIS 5

TABLE B 16

HEMATOLOGY : FEMALE

(Control and Positive control group)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
MEASURE. TIME : 1

SEX : FEMALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)  
ALL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	RED BLOOD CELL $10^6/\mu\text{l}$	HEMOGLOBIN $\text{g/dl}$	HEMATOCRIT %	MCV $\text{f}\ell$	MCH $\text{pg}$	MCHC $\text{g/dl}$	PLATELET $10^3/\mu\text{l}$
Control	23	11.35 ± 0.33	16.6 ± 0.3	48.0 ± 1.1	42.3 ± 0.6	14.6 ± 0.3	34.6 ± 0.4	1382 ± 128
Posi. Control	4	8.71 ± 2.78	12.7 ± 5.3	39.4 ± 12.3	45.3 ± 1.9	14.1 ± 2.3	31.2 ± 5.2	897 ± 498

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of t

(HCL070)

BAIS 5

STUDY NO. : 0901

ANIMAL : Jic:CB6F1-Tg rash20Jcl

MEASURE. TIME : 1

SEX : FEMALE REPORT TYPE : A1

HEMATOLOGY (SUMMARY)

ALL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	RETICULOCYTE %
Control	23	3.5± 0.5
Posi. Control	4	12.6± 16.6

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of t

(HCL070)

BAIS 5

STUDY NO. : 0901

ANIMAL : Jic:CB6F1-Tg rash20Jcl

MEASURE. TIME : 1

SEX : FEMALE REPORT TYPE : A1

## HEMATOLOGY (SUMMARY)

ALL ANIMALS ( 27W)

PAGE : 3

Group Name	NO. of Animals	WBC $10^9/\mu\text{l}$	Differential		WBC (%)	LYMPHO	MONO	EOSINO	BASO
			NEUTRO	LYMPHO					
Control	23	2.27± 1.32	30.1± 8.3	63.8± 7.0	4.1±	1.3	1.5±	1.2	0.5± 0.4
Posi. Control	4	19.42± 25.88	28.1± 2.3	51.7± 17.4*	9.3±	8.7	8.6±	12.8	2.3± 3.3

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$ 

Test of t

(HCL070)

BAIS 5

TABLE B 17

BIOCHEMISTRY : MALE

(Control and Positive control group)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
MEASURE. TIME : 1

SEX : MALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)  
ALL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	TOTAL PROTEIN g/dl	ALBUMIN g/dl	A/G RATIO		T-BILIRUBIN mg/dl	GLUCOSE mg/dl	T-CHOLESTEROL mg/dl		TRIGLYCERIDE mg/dl	
Control	25	5.1± 0.2	2.8± 0.1	1.2±	0.1	0.06± 0.01	200± 19	94±	10	44±	15
Posi. Control	8	5.0± 0.5	2.7± 0.2	1.2±	0.1	0.05± 0.03	186± 27	98±	16	112±	142

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of t

(HCL074)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
MEASURE. TIME : 1  
SEX : MALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)  
ALL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	PHOSPHOLIPID mg/dl	AST U/L	ALT U/L	LDH U/L	ALP U/L	G-GTP U/L	CK U/L
Control	25	188± 19	53± 14	16± 5	210± 48	227± 26	0.4± 0.4	60± 17
Posi. Control	8	202± 21	69± 12**	24± 5**	251± 50*	186± 21**	0.7± 0.5	70± 26

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of t

(HCL074)

BAIS 5

STUDY NO. : 0900

ANIMAL : Jic:CBGF1-Tg rasH20Jcl

MEASURE. TIME : 1

SEX : MALE REPORT TYPE : A1

## BIOCHEMISTRY (SUMMARY)

ALL ANIMALS ( 27W)

PAGE : 3

Group Name	NO. of Animals	UREA NITROGEN mg/dl	SODIUM mEq/l	POTASSIUM mEq/l	CHLORIDE mEq/l	CALCIUM mg/dl	INORGANIC PHOSPHORUS mg/dl
Control	25	20.6 ± 3.2	153 ± 2	3.6 ± 0.2	118 ± 2	8.5 ± 0.3	5.1 ± 0.8
Posi. Control	8	27.0 ± 5.2**	154 ± 1	3.7 ± 0.4	120 ± 2	8.7 ± 0.3*	6.1 ± 1.1*

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$ 

Test of t

(HCL074)

BAIS 5

TABLE B 18

BIOCHEMISTRY : FEMALE

(Control and Positive control group)

STUDY NO. : 0901

ANIMAL : Jic:CB6F1-Tg rash20Jcl

MEASURE TIME : 1

SEX : FEMALE REPORT TYPE : A1

## BIOCHEMISTRY (SUMMARY)

ALL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	TOTAL PROTEIN g/dl	ALBUMIN g/dl	A/G RATIO		T-BILIRUBIN mg/dl	GLUCOSE mg/dl	T-CHOLESTEROL mg/dl	TRIGLYCERIDE mg/dl
Control	23	5.2± 0.2	3.1± 0.1	1.4±	0.1	0.05± 0.01	180± 18	67± 7	34± 12
Posi. Control	4	5.4± 0.4	2.9± 0.4	1.2±	0.4*	0.05± 0.02	172± 40	72± 16	30± 12

Significant difference ; \* : P ≤ 0.05      \*\* : P ≤ 0.01

Test of t

(HCL074)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
MEASURE. TIME : 1

SEX : FEMALE REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)  
ALL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	PHOSPHOLIPID mg/dl	AST U/L	ALT U/L	LDH U/L	ALP U/L	G-GTP U/L	CK U/L
Control	23	137± 13	51± 7	16± 2	159± 30	310± 40	0.5± 0.6	47± 16
Posi. Control	4	124± 23	228± 326	57± 65	2252± 4023	251± 77	0.8± 0.5	176± 127

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of t

(HCL074)

BAIS 5

STUDY NO. : 0901

ANIMAL : Jic:CB6F1-Tg rash20Jcl

MEASURE. TIME : 1

SEX : FEMALE

REPORT TYPE : A1

## BIOCHEMISTRY (SUMMARY)

ALL ANIMALS ( 27W)

PAGE : 3

Group Name	NO. of Animals	UREA NITROGEN mg/dl	SODIUM mEq/l	POTASSIUM mEq/l	CHLORIDE mEq/l	CALCIUM mg/dl	INORGANIC PHOSPHORUS mg/dl
Control	23	16.7 ± 3.9	152 ± 2	3.3 ± 0.2	118 ± 2	8.8 ± 0.3	4.6 ± 0.8
Posi. Control	4	24.0 ± 9.1	153 ± 1	3.9 ± 0.9	118 ± 1	8.9 ± 0.2	6.4 ± 1.1 **

Significant difference : \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$ 

Test of t

(HCL074)

BAIS 5

TABLE B 19

GROSS FINDINGS : MALE

(Control and Positive control group)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : MALE

GROSS FINDINGS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name NO. of Animals	Control 25 (%)	Posi. Control 15 (%)
skin/app	nodule		0 ( 0 )	3 ( 20 )
subcutis	mass		0 ( 0 )	1 ( 7 )
lung	white zone		1 ( 4 )	0 ( 0 )
	red zone		0 ( 0 )	1 ( 7 )
	nodule		1 ( 4 )	1 ( 7 )
lymph node	enlarged		0 ( 0 )	6 ( 40 )
thymus	enlarged		0 ( 0 )	2 ( 13 )
spleen	enlarged		0 ( 0 )	7 ( 47 )
	black zone		2 ( 8 )	0 ( 0 )
	nodule		1 ( 4 )	1 ( 7 )
oral cavity	nodule		0 ( 0 )	1 ( 7 )
tongue	nodule		0 ( 0 )	1 ( 7 )
stomach	forestomach:nodule		0 ( 0 )	14 ( 93 )
	forestomach:white zone		0 ( 0 )	1 ( 7 )
liver	enlarged		0 ( 0 )	1 ( 7 )
	nodule		0 ( 0 )	1 ( 7 )
kidney	enlarged		0 ( 0 )	2 ( 13 )
mediastinum	mass		0 ( 0 )	2 ( 13 )
thoracic ca	pleural fluid		0 ( 0 )	5 ( 33 )
whole body	anemic		0 ( 0 )	1 ( 7 )

TABLE B 20

GROSS FINDINGS : FEMALE

(Control and Positive control group)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name NO. of Animals	Control 25 (%)	Posi. Control 15 (%)
skin/app	nodule		1 ( 4)	2 ( 13)
lung	white zone		2 ( 8)	0 ( 0)
	red zone		0 ( 0)	3 ( 20)
	nodule		0 ( 0)	1 ( 7)
lymph node	enlarged		0 ( 0)	5 ( 33)
	red		1 ( 4)	0 ( 0)
thymus	enlarged		0 ( 0)	1 ( 7)
spleen	enlarged		2 ( 8)	9 ( 60)
	black zone		3 ( 12)	1 ( 7)
heart	white zone		0 ( 0)	1 ( 7)
stomach	forestomach:nodule		0 ( 0)	12 ( 80)
liver	enlarged		0 ( 0)	3 ( 20)
kidney	enlarged		0 ( 0)	1 ( 7)
ovary	enlarged		1 ( 4)	1 ( 7)
uterus	nodule		0 ( 0)	1 ( 7)
brain	red zone		0 ( 0)	1 ( 7)
Harder gl	nodule		0 ( 0)	1 ( 7)
mediastinum	mass		0 ( 0)	7 ( 47)
peritoneum	nodule		0 ( 0)	1 ( 7)
thoracic ca	pleural fluid		0 ( 0)	2 ( 13)
other	hindlimb:swollen		1 ( 4)	0 ( 0)
whole body	anemic		0 ( 0)	2 ( 13)

TABLE B 21

ORGAN WEIGHT, ABSOLUTE : MALE

(Control and Positive control group)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : MALE  
UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	Body Weight	THYMUS		ADRENALS		TESTES		HEART		LUNGS	
Control	25	26.3 ± 2.1	0.059 ±	0.023	0.016 ±	0.004	0.262 ±	0.029	0.156 ±	0.015	0.157 ±	0.019
Posi. Control	8	27.2 ± 2.3	0.056 ±	0.020	0.017 ±	0.003	0.263 ±	0.043	0.174 ±	0.009**	0.160 ±	0.020

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$       Test of t

(HCL040)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : MALE  
UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS		SPLEEN		LIVER		BRAIN	
Control	25	0.519±	0.050	0.061±	0.017	1.069±	0.091	0.477±	0.015
Posi. Control	8	0.540±	0.051	0.156±	0.146	1.210±	0.140**	0.475±	0.012

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$       Test of t

(HCL040)

BAIS 5

TABLE B 22

ORGAN WEIGHT, ABSOLUTE : FEMALE

(Control and Positive control group)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	Body Weight	THYMUS	ADRENALS	OVARIES	HEART	LUNGS
Control	23	20.4 ± 1.4	0.044 ± 0.019	0.015 ± 0.002	0.031 ± 0.008	0.117 ± 0.010	0.146 ± 0.014
Posi. Control	4	21.3 ± 1.9	0.065 ± 0.039	0.013 ± 0.002	0.032 ± 0.010	0.148 ± 0.022	0.185 ± 0.061

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$       Test of t

(HCL040)

BAIS 5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS		SPLEEN		LIVER		BRAIN	
Control	23	0.343±	0.026	0.068±	0.012	0.885±	0.085	0.481±	0.013
Posi. Control	4	0.386±	0.054	0.394±	0.485	1.480±	0.793	0.481±	0.012

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$       Test of t

(HCL040)

BAIS 5

TABLE B 23

ORGAN WEIGHT, RELATIVE : MALE

(Control and Positive control group)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : MALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	Body Weight (g)	THYMUS	ADRENALS	TESTES	HEART	LUNGS
Control	25	26.3 ± 2.1	0.224 ± 0.080	0.060 ± 0.015	0.996 ± 0.101	0.592 ± 0.035	0.596 ± 0.068
Posi. Control	8	27.2 ± 2.3	0.202 ± 0.063	0.062 ± 0.009	0.968 ± 0.153	0.644 ± 0.088	0.591 ± 0.065

Significant difference ; \* :  $P \leq 0.05$     \*\* :  $P \leq 0.01$

Test of t

(HCL042)

BAIS 5

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : MALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS	SPLEEN	LIVER	BRAIN
Control	25	1. 973± 0. 121	0. 231± 0. 058	4. 059± 0. 165	1. 819± 0. 128
Posi. Control	8	1. 985± 0. 073	0. 606± 0. 637	4. 437± 0. 217**	1. 755± 0. 129

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of t

(HCL042)

BAIS 5

TABLE B 24

ORGAN WEIGHT, RELATIVE : FEMALE

(Control and Positive control group)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 1

Group Name	NO. of Animals	Body Weight (g)	THYMUS	ADRENALS	OVARIES	HEART	LUNGS
Control	23	20.4 ± 1.4	0.216 ± 0.082	0.073 ± 0.010	0.151 ± 0.039	0.575 ± 0.046	0.713 ± 0.049
Posi. Control	4	21.3 ± 1.9	0.310 ± 0.184	0.063 ± 0.012	0.149 ± 0.047	0.690 ± 0.051**	0.853 ± 0.204

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of t

(HCL042)

BAIS5

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 27W)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS	SPLEEN	LIVER	BRAIN
Control	23	1.681 ± 0.103	0.332 ± 0.061	4.335 ± 0.296	2.364 ± 0.146
Posi. Control	4	1.805 ± 0.112*	1.726 ± 1.999	6.763 ± 3.051	2.271 ± 0.190

Significant difference ; \* :  $P \leq 0.05$    \*\* :  $P \leq 0.01$

Test of t

(HCL042)

BAIS 5

TABLE B 25

HISTOPATHOLOGICAL FINDINGS :

NEOPLASTIC LESIONS : MALE

(Control and Positive control group)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
REPORT TYPE : A1  
SEX : MALE

HISTOPATHOLOGICAL FINDINGS : NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name No. of animals on Study	Control 25	Posi. Control 15
{Integumentary system/appandage}				
skin/app	squamous cell papilloma		<25> 0 ( 0%)	<15> 3 ( 20%)
subcutis	hemangiosarcoma		<25> 0 ( 0%)	<15> 1 ( 7%)
(Respiratory system)				
nasal cavit	adenoma		<25> 0 ( 0%)	<15> 1 ( 7%)
lung	bronchiolar-alveolar adenoma		<25> 1 ( 4%)	<15> 4 ( 27%)
	bronchiolar-alveolar carcinoma		<25> 0 ( 0%)	<15> 1 ( 7%)
(Hematopoietic system)				
thymus	malignant lymphoma		<25> 0 ( 0%)	<15> 8 ( 53%)
spleen	hemangioma		<25> 1 ( 4%)	<15> 0 ( 0%)
	hemangiosarcoma		<25> 0 ( 0%)	<15> 1 ( 7%)
(Digestive system)				
tongue	squamous cell papilloma		<25> 0 ( 0%)	<15> 1 ( 7%)
stomach	squamous cell papilloma		<25> 0 ( 0%)	<15> 15 (100%)

< a > a : Number of animals examined at the site  
b ( c ) b : Number of animals with neoplasm c : b / a \* 100

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : MALE

HISTOPATHOLOGICAL FINDINGS : NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 2

Organ	Findings	Group Name	Control	Posi. Control
		No. of animals on Study	25	15

[Digestive system]

stomach	squamous cell carcinoma	<25> 0 ( 0%)	<15> 4 ( 27%)
---------	-------------------------	-----------------	------------------

< a > a : Number of animals examined at the site  
b ( c ) b : Number of animals with neoplasm      c : b / a \* 100

(HPT085)

BAIS6

TABLE B 26

HISTOPATHOLOGICAL FINDINGS :

NEOPLASTIC LESIONS : FEMALE

(Control and Positive control group)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS : NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name No. of animals on Study	Control 25	Posi. Control 15
<b>{Integumentary system/appendage}</b>				
skin/app	squamous cell papilloma		<25> 0 ( 0%)	<15> 1 ( 7%)
	schwannoma:malignant		1 ( 4%)	0 ( 0%)
<b>(Respiratory system)</b>				
trachea	papillary adenoma		<25> 0 ( 0%)	<15> 1 ( 7%)
lung	bronchiolar-alveolar adenoma		<25> 3 ( 12%)	<15> 3 ( 20%)
<b>(Hematopoietic system)</b>				
lymph node	malignant lymphoma		<25> 0 ( 0%)	<15> 2 ( 13%)
thymus	malignant lymphoma		<25> 0 ( 0%)	<15> 6 ( 40%)
spleen	malignant lymphoma		<25> 0 ( 0%)	<15> 3 ( 20%)
<b>(Digestive system)</b>				
salivary gl	hemangioma		<25> 1 ( 4%)	<15> 0 ( 0%)
stomach	squamous cell papilloma		<25> 0 ( 0%)	<15> 13 ( 87%)
	squamous cell carcinoma		0 ( 0%)	2 ( 13%)

< a > a : Number of animals examined at the site  
b ( c ) b : Number of animals with neoplasm c : b / a \* 100

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS : NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 2

Organ	Findings	Group Name No. of animals on Study	Control 25	Posi. Control 15
{Urinary system}				
urethra	transitional cell carcinoma		<25> 0 ( 0%)	<15> 1 ( 7%)
{Reproductive system}				
uterus	hemangiosarcoma		<25> 0 ( 0%)	<15> 1 ( 7%)
	endometrial stromal sarcoma		<25> 0 ( 0%)	<15> 1 ( 7%)
vagina	squamous cell papilloma		<25> 0 ( 0%)	<15> 1 ( 7%)

< a > a : Number of animals examined at the site  
b ( c ) b : Number of animals with neoplasm      c : b / a \* 100

(HPT085)

BAIS6

TABLE B 27

NEOPLASTIC LESIONS-INCIDENCE  
AND STATISTICAL ANALYSIS : MALE  
(Control and Positive control group)

NEOPLASTIC LESIONS – INCIDENCE AND STATISTICAL ANALYSIS

STUDY NO.: 0900

ANIMAL : Jic: CB6F1-Tg rasH2@Jcl

SEX : MALE

PAGE: 1

Group Name	Control	Posi. Control
	SITE : skin/appendage TUMOR : squamous cell papilloma	
Tumor rate (a)	0/25 ( 0.0 )	3/15 ( 20.0 )
Statistical analysis		
Fisher Exact test (b)		P = 0.0461*
	SITE : subcutis TUMOR : hemangiosarcoma	
Tumor rate (a)	0/25 ( 0.0 )	1/15 ( 6.7 )
Statistical analysis		
Fisher Exact test (b)		P = 0.3750
	SITE : nasal cavity TUMOR : adenoma	
Tumor rate (a)	0/25 ( 0.0 )	1/15 ( 6.7 )
Statistical analysis		
Fisher Exact test (b)		P = 0.3750
	SITE : lung TUMOR : bronchiolar-alveolar adenoma	
Tumor rate (a)	1/25 ( 4.0 )	4/15 ( 26.7 )
Statistical analysis		
Fisher Exact test (b)		P = 0.0564
	SITE : lung TUMOR : bronchiolar-alveolar carcinoma	
Tumor rate (a)	0/25 ( 0.0 )	1/15 ( 6.7 )
Statistical analysis		
Fisher Exact test (b)		P = 0.3750
	SITE : lung TUMOR : bronchiolar-alveolar adenoma, bronchiolar-alveolar carcinoma	
Tumor rate (a)	1/25 ( 4.0 )	5/15 ( 33.3 )
Statistical analysis		
Fisher Exact test (b)		P = 0.0209*
	SITE : thymus TUMOR : malignant lymphoma	
Tumor rate (a)	0/25 ( 0.0 )	8/15 ( 53.3 )
Statistical analysis		
Fisher Exact test (b)		P = 0.0001**

NEOPLASTIC LESIONS – INCIDENCE AND STATISTICAL ANALYSIS

STUDY NO.: 0900

ANIMAL : Jic: CB6F1-Tg rasH2@Jcl

SEX : MALE

PAGE: 2

Group Name	Control	Posi. Control
	SITE : spleen TUMOR : hemangiosarcoma	
Tumor rate (a)	0/25 ( 0.0 )	1/15 ( 6.7 )
Statistical analysis		
Fisher Exact test (b)		P = 0.3750
	SITE : tongue TUMOR : squamous cell papilloma	
Tumor rate (a)	0/25 ( 0.0 )	1/15 ( 6.7 )
Statistical analysis		
Fisher Exact test (b)		P = 0.3750
	SITE : stomach TUMOR : squamous cell papilloma	
Tumor rate (a)	0/25 ( 0.0 )	15/15 ( 100.0 )
Statistical analysis		
Fisher Exact test (b)		P < 0.0001**
	SITE : stomach TUMOR : squamous cell carcinoma	
Tumor rate (a)	0/25 ( 0.0 )	4/15 ( 26.7 )
Statistical analysis		
Fisher Exact test (b)		P = 0.0149*
	SITE : stomach TUMOR : squamous cell papilloma, squamous cell carcinoma	
Tumor rate (a)	0/25 ( 0.0 )	15/15 ( 100.0 )
Statistical analysis		
Fisher Exact test (b)		P < 0.0001**
	SITE : ALL SITE TUMOR : hemangiosarcoma	
Tumor rate (a)	0/25 ( 0.0 )	2/15 ( 13.3 )
Statistical analysis		
Fisher Exact test (b)		P = 0.1346

(a): Number of tumor-bearing animals/number of animals examined at the site.

(b): Fisher exact test compare directly the overall incidence rates.

Significant difference: \* : P ≤ 0.05   \*\* : P ≤ 0.01

TABLE B 28

NEOPLASTIC LESIONS-INCIDENCE  
AND STATISTICAL ANALYSIS : FEMALE  
(Control and Positive control group)

**NEOPLASTIC LESIONS – INCIDENCE AND STATISTICAL ANALYSIS**

STUDY NO.: 0901

ANIMAL : Jic: CB6F1-Tg rasH2@Jcl

SEX : FEMALE

PAGE: 1

Group Name	Control	Posi. Control
	SITE : skin/appendage TUMOR : squamous cell papilloma	
Tumor rate (a)	0/25 ( 0.0 )	1/15 ( 6.7 )
Statistical analysis		
Fisher Exact test (b)		P = 0.3750
	SITE : trachea TUMOR : papillary adenoma	
Tumor rate (a)	0/25 ( 0.0 )	1/15 ( 6.7 )
Statistical analysis		
Fisher Exact test (b)		P = 0.3750
	SITE : lung TUMOR : bronchiolar-alveolar adenoma	
Tumor rate (a)	3/25 ( 12.0 )	3/15 ( 20.0 )
Statistical analysis		
Fisher Exact test (b)		P = 0.4002
	SITE : lymph node TUMOR : malignant lymphoma	
Tumor rate (a)	0/25 ( 0.0 )	2/15 ( 13.3 )
Statistical analysis		
Fisher Exact test (b)		P = 0.1346
	SITE : thymus TUMOR : malignant lymphoma	
Tumor rate (a)	0/25 ( 0.0 )	6/15 ( 40.0 )
Statistical analysis		
Fisher Exact test (b)		P = 0.0013**

NEOPLASTIC LESIONS – INCIDENCE AND STATISTICAL ANALYSIS

STUDY NO.: 0901

ANIMAL : Jic: CB6F1-Tg rasH2@Jcl

SEX : FEMALE

PAGE: 2

Group Name	Control	Posi. Control
	SITE : spleen	
	TUMOR : malignant lymphoma	
Tumor rate (a)	0/25 ( 0.0 )	3/15 ( 20.0 )
Statistical analysis		
Fisher Exact test (b)		P = 0.0461*
	SITE : stomach	
	TUMOR : squamous cell papilloma	
Tumor rate (a)	0/25 ( 0.0 )	13/15 ( 86.7 )
Statistical analysis		
Fisher Exact test (b)		P < 0.0001**
	SITE : stomach	
	TUMOR : squamous cell carcinoma	
Tumor rate (a)	0/25 ( 0.0 )	2/15 ( 13.3 )
Statistical analysis		
Fisher Exact test (b)		P = 0.1346
	SITE : stomach	
	TUMOR : squamous cell papilloma, squamous cell carcinoma	
Tumor rate (a)	0/25 ( 0.0 )	13/15 ( 86.7 )
Statistical analysis		
Fisher Exact test (b)		P < 0.0001**
	SITE : urethra	
	TUMOR : transitional cell carcinoma	
Tumor rate (a)	0/25 ( 0.0 )	1/15 ( 6.7 )
Statistical analysis		
Fisher Exact test (b)		P = 0.3750

NEOPLASTIC LESIONS – INCIDENCE AND STATISTICAL ANALYSIS

STUDY NO.: 0901

ANIMAL : Jic: CB6F1-Tg rasH2@Jcl

SEX : FEMALE

PAGE: 3

Group Name	Control	Posi. Control
	SITE : uterus TUMOR : hemangiosarcoma	
Tumor rate (a)	0/25 ( 0.0 )	1/15 ( 6.7 )
Statistical analysis		
Fisher Exact test (b)		P = 0.3750
	SITE : uterus TUMOR : endometrial stromal sarcoma	
Tumor rate (a)	0/25 ( 0.0 )	1/15 ( 6.7 )
Statistical analysis		
Fisher Exact test (b)		P = 0.3750
	SITE : vagina TUMOR : squamous cell papilloma	
Tumor rate (a)	0/25 ( 0.0 )	1/15 ( 6.7 )
Statistical analysis		
Fisher Exact test (b)		P = 0.3750
	SITE : ALL SITE TUMOR : malignant lymphoma	
Tumor rate (a)	0/25 ( 0.0 )	11/15 ( 73.3 )
Statistical analysis		
Fisher Exact test (b)		P < 0.0001**

(a): Number of tumor-bearing animals/number of animals examined at the site.

(b): Fisher exact test compare directly the overall incidence rates.

Significant difference: \* : P ≤ 0.05    \*\* : P ≤ 0.01

TABLE B 29

NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF  
TUMORS - TIME RELATED: MALE  
(Control and Positive control group)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : MALE

## NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF TUMORS - TIME RELATED

PAGE : 1

Time-related Weeks	Items	Group Name	Control	Posi. Control
0 - 20	NO. OF EXAMINED ANIMALS		0	5
	NO. OF ANIMALS WITH TUMORS		0	5
	NO. OF ANIMALS WITH SINGLE TUMORS		0	0
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	5
	NO. OF BENIGN TUMORS		0	5
	NO. OF MALIGNANT TUMORS		0	5
	NO. OF TOTAL TUMORS		0	10
21 - 26	NO. OF EXAMINED ANIMALS		0	2
	NO. OF ANIMALS WITH TUMORS		0	2
	NO. OF ANIMALS WITH SINGLE TUMORS		0	0
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	2
	NO. OF BENIGN TUMORS		0	3
	NO. OF MALIGNANT TUMORS		0	4
	NO. OF TOTAL TUMORS		0	7
27 - 27	NO. OF EXAMINED ANIMALS		25	8
	NO. OF ANIMALS WITH TUMORS		2	8
	NO. OF ANIMALS WITH SINGLE TUMORS		2	0
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	8
	NO. OF BENIGN TUMORS		2	16
	NO. OF MALIGNANT TUMORS		0	6
	NO. OF TOTAL TUMORS		2	22
0 - 27	NO. OF EXAMINED ANIMALS		25	15
	NO. OF ANIMALS WITH TUMORS		2	15
	NO. OF ANIMALS WITH SINGLE TUMORS		2	0
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	15
	NO. OF BENIGN TUMORS		2	24
	NO. OF MALIGNANT TUMORS		0	15
	NO. OF TOTAL TUMORS		2	39

TABLE B 30

NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF  
TUMORS - TIME RELATED: FEMALE  
(Control and Positive control group)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH28Jcl  
REPORT TYPE : A1  
SEX : FEMALE

## NUMBER OF ANIMALS WITH TUMORS AND NUMBER OF TUMORS - TIME RELATED

PAGE : 2

Time-related Weeks	Items	Group Name	Control	Posi. Control
0 - 20	NO. OF EXAMINED ANIMALS		1	7
	NO. OF ANIMALS WITH TUMORS		1	7
	NO. OF ANIMALS WITH SINGLE TUMORS		1	2
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	5
	NO. OF BENIGN TUMORS		0	6
	NO. OF MALIGNANT TUMORS		1	8
	NO. OF TOTAL TUMORS		1	14
21 - 26	NO. OF EXAMINED ANIMALS		1	4
	NO. OF ANIMALS WITH TUMORS		0	4
	NO. OF ANIMALS WITH SINGLE TUMORS		0	0
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	4
	NO. OF BENIGN TUMORS		0	6
	NO. OF MALIGNANT TUMORS		0	5
	NO. OF TOTAL TUMORS		0	11
27 - 27	NO. OF EXAMINED ANIMALS		23	4
	NO. OF ANIMALS WITH TUMORS		4	4
	NO. OF ANIMALS WITH SINGLE TUMORS		4	1
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	3
	NO. OF BENIGN TUMORS		4	7
	NO. OF MALIGNANT TUMORS		0	3
	NO. OF TOTAL TUMORS		4	10
0 - 27	NO. OF EXAMINED ANIMALS		25	15
	NO. OF ANIMALS WITH TUMORS		5	15
	NO. OF ANIMALS WITH SINGLE TUMORS		5	3
	NO. OF ANIMALS WITH MULTIPLE TUMORS		0	12
	NO. OF BENIGN TUMORS		4	19
	NO. OF MALIGNANT TUMORS		1	16
	NO. OF TOTAL TUMORS		5	35

TABLE B 31

HISTOPATHOLOGICAL FINDINGS:

METASTASIS OF TUMOR:MALE

(Control and Positive control group)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rashH20Jcl  
REPORT TYPE : A1  
SEX : MALE

HISTOPATHOLOGICAL FINDINGS : METASTASIS OF TUMOR (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name No. of Animals on Study	Control 25	Posi. Control 15
<b>[Respiratory system]</b>				
nasal cavit	leukemic cell infiltration		<25> 0	<15> 4
nasopharynx	leukemic cell infiltration		<25> 0	<15> 1
lung	leukemic cell infiltration		<25> 0	<15> 7
<b>[Hematopoietic system]</b>				
bone marrow	leukemic cell infiltration		<25> 0	<15> 6
lymph node	leukemic cell infiltration		<25> 0	<15> 6
spleen	leukemic cell infiltration		<25> 0	<15> 6
<b>[Circulatory system]</b>				
heart	leukemic cell infiltration		<25> 0	<15> 3
<b>[Digestive system]</b>				
salivary gl	leukemic cell infiltration		<25> 0	<15> 1
liver	leukemic cell infiltration		<25> 0	<15> 6

**a** : Number of animals examined at the site  
**b** : Number of animals with lesion

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : MALE

HISTOPATHOLOGICAL FINDINGS : METASTASIS OF TUMOR (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 2

Organ	Findings	Group Name No. of Animals on Study	Control 25	Posi. Control 15
[Digestive system]				
gall bladder	leukemic cell infiltration	<25> 0	<15> 1	
[Urinary system]				
kidney	leukemic cell infiltration	<25> 0	<15> 6	
urin bladder	leukemic cell infiltration	<25> 0	<15> 1	
[Endocrine system]				
adrenal	leukemic cell infiltration	<25> 0	<15> 2	
[Reproductive system]				
testis	leukemic cell infiltration	<25> 0	<15> 3	
epididymis	leukemic cell infiltration	<25> 0	<15> 4	
prostate	leukemic cell infiltration	<25> 0	<15> 1	
[Special sense organs/appendage]				
Harder gl	leukemic cell infiltration	<25> 0	<15> 1	

< a > a : Number of animals examined at the site  
b : Number of animals with lesion

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : MALE

HISTOPATHOLOGICAL FINDINGS : METASTASIS OF TUMOR (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 3

Organ	Findings	Group Name No. of Animals on Study	Control 25	Posi. Control 15

(Musculoskeletal system)

muscle	leukemic cell infiltration	<25> 0	<15> 6

< a > a : Number of animals examined at the site  
b : Number of animals with lesion

(JPT150)

BA156

TABLE B 32

HISTOPATHOLOGICAL FINDINGS:

METASTASIS OF TUMOR: FEMALE

(Control and Positive control group)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS : METASTASIS OF TUMOR (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name No. of Animals on Study	Control 25	Posi. Control 15
{Respiratory system}				
nasal cavit	leukemic cell infiltration	<25> 0	<15> 5	
lung	leukemic cell infiltration	<25> 0	<15> 10	
	metastasis:skin/appendage tumor	1	0	
{Hematopoietic system}				
bone marrow	leukemic cell infiltration	<25> 0	<15> 8	
lymph node	leukemic cell infiltration	<25> 0	<15> 8	
	metastasis:stomach tumor	0	1	
spleen	leukemic cell infiltration	<25> 0	<15> 8	
{Circulatory system}				
heart	leukemic cell infiltration	<25> 0	<15> 6	
{Digestive system}				
stomach	leukemic cell infiltration	<25> 0	<15> 1	
small intes	leukemic cell infiltration	<25> 0	<15> 1	

< a > a : Number of animals examined at the site  
< b > b : Number of animals with lesion

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS : METASTASIS OF TUMOR (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 2

Organ	Findings	Group Name No. of Animals on Study	Control 25	Posi. Control 15
<b>[Digestive system]</b>				
liver			<25>	<15>
	leukemic cell infiltration		0	11
gall bladder			<25>	<15>
	leukemic cell infiltration		0	1
<b>[Urinary system]</b>				
kidney			<25>	<15>
	leukemic cell infiltration		0	10
urin bladder			<25>	<15>
	leukemic cell infiltration		0	1
<b>[Endocrine system]</b>				
pituitary			<24>	<15>
	leukemic cell infiltration		0	1
<b>[Reproductive system]</b>				
ovary			<25>	<15>
	leukemic cell infiltration		0	10
	metastasis:stomach tumor		0	1
uterus			<25>	<15>
	leukemic cell infiltration		0	3
vagina			<25>	<15>
	leukemic cell infiltration		0	4
<b>[Nervous system]</b>				
brain			<25>	<15>
	leukemic cell infiltration		0	1

**< a >**      a : Number of animals examined at the site  
**b**      b : Number of animals with lesion

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jc1  
REPORT TYPE : A1  
SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS : METASTASIS OF TUMOR (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 3

Organ	Findings	Group Name No. of Animals on Study	Control 25	Posi. Control 15
{Special sense organs/appendage}				
Harder gl	leukemic cell infiltration	<25> 0	<15> 2	
{Musculoskeletal system}				
muscle	leukemic cell infiltration	<25> 0	<15> 10	
{Body cavities}				
mediastinum	leukemic cell infiltration	<25> 0	<15> 3	
peritoneum	metastasis:stomach tumor	<25> 0	<15> 1	

< a > a : Number of animals examined at the site  
b : Number of animals with lesion

(JPT150)

BA156

TABLE B 33

HISTOPATHOLOGICAL FINDINGS:  
NON-NEOPLASTIC LESIONS: MALE  
(Control and Positive control group)

STUDY NO. : 0900  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1  
 SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name No. of Animals on Study	Control				Posi. Control			
			Grade 1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
<b>(Respiratory system)</b>										
nasal cavit	eosinophilic change:respiratory epithelium	<25>	1 ( 4)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 7)	0 ( 0)	0 ( 0)	0 ( 0)
	respiratory metaplasia:gland	<25>	20 ( 80)	0 ( 0)	0 ( 0)	0 ( 0)	10 ( 67)	0 ( 0)	0 ( 0)	0 ( 0)
<b>Lung</b>										
	bronchiolar-alveolar cell hyperplasia	<25>	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 7)	0 ( 0)	0 ( 0)	0 ( 0)
<b>(Hematopoietic system)</b>										
thymus	granulation	<25>	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 7)	0 ( 0)	0 ( 0)	0 ( 0)
spleen	atrophy	<25>	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 7)	0 ( 0)
	deposit of melanin	<25>	2 ( 8)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)

Grade      1+ : Slight      2+ : Moderate      3+ : Marked      4+ : Severe

< a >      a : Number of animals examined at the site

      b : Number of animals with lesion

( c )      c : b / a \* 100

Significant difference ;      \* : P ≤ 0.05      \*\* : P ≤ 0.01      Test of Chi Square

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash2@Jcl  
REPORT TYPE : A1  
SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 2

Organ	Findings	Group Name No. of Animals on Study	Control				Posi. Control				
			Grade	1+	2+	3+	4+	1+	2+	3+	4+
spleen	extramedullary hematopoiesis		<25>	2	0	0	0	3	0	1	0
				( 8)	( 0)	( 0)	( 0)	( 20)	( 0)	( 7)	( 0)
{Digestive system}											
stomach	squamous cell hyperplasia:forestomach		<25>	1	0	0	0	4	0	0	0
				( 4)	( 0)	( 0)	( 0)	( 27)	( 0)	( 0)	( 0)
liver											
	necrosis:focal		<25>	0	0	0	0	2	0	0	0
				( 0)	( 0)	( 0)	( 0)	( 13)	( 0)	( 0)	( 0)
	fatty change:central		<25>	0	0	0	0	1	0	0	0
				( 0)	( 0)	( 0)	( 0)	( 7)	( 0)	( 0)	( 0)
	focus of cellular alteration		<25>	0	1	0	0	1	0	0	0
				( 0)	( 4)	( 0)	( 0)	( 7)	( 0)	( 0)	( 0)

{Endocrine system}

pituitary	cystic degeneration:anterior lobe	<25>	3	0	0	0	<15>	1	0	0	0
			( 12)	( 0)	( 0)	( 0)		( 7)	( 0)	( 0)	( 0)

Grade . 1+ : Slight 2+ : Moderate 3+ : Marked 4+ : Severe

< a > a : Number of animals examined at the site

b : Number of animals with lesion

( c ) c : b / a \* 100

Significant difference ; \* : P ≤ 0.05 \*\* : P ≤ 0.01 Test of Chi Square

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rashH20Jcl  
REPORT TYPE : A1  
SEX : MALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 3

Organ	Findings	Group Name No. of Animals on Study	Control				Posi. Control				
			<25>				<15>				
			Grade	1+	2+	3+	4+	1+	2+	3+	4+
			(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)

{Endocrine system}

thyroid	cyst	<25>				<15>			
		1	0	0	0	0	0	0	0
		( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)

  

adrenal	spindle-cell hyperplasia	<25>				<15>			
		14	0	0	0	3	0	0	0
		( 56)	( 0)	( 0)	( 0)	( 20)	( 0)	( 0)	( 0)

{Reproductive system}

testis	tubular atrophy	<25>				<15>			
		0	0	0	0	1	1	0	0
		( 0)	( 0)	( 0)	( 0)	( 7)	( 7)	( 0)	( 0)

Grade      1+ : Slight      2+ : Moderate      3+ : Marked      4+ : Severe  
< a >      a : Number of animals examined at the site  
              b : Number of animals with lesion  
( c )      c : b / a \* 100  
Significant difference ;      \* : P ≤ 0.05      \*\* : P ≤ 0.01      Test of Chi Square

(HPT150)

BA156

TABLE B 34

HISTOPATHOLOGICAL FINDINGS:

NON-NEOPLASTIC LESIONS: FEMALE

(Control and Positive control group)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
REPORT TYPE : A1  
SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 1

Organ	Findings	Group Name No. of Animals on Study	Control				Posi. Control			
			Grade 1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
{Integumentary system/appendage}										
skin/app	inflammatory infiltration		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 7)	0 ( 0)	0 ( 0)	0 ( 0)
subcutis	inflammation		0 ( 0)	1 ( 4)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
{Respiratory system}										
nasal cavit	eosinophilic change:olfactory epithelium		1 ( 4)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 7)	0 ( 0)	0 ( 0)	0 ( 0)
	eosinophilic change:respiratory epithelium		5 ( 20)	0 ( 0)	0 ( 0)	0 ( 0)	3 ( 20)	0 ( 0)	0 ( 0)	0 ( 0)
	respiratory metaplasia:gland		23 ( 92)	0 ( 0)	0 ( 0)	0 ( 0)	13 ( 87)	0 ( 0)	0 ( 0)	0 ( 0)
nasopharynx	eosinophilic change		1 ( 4)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 7)	0 ( 0)	0 ( 0)	0 ( 0)

Grade      1+ : Slight      2+ : Moderate      3+ : Marked      4+ : Severe

< a >      a : Number of animals examined at the site

b      b : Number of animals with lesion

( c )      c : b / a \* 100

Significant difference ;      \* : P ≤ 0.05      \*\* : P ≤ 0.01      Test of Chi Square

(HPT150)

BA156

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 27W)

PAGE : 2

Organ	Findings	Group Name No. of Animals on Study	Control				Posi. Control				
			<25>				<15>				
			Grade	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)
[Respiratory system]											
lung	hemorrhage		<25>	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	1 ( 7 )	0 ( 0 )	0 ( 0 )	0 ( 0 )
	inflammatory infiltration		<25>	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	1 ( 7 )	0 ( 0 )	0 ( 0 )
[Hematopoietic system]											
bone marrow	atrophy		<25>	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	1 ( 7 )	0 ( 0 )	0 ( 0 )
	increased hematopoiesis		<25>	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	1 ( 7 )	1 ( 7 )	0 ( 0 )	0 ( 0 )
lymph node	inflammatory infiltration		<25>	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	1 ( 7 )	0 ( 0 )	0 ( 0 )
spleen	deposit of melanin		<25>	3 ( 12 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	1 ( 7 )	0 ( 0 )	0 ( 0 )	0 ( 0 )
			<15>								

Grade      1+ : Slight      2+ : Moderate      3+ : Marked      4+ : Severe

< a >      a : Number of animals examined at the site

      b : Number of animals with lesion

( c )      c : b / a \* 100

Significant difference ;      \* : P ≤ 0.05      \*\* : P ≤ 0.01      Test of Chi Square

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 27W)

PAGE : 3

Organ	Findings	Group Name No. of Animals on Study	Control				Posi. Control				
			<25>				<15>				
			Grade	1+ (%)	2+ (%)	3+ (%)	4+ (%)	1+ (%)	2+ (%)	3+ (%)	4+ (%)

(Hematopoietic system)

spleen	extramedullary hematopoiesis	<25>	0 ( 0 )	2 ( 8 )	0 ( 0 )	0 ( 0 )	<15>	2 ( 13 )	0 ( 0 )	1 ( 7 )	0 ( 0 )
--------	------------------------------	------	------------	------------	------------	------------	------	-------------	------------	------------	------------

(Circulatory system)

heart	inflammatory infiltration	<25>	0 ( 0 )	1 ( 4 )	0 ( 0 )	0 ( 0 )	<15>	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )
-------	---------------------------	------	------------	------------	------------	------------	------	------------	------------	------------	------------

(Digestive system)

stomach	squamous cell hyperplasia:forestomach	<25>	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	<15>	6 ( 40 )	0 ( 0 )	0 ( 0 )	0 ** ( 0 )
---------	---------------------------------------	------	------------	------------	------------	------------	------	-------------	------------	------------	---------------

liver	inflammatory infiltration	<25>	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	<15>	1 ( 7 )	1 ( 7 )	0 ( 0 )	0 ( 0 )
-------	---------------------------	------	------------	------------	------------	------------	------	------------	------------	------------	------------

(Urinary system)

urin bladd	inflammation	<25>	0 ( 0 )	0 ( 0 )	0 ( 0 )	0 ( 0 )	<15>	0 ( 0 )	1 ( 7 )	0 ( 0 )	0 ( 0 )
------------	--------------	------	------------	------------	------------	------------	------	------------	------------	------------	------------

Grade      1+ : Slight      2+ : Moderate      3+ : Marked      4+ : Severe

< a >      a : Number of animals examined at the site

b      b : Number of animals with lesion

{ c }      c : b / a \* 100

Significant difference ;      \* : P ≤ 0.05      \*\* : P ≤ 0.01      Test of Chi Square

STUDY NO. : 0901  
 ANIMAL : Jic:CB6F1-Tg rash20Jcl  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 27W)

PAGE : 4

Organ	Findings	Group Name No. of Animals on Study	Control				Posi. Control			
			25				15			
			Grade	1+	2+	3+	4+	1+	2+	3+

{Endocrine system}

pituitary	cystic degeneration:anterior lobe	<24>	Control				Posi. Control			
			1+	2+	3+	4+	1+	2+	3+	4+
			( 3)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
thyroid	cystic thyroid follicle	<25>					<15>			
			0	0	0	0	1	0	0	0
			( 0)	( 0)	( 0)	( 0)	( 7)	( 0)	( 0)	( 0)
adrenal	spindle-cell hyperplasia	<25>					<15>			
			15	10	0	0	10	2	0	0 *
			( 60)	( 40)	( 0)	( 0)	( 67)	( 13)	( 0)	( 0)

{Reproductive system}

ovary	granuloma	<25>	Control				Posi. Control			
			1+	2+	3+	4+	1+	2+	3+	4+
			( 0)	( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
uterus	atrophy	<25>					<15>			
			1	0	0	0	1	0	0	0
			( 4)	( 0)	( 0)	( 0)	( 7)	( 0)	( 0)	( 0)
	cystic endometrial hyperplasia	<25>					<15>			
			10	0	0	0	2	0	0	0
			( 40)	( 0)	( 0)	( 0)	( 13)	( 0)	( 0)	( 0)

Grade      1+ : Slight      2+ : Moderate      3+ : Marked      4+ : Severe  
 < a >      a : Number of animals examined at the site  
 b      b : Number of animals with lesion  
 ( c )      c : b / a \* 100

Significant difference :      \* : P ≤ 0.05      \*\* : P ≤ 0.01      Test of Chi Square

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rasH20Jcl  
REPORT TYPE : A1  
SEX : FEMALE

HISTOPATHOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 27W)

PAGE : 5

Organ	Findings	Group Name No. of Animals on Study	Control				Posi. Control				
			Grade	1+	2+	3+	4+	1+	2+	3+	4+

[Reproductive system]

vagina	inflammatory polyp	<25>	Control				Posi. Control			
			1+	2+	3+	4+	1+	2+	3+	4+
			1	0	0	0	0	0	0	0
			( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
vascular anomaly		<15>								
			1	0	0	0	0	0	0	0
			( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)

[Nervous system]

brain	epidermal cyst	<25>	Control				Posi. Control			
			1+	2+	3+	4+	1+	2+	3+	4+
			1	0	0	0	0	0	0	0
			( 4)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)

Grade      1+ : Slight      2+ : Moderate      3+ : Marked      4+ : Severe  
< a >      a : Number of animals examined at the site  
b      b : Number of animals with lesion  
( c )      c : b / a \* 100  
Significant difference ;      \* : P ≤ 0.05      \*\* : P ≤ 0.01      Test of Chi Square

(HPT150)

BA156

TABLE B 35

CAUSE OF DEATH: MALE

(Control and Positive control group)

STUDY NO. : 0900  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
SEX : MALE

COUSE OF DEATH (SUMMARY)  
(0- 27W)

PAGE : 1

Group Name	Control	Posi. Control
Number of Dead and Moribund Animal	0	7
tumor d:leukemia	0	7
tumor d:spleen	0	0
tumor d:stomach	0	0
tumor d:pleura	0	0

(B10120)

BAIS6

TABLE B 36

CAUSE OF DEATH: FEMALE

(Control and Positive control group)

STUDY NO. : 0901  
ANIMAL : Jic:CB6F1-Tg rash20Jcl  
SEX : FEMALE

COUSE OF DEATH (SUMMARY)  
(0- 27W)

PAGE : 1

Group Name	Control	Posi. Control
Number of Dead and Moribund Animal	2	11
no microscop confirm	1	0
tumor d:leukemia	0	10
tumor d:skin/app	1	0
tumor d:stomach	0	1
tumor d:muscle	0	0
tumor d:peritoneum	0	0

(B10120)

BA1S6