

1,3,5-トリス (2,3-エポキシプロピル) ヘキサヒドロ-1,3,5-トリアジン-  
2,4,6-トリオンの p53 KO マウスを用いた強制経口投与による  
中期発がん性試験報告書

試験番号 : 0923, 0924

## FIGURES

## FIGURES

- FIGURE 1 SURVIVAL RATE OF MALE p53 KO MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)
- FIGURE 2 SURVIVAL RATE OF FEMALE p53 KO MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)
- FIGURE 3 BODY WEIGHT CHANGES OF MALE p53 KO MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)
- FIGURE 4 BODY WEIGHT CHANGES OF FEMALE p53 KO MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)
- FIGURE 5 FOOD CONSUMPTION CHANGES OF MALE p53 KO MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)
- FIGURE 6 FOOD CONSUMPTION CHANGES OF FEMALE p53 KO MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)




FIGURE 1 SURVIVAL RATE OF MALE p53 KO MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL) HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)




FIGURE 2 SURVIVAL RATE OF FEMALE p53 KO MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL) HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)




FIGURE 3 BODY WEIGHT CHANGES OF MALE p53 KO MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL) HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)




FIGURE 4 BODY WEIGHT CHANGES OF FEMALE p53 KO MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL) HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)




FIGURE 5 FOOD CONSUMPTION CHANGES OF MALE p53 KO MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS (2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)




FIGURE 6 FOOD CONSUMPTION CHANGES OF FEMALE p53 KO MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS (2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)