

1,3,5-トリス (2,3-エポキシプロピル) ヘキサヒドロ-1,3,5-トリアジン-
2,4,6-トリオンの rasH2 マウスを用いた強制経口投与による
中期発がん性試験報告書

試験番号 : 0912, 0913

FIGURES

FIGURES

- FIGURE 1 SURVIVAL RATE OF MALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)
- FIGURE 2 SURVIVAL RATE OF FEMALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)
- FIGURE 3 BODY WEIGHT CHANGES OF MALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)
- FIGURE 4 BODY WEIGHT CHANGES OF FEMALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)
- FIGURE 5 FOOD CONSUMPTION CHANGES OF MALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)
- FIGURE 6 FOOD CONSUMPTION CHANGES OF FEMALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)




FIGURE 1 SURVIVAL RATE OF MALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL) HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)




FIGURE 2 SURVIVAL RATE OF FEMALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL) HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)




FIGURE 3 BODY WEIGHT CHANGES OF MALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL) HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)




FIGURE 4 BODY WEIGHT CHANGES OF FEMALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS(2,3-EPOXYPROPYL) HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)




FIGURE 5 FOOD CONSUMPTION CHANGES OF MALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS (2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)




FIGURE 6 FOOD CONSUMPTION CHANGES OF FEMALE *rasH2* MICE IN THE 26-WEEK CARCINOGENICITY STUDY OF 1,3,5-TRIS (2,3-EPOXYPROPYL)HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIONE (GAVAGE STUDY)